## The Energy Factor: Electric

| 30 GALLON CAPACITY<br>MODELS  | INSULATION | ESTIMATED<br>YEARLY COST* | ENERGY<br>FACTOR | FIRST HOUR<br>RATING | LEED POINTS |
|-------------------------------|------------|---------------------------|------------------|----------------------|-------------|
| M230R6DS                      | 2          | \$502                     | .93              | 50                   | 1           |
| M230L6DS                      | 2          | \$496                     | .94              | 47                   | 1           |
| M130L6DS                      | 1          | \$502                     | .93              | 47                   | 1           |
| M230U6SS                      | 2          | \$502                     | .93              | 19                   | 1           |
| M2WH30L6SS                    | 2          | \$502                     | .93              | 19                   | 1           |
| 40 GALLON CAPACITY<br>MODELS  | INSULATION | ESTIMATED<br>YEARLY COST* | ENERGY<br>FACTOR | FIRST HOUR<br>RATING | LEED POINTS |
| M240S6DS                      | 2          | \$507                     | .92              | 56                   | /           |
| M240T6DS                      | 2          | \$507                     | .92              | 56                   | /           |
| M2HE40S6DS                    | 2          | \$502                     | .93              | 57                   | 1           |
| M240L6DS                      | 2          | \$502                     | .93              | 58                   | /           |
| M140L6DS                      | 1          | \$507                     | .92              | 58                   | /           |
| 50 GALLON CAPACITY<br>MODELS  | INSULATION | ESTIMATED<br>YEARLY COST* | ENERGY<br>FACTOR | FIRST HOUR<br>RATING | LEED POINTS |
| M250S6DS                      | 2          | \$507                     | .92              | 67                   | 1           |
| M250T6DS                      | 2          | \$518                     | .90              | 67                   | /           |
| M2HE50S6DS                    | 2          | \$502                     | .93              | 67                   | 1           |
| M250L6DS                      | 2          | \$513                     | .91              | 67                   | /           |
| M150L6DS                      | 1          | \$513                     | .91              | 67                   | /           |
| 65 GALLON CAPACITY<br>MODELS  | INSULATION | ESTIMATED YEARLY COST*    | ENERGY<br>FACTOR | FIRST HOUR<br>RATING | LEED POINTS |
| M265R6DS                      | 2          | 524                       | .89              | 77                   | /           |
| M2HE65R6DS                    | 2          | 513                       | .91              | 77                   | /           |
| 80 GALLON CAPACITY<br>MODELS  | INSULATION | ESTIMATED<br>YEARLY COST* | ENERGY<br>FACTOR | FIRST HOUR<br>RATING | LEED POINTS |
| M280R6DS                      | 2          | \$530                     | .88              | 92                   | /           |
| M2HE80R6DS                    | 2          | \$513                     | .91              | 92                   | /           |
| 120 GALLON CAPACITY<br>MODELS | INSULATION | ESTIMATED<br>YEARLY COST* | ENERGY<br>FACTOR | FIRST HOUR<br>RATING | LEED POINTS |
| M2120R6DS                     | 2          | \$549                     | .85              | 118                  | /           |

<sup>\*</sup> Calculated using the updated National Average Fuel Cost.

**LEED** - Leadership in Energy and Environmental Design

**LEED** is a third-party, nationally accepted standard for green building design

- Information supplied by The Gas Appliance Manufacturers' Association and Bradford White.
- The Energy Factor Chart is subject to change without notice in accordance with our policy of continuous improvement.

Last Revised September 9, 2008

