





The Energy Factor: Propane


30 GALLON CAPACITY MODELS	INSULATION	ESTIMATED YEARLY COST*	ENERGY FACTOR	FIRST HOUR RATING	LEED POINTS
MI30T6FCX/SX	1	\$459	.61	58	/
MI30S6FCX/SX	1	\$459	.61	56	/
MI303T6FCX/SX	1	\$459	.61	68	/
M430T6FCX/SX	2	\$452	.62	58	1
MIMS30T6LX	1	\$459	.61	52	/
MIMH30T6FLX	1	\$459	.61	56	/
40 GALLON CAPACITY MODELS	INSULATION	ESTIMATED YEARLY COST*	ENERGY FACTOR	FIRST HOUR RATING	LEED POINTS
MI40T6FCX/SX	1	\$475	.59	76	/
MI403S6FCX/SX	1	\$475	.59	74	/
MI404T6FCX/SX	1	\$475	.59	87	/
M440T6FCX/SX	2	\$452	.62	76	1
PE440T6FSX	2	\$452	.62	76	1
M4403S6FCX/SX	2	\$452	.62	74	1
PE4403S6FSX	2	\$452	.62	74	1
D4403S6FSX 	2	\$418	.67	72	1
M1XR403S6FCX/SX	1	\$475	.59	74	/
DS140S6FCX/SX	1	\$475	.59	73	/
MIMS40T6LX	1	\$475	.59	59	/
MIMH40T6FLX	1	\$467	.60	59	/
M1TW40S6FCX/SX**	1	\$445	.63	72	1
M4TW40T6FSX 	2	\$418	.67	72	1
PDX140S6FSX	1	\$452	.62	72	1
50 GALLON CAPACITY MODELS	INSULATION	ESTIMATED YEARLY COST*	ENERGY FACTOR	FIRST HOUR RATING	LEED POINTS
MI5036FCX/SX	1	\$483	.58	89	/
MI50L6FCX/SX	1	\$483	.58	88	/
MI504S6FCX/SX	1	\$483	.58	93	/
M45036FCX/SX	2	\$452	.62	89	1
PE45036FSX	2	\$452	.62	89	1
D4504S6FSX 	2	\$418	.67	86	1
M2XR504T6FCX/SX	2	\$475	.59	103	/
PE2XR504T6FSX	2	\$475	.59	103	/
CDW2504T10FCX/SX	2	\$475	.59	102	/
CSW2504T10FCX/SX	2	\$475	.59	102	/
CDW2TW50T10FCX/SX	2	\$424	.66	108	1
CSW2TW50T10FCX/SX	2	\$424	.66	108	1
DS150S6FCX/SX	1	\$483	.58	90	/
DH1504T6FCX/SX	1	\$483	.58	93	/
M1TW50S6FCX/SX**	1	\$445	.63	86	1
M4TW50T6FSX 	2	\$418	.67	86	1
M2TW50T6FCX/SX	2	\$424	.66	108	1
PDX250T6FCX/SX	2	\$452	.62	105	1
PDX150S6FSX	1	\$452	.62	88	1

Continued on page next page.

**478 Models have a 0.64 Energy Factor (ex: M-1-TW-40S6FBN-478).

*Calculated using the updated National Average Fuel Cost.

The Energy Factor: Propane

60 GALLON CAPACITY MODELS	INSULATION	ESTIMATED YEARLY COST*	ENERGY FACTOR	FIRST HOUR RATING	LEED POINTS
MI60T6FCX/SX	1	\$500	.56	101	/
M460T6FCX/SX	2	\$475	.59	101	/
M1TW60T6FCX/SX	1	\$452	.62	100	1
M4TW60T6FSX 	2	\$418	.67	98	1
65 GALLON CAPACITY MODELS	INSULATION	ESTIMATED YEARLY COST*	ENERGY FACTOR	FIRST HOUR RATING	LEED POINTS
M2XR65T6FCX/SX	2	\$509	.55	127	/
DH165T6FCX/SX	1	\$509	.55	113	/
M2TW65T6FCX/SX	2	\$424	.66	126	1
PDX265T6FCX/SX	2	\$467	.60	120	/
75 GALLON CAPACITY MODELS	INSULATION	ESTIMATED YEARLY COST*	ENERGY FACTOR	FIRST HOUR RATING	LEED POINTS
PDX275T6FCX/SX	2	\$475	.59	140	/
DH175S6FCX/SX	1	\$529	.53	125	/

**478 Models have a 0.64 Energy Factor (ex: M-1-TW-40S6FBN-478).

*Calculated using the updated National Average Fuel Cost.

LEED - Leadership in Energy and Environmental Design

LEED is a third-party, nationally accepted standard for green building design

- Information supplied by The Gas Appliance Manufacturers' Association and Bradford White.
- The Energy Factor Chart is subject to change without notice in accordance with our policy of continuous improvement.

Last Revised January 19, 2009