

Engineered Plastic (EP) Heating Manifold End Cap with Vent and Drain

Submittal Information Revision A: Oct. 15, 2008

Revision A: Oct. 15, 2008	
Project Information	
Job Name:	
Location:	Part No. Ordered:
Engineer:	Date Submitted:
Contractor:	Submitted By:
Manufacturer's Representative:	Approved By:

Technical Data

Material: PA66-GF30

Handwheels: POM
O-ring: EPDM



Product Information and Application Use

The Engineered Plastic (EP) Heating Manifold End Cap with Vent and Drain (A2671250) allows filling and purging at the EP Heating Manifold for use in hydronic radiant heating and cooling systems. Use only propylene glycol in radiant systems with EP Heating Manifolds; never use ethylene glycol.

✓	Description	Part Number	Length	Width	Weight
	EP Heating Manifold End Cap with Vent and Drain	A2671250	3.8"	2.2"	0.36 lbs.

Installation

Hand-tighten the end cap to the manifold. For additional information, refer to the instruction sheet. **Note**: Use only propylene glycol in radiant heating and cooling systems with EP Heating Manifolds; never use ethylene glycol. Refer to the EP Heating Manifold Installation Guide for a complete chemicals list.

Standards

N/A

Codes

N/A

Listings

N/A

Related Applications

Radiant Heating and Cooling Systems Snow and Ice Melting Systems Permafrost Protection Systems Turf Conditioning Systems

Contact Information

Uponor, Inc. 5925 148th Street West Apple Valley, MN 55124 USA Phone: (800) 321-4739 Fax: (952) 891-2008 www.uponor-usa.com Uponor Ltd. 2000 Argentia Road, Plaza 1, Suite 200 Mississauga, ON L5N 1W1 CANADA Phone: (888) 994-7726 Fax: (800) 638-9517 www.uponor.ca