

Viega Product Catalog

May 2013

The
global
leader

The global leader
in plumbing, heating
and pipe joining systems

viega

Viega...the global leader in plumbing, heating and pipe joining systems

Building on Tradition

Founded more than 110 years ago, Viega is a privately owned, international group of companies. In the United States, Canada, Mexico and Latin America, Viega specializes in plumbing, heating and pipe joining technologies. The values of Viega's founder Franz-Anselm Viegener are just as present today as they were when he started the company in 1899. Courage, passion and innovative spirit are still the basics of Viega's foundation.

First Germany, Now the World - Viega Goes Global

From humble beginnings making beer taps in the small town of Attendorn, Germany, Viega has grown into the global leader in press technology and system solutions. Today, Viega's innovative products are being produced at several locations throughout the world and distributed worldwide. Today, The Viega Group manufactures, sells and distributes more than 16,000 products for residential, commercial and industrial applications. The Viega Group owes its success to all 3,500 employees around the world — nearly 500 in the United States alone. The highest quality products, customer service and our unparalleled commitment to our customers are the key elements to which Viega earned the market leadership.

Viega is your best source for plumbing, heating and pipe joining system solutions.

The term *Viega* does not apply to a specific company within the company as a whole. The term *Viega* can refer to either the Viega Group of Companies or to the Viega brand itself. The Viega Group of Companies includes Viega GmbH & Co. KG and all of its direct and indirect subsidiaries, each of which is separate and distinct.

Registered Trademark:



Company Name:

Viega LLC

Locations:

Corporate Headquarters - Wichita, KS
Viega Manufacturing
and Distribution Center - McPherson, KS
Viega Educational Facility - Nashua, NH
Viega Distribution Center - Reno, NV
Viega Distribution Center - Atlanta, GA
Viega Distribution Center - Harrisburg, PA

Address:

North American Headquarters
301 N. Main, 9th Floor
Wichita, KS 67202

Phone:

800-976-9819


U.S. Web Address:

www.viega.net

Founded more than 110 years ago, Viega globally manufactures and distributes the highest quality plumbing, heating and pipe joining systems in the world. Viega LLC offers innovative solutions throughout North America, including Viega ProPress for copper and stainless, Viega MegaPress for black iron pipe, Viega ProRadiant and revolutionary plumbing technology like the Viega ManaBloc water distribution system. With a 439,000-square-foot manufacturing and distribution facility in McPherson, Kansas, the corporate headquarters in Wichita, Kansas, and four state-of-the-art distribution centers strategically located around the United States, Viega LLC sets the standard of excellence in system solutions, reliable logistics and dedicated support for the residential, commercial and industrial markets.

Standard terms and conditions in this catalog are those in effect on the date of publication of the catalog. Complete installation information and technical specifications are available on www.viega.net. Viega reserves the right to adjust prices, change its product offering and change standard Terms and Conditions. To obtain current information, go to www.viega.net.

Table of Contents

A collection of various plumbing and HVAC components, including copper pipes, valves, elbows, tees, and a manifold, arranged on a grey surface against a yellow background. The components are made of copper, stainless steel, and black plastic. There are also some white and blue pipes and a black manifold with multiple ports. The background is a yellow wall with a repeating pattern of circular indentations.

				NEW
				1.1
				1.2
				1.3
				1.4
				1.5
				2.1
				2.2
Viega PEX Press	Complete plumbing systems for residential and light commercial applications	pg. 83		3.1
Viega PEX Crimp	Complete plumbing systems for residential and light commercial applications	pg. 111		3.2

Legend

Abbreviation	Definition
BA	Insulated Hydronic Mixing Block Outlet Connection
BP	Bolt Pattern
BSP	British Standard Pipe
BW (IPS)	Butt Weld (Iron Pipe Size)
C	Female Copper Tube Size
COM	Compression
COP	Copper
Crimp	PEX Crimp Connection
CTS	Copper Tube Size
d	Diameter
D	Depth
d1	Diameter 1
d2	Diameter 2
d3	Diameter 3
DG	Discount Group
FEM	Hub end, it will accept the male end of a pipe or fitting
FNT	Female Nominal Thread
FPT	Female Pipe Thread
FTG	Male Copper Tube Size
G (IPS)	Groove (Iron Pipe Size)
gpm	Gallons Per Minute
H	Height
IPS	Iron Pipe Size
L	Length
lbs	Pounds
MNT	Male Nominal Thread
MPT	Male Pipe Thread
NPT	National Pipe Thread
OC	On Center
P	Press Connection
Part No	Part Number
pc	Piece
PFC	ProGeo Female Connection

[illegible]

How to Read Dimensions of a Fitting or a Product

viega



Viega ProPress Tee
Smart Connect feature, Zero Lead
- Copper
- Press connection
Components
EPDM sealing elements
Model 2918


P1	P2	P3	Wt (lb)	Quantity	Part No	DG
1/2	1/2	1/2	0.204	10	77377	8
1/2	1/2	3/4	0.291	10	77382	8
1/2	1/2	1	0.320	5	15493	8
3/4	1/2	1/2	0.274	10	77392	8
3/4	1/2	3/4	0.326	5	77397	8
3/4	3/4	1/2	0.292	10	77402	8

FPT



Viega ProPress Tee Vent
Smart Connect feature, Zero Lead
- Bronze
- Press connection, female pipe thread
Components

P1	P2	FPT	Wt (lb)	Quantity	Part No	DG
1/2	1/8	1/2	0.154	2	79635	8
3/4	1/8	3/4	0.234	2	79640	8



Viega ProPress Tee Zero Lead
- For fire sprinkler systems
- Only use with ViegaPEX Ultra tubing
Model V5009.1, V5009.51
- Bronze
- Press connection, female pipe thread
- Mounts to vertical surfaces

P1	P2	FPT	Wt (lb)	Quantity	Part No	DG
3/4	3/4	1/2	0.529	1	94736	6
1	3/4	1/2	0.602	1	94738	6
1	1	1/2	0.650	1	94739	6




Viega PEX Crimp Manifold
Zero Lead
- Brazed copper
- Crimp connection
- Flow through

Crimp1	Crimp2	Crimp3	Outlet(s)	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	4	0.620	1	45844	2
3/4	3/4	1/2	6	0.850	1	45846	2
3/4	3/4	1/2	8	1.065	1	45848	2
1	1	3/4	4	0.635	1	45864	2



Viega PEX Press Tub elbow 90°
Zero Lead
- Brazed copper
- Press connection, copper male connection
Model 2820.0ZL

P	FTG	L1 [in]	L2 [in]	Wt (lb)	Quantity	Part No	DG
1/2	1/2	3	6	0.261	25	92221	6



Viega ManaBloc Distribution manifold
Zero Lead
- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections
Components
1/4 turn valves, T-handle valve key
Model V5030ZL


d=Diameter of tubing

Adapter	Port(s)	d	hot	cold	Wt (lb)	Quantity	Part No	DG
bronze	14	3/8	6	8	6.038	1	38142	2
bronze	14	1/2	6	8	6.118	1	38143	2



Manifold cabinet
- Galvanized steel, epoxy powder-coated finish
Model 2879.6US

W [in]	H [in]	D [in]	Wt (lb)	Quantity	Part No	DG
21	30	4 1/2	27.550	1	15800	4
27	30	4 1/2	31.958	1	15801	4
45	30	4 1/2	46.571	1	15802	4



PEX Press



viega

PEX Press

The Viega PEX Press system provides the industry's most comprehensive selection of PEX tubing, fittings and accessories. Viega's unique PEX Press fittings come with a factory assembled sleeve and enhanced flow through characteristics. Along with a wide variety of PEX fittings, Viega also offers the patented ManaBloc water distribution system which helps homeowners realize a reduction in water waste and increased energy savings.

FEATURES AND BENEFITS

- Available in Zero Lead bronze and polymer
- In sizes 5/16" to 2"
- Tool locator ring to ensure proper alignment of press tool
- Uses the same tools as other Viega press systems
- Proven quality
- Reduced flow noise
- Excellent chlorine resistance
- Comprehensive written warranty

CODES AND STANDARDS

- IPC: International Plumbing Code
- UPC: Uniform Plumbing Code
- NSPC: National Standard Plumbing Code
- CSA International: Canadian Standard Association
- NSF/ ANSI 61: Drinking Water System Components – Health Effects
- NSF/ ANSI 61G: Lead Content Evaluation Procedure to meet $\leq 0.25\%$ average lead content
- NSF/ ANSI 14: Plastics Piping System Components and Related Materials
- CSA B137.5: Standard Specification for PEX tubing systems in pressure applications
- ASTM F876: Standard Specification for PEX Tubing
- ASTM F877: Standard Specification for PEX Water Distribution System
- ASTM F1807/F2159: Standard Specification for PEX Insert Fittings
- ASTM F2023: Standard Test Method for Evaluating the Oxidative Resistance of Cross-linked Polyethylene PEX Tubing and Systems to Hot Chlorinated Water
- UL 1821: Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service

ZERO LEAD

References to Zero Lead throughout this publication means product meeting the requirements of NSF 61-G through testing under NSF/ ANSI Standard 372 (0.25% or less percent maximum weighted average lead content). A few states already require meeting those requirements for plumbing fittings used in cooking and drinking water systems and federal law taking effect January 1, 2014 will make the requirements applicable to all states.

Index

Tubing	86
Elbows	90
Tees	91
Adapters	93
Couplings	94
Valves	95
ManaBloc	96
Manifolds	100
Stub-Outs	101
Lav Adapters	102
Closet Adapters	102
Outlet Boxes	102
Tools	103
Accessories	106

Tubing



ViegaPEX Tubing

Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5001

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101	1
3/8	500	red	21.000	1	32105	1
3/8	1000	red	42.000	1	32100	1
1/2	100	red	5.800	1	32121	1
1/2	300	red	17.100	1	32123	1
1/2	500	red	28.000	1	32125	1
1/2	1000	red	58.000	1	32120	1
3/4	100	red	11.000	1	32141	1
3/4	300	red	32.100	1	32143	1
3/4	500	red	53.000	1	32145	1
3/4	1000	red	106.000	1	32140	1



ViegaPEX Tubing

Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5001.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	red	1.060	50	33120	1
3/4	20	red	2.040	25	33145	1



ViegaPEX Tubing

Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5002

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201	1
3/8	500	blue	21.000	1	32205	1
3/8	1000	blue	42.000	1	32200	1
1/2	100	blue	5.300	1	32221	1
1/2	300	blue	17.100	1	32223	1
1/2	500	blue	26.500	1	32225	1
1/2	1000	blue	55.000	1	32220	1
3/4	100	blue	11.000	1	32241	1
3/4	300	blue	32.100	1	32243	1
3/4	500	blue	53.000	1	32245	1
3/4	1000	blue	106.000	1	32240	1



ViegaPEX Tubing

Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5002.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	blue	1.060	50	33240	1
3/4	20	blue	2.040	25	33265	1



ViegaPEX Tubing

Zero Lead

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5004

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	2	red/blue	58.000	1	32300	1
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	2	red/blue	48.000	1	32326	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1


ViegaPEX Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5003

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/4	100	white	3.200	1	32011	1
1/4	500	white	14.000	1	32015	1
3/8	100	white	5.000	1	32001	1
3/8	500	white	21.000	1	32005	1
3/8	1000	white	42.000	1	32000	1
1/2	100	white	6.000	1	32021	1
1/2	300	white	17.100	1	32023	1
1/2	500	white	28.000	1	32025	1
1/2	1000	white	55.000	1	32020	1
3/4	100	white	11.000	1	32041	1
3/4	300	white	32.100	1	32043	1
3/4	500	white	53.000	1	32045	1
3/4	1000	white	106.000	1	32040	1
1	100	white	17.000	1	32061	1
1	500	white	88.000	1	32065	1


ViegaPEX Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5003.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	white	1.080	50	33020	1
3/4	20	white	2.060	25	33045	1
1	20	white	3.420	5	33061	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5005

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	red	21.000	1	32505	1
1/2	100	red	6.000	1	32521	1
1/2	300	red	17.100	1	32523	1
1/2	500	red	28.000	1	32525	1
1/2	1000	red	55.000	1	32520	1
3/4	100	red	11.000	1	32541	1
3/4	300	red	32.100	1	32543	1
3/4	500	red	53.000	1	32545	1
1	100	red	17.000	1	32551	1
1	300	red	51.900	1	32553	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5005.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	red	0.550	50	33529	1
1/2	20	red	1.180	50	33520	1
3/4	10	red	0.550	25	33549	1
3/4	20	red	2.020	25	33540	1
1	20	red	3.480	5	33551	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5006

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	blue	21.000	1	32605	1
1/2	100	blue	6.000	1	32621	1
1/2	300	blue	15.900	1	32623	1
1/2	500	blue	28.000	1	32625	1
1/2	1000	blue	55.000	1	32620	1
3/4	100	blue	11.000	1	32641	1
3/4	300	blue	30.900	1	32643	1
3/4	500	blue	53.000	1	32645	1
1	100	blue	17.000	1	32651	1
1	300	blue	51.900	1	32653	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5006.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	blue	0.550	50	33629	1
1/2	20	blue	1.180	50	33620	1
3/4	10	blue	0.550	25	33649	1
3/4	20	blue	2.020	25	33645	1
1	20	blue	3.480	5	33651	1


ViegaPEX Ultra Tubing
Zero Lead

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5008

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	2	red/blue	56.000	1	33300	1
3/8	500	1	blue	28.000	1	33905	1
3/8	500	1	red	28.000	1	33805	1
1/2	300	2	red/blue	48.000	1	33326	1
1/2	300	1	blue	23.100	1	33923	1
1/2	300	1	red	23.100	1	33823	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5007

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	white	21.000	1	32405	1
1/2	100	white	6.000	1	32421	1
1/2	300	white	17.100	1	32423	1
1/2	500	white	28.000	1	32425	1
1/2	1000	white	55.000	1	32420	1
3/4	100	white	11.000	1	32441	1
3/4	300	white	32.100	1	32443	1
3/4	500	white	53.000	1	32445	1
1	100	white	17.000	1	32461	1
1	500	white	88.000	1	32465	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5007.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	white	0.550	50	33429	1
1/2	20	white	1.100	50	33420	1
3/4	10	white	0.550	25	33459	1
3/4	20	white	2.100	25	33405	1
1	20	white	3.480	5	33461	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5009

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	black	4.200	1	32701	1
3/8	500	black	21.000	1	32705	1
1/2	100	black	5.500	1	32721	1
1/2	300	black	16.500	1	32723	1
1/2	500	black	29.000	1	32725	1
1/2	1000	black	55.000	1	32720	1


**ViegaPEX Ultra Tubing
Zero Lead**

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

UL listed for NFPA 13D systems, ASTM F876,
ASTM F877

Model V5009.1

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¾	100	black	10.500	1	34741	1
¾	300	black	31.500	1	34743	1
¾	500	black	52.500	1	34745	1
¾	1000	black	105.000	1	34740	1
1	100	black	17.400	1	34761	1
1	500	black	87.000	1	34765	1
1¼	100	black	25.500	1	34771	1
1¼	300	black	76.500	1	34773	1
1½	100	black	35.400	1	34781	1
2	100	black	63.000	1	32791	1


**ViegaPEX Ultra Tubing
Zero Lead**

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5009.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	10	black	0.550	50	33729	1
½	20	black	1.100	50	33720	1


**ViegaPEX Ultra Tubing
Zero Lead**

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

UL listed for NFPA 13D systems, ASTM F876,
ASTM F877

Model V5009.51

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¾	20	black	2.100	25	35745	1
1	20	black	3.480	5	35761	1
1¼	20	black	5.100	5	35771	1
1½	20	black	7.060	5	35781	1
2	20	black	12.280	5	33791	1


**Viega FostaPEX Tubing
Zero Lead**

- PEX/AL/PE
- Coil

- Form stable

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance extended

ASTM F876, ASTM F877

Model 2805US

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	150	silver	15.000	1	35020	6
½	300	silver	30.000	1	35019	6
½	400	silver	38.000	1	35021	6
¾	150	silver	24.000	1	35040	6
1	150	silver	39.000	1	35060	6


**Viega FostaPEX Tubing
Zero Lead**

- PEX/AL/PE
- Straight length

- Form stable

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance extended

ASTM F876, ASTM F877

Model 2806US

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	20	silver	2.000	25	35520	6
¾	20	silver	3.200	25	35540	6
1	20	silver	5.200	10	35560	6


Viega FostaPEX Tubing
Zero Lead

- PEX/AL/PE
- Coil
- Form stable

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance extended

ASTM F876, ASTM F877

Model 2808US

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	150	red	15.000	1	35120	6
3/4	150	red	24.000	1	35140	6
1	150	red	39.000	1	35160	6

Elbows

Viega PEX Press Elbow 90°
Zero Lead

- Bronze
- Press connection

Model 2816ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.088	10	93520	6
3/4	3/4	0.152	10	93540	6
1	1	0.220	10	93560	6
1 1/4	1 1/4	0.359	5	93570	6
1 1/2	1 1/2	0.441	5	93580	6
2	2	1.681	1	93590	6


Viega PEX Press Elbow 90°
Smart Connect feature, Zero Lead

- PPSU
- Press connection

Model V5616

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.020	25	49210	6
1/2	1/2	0.029	25	49220	6
3/4	3/4	0.045	25	49240	6
1	1	0.080	10	49260	6
1 1/4	1 1/4	0.171	5	49270	6
1 1/2	1 1/2	0.220	5	49280	6
2	2		5	49290	6


Viega PEX Press Elbow 90°
Zero Lead

- Bronze
- Press connection, male pipe thread

Model 2814ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.198	10	92520	6
1/2	3/4	0.311	10	92525	6
3/4	3/4	0.295	10	92540	6
3/4	1	0.738	10	92545	6
1	1	0.754	10	92560	6
3/4	1 1/4	1.212	2	92565	6
1	1 1/4	1.201	2	92570	6
1 1/4	1 1/4	1.270	2	92757	6
1 1/2	1 1/2		2	92580	6
2	2		2	92590	6


Viega PEX Press Elbow 90°
Zero Lead

- Bronze
- Press connection, female copper tube size

Model 2814.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
1/2	3/4	0.322	10	99308	6
3/4	3/4	0.320	10	99309	6


Viega PEX Press Elbow 90°
Zero Lead

- Bronze
- Press connection, male copper tube size

Model 2814.6ZL

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.179	10	99310	6


Viega PEX Press Elbow 90°
Zero Lead

- Bronze
- Press connection, male copper tube size, female copper tube size

Model 2814.7ZL

P	FTG	C	Wt [lb]	Quantity	Part No	DG
1/2	3/4	1/2	0.317	10	99307	6
3/4	3/4	1/2	0.315	10	99311	6


Viega PEX Press Adapter elbow 90°
Drop ear
Zero Lead

- For fire sprinkler systems
- Only use with ViegaPEX Ultra tubing Model V5009.1,V5009.51

- Bronze
- Press connection, female pipe thread

Note

For use with black ViegaPEX Ultra only.

UL listed for NFPA 13D systems

Model 2814.2ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4		1/2	0.289	1	94635	6
3/4	3/4	1/2	0.309	1	94646	6
1		1/2	0.335	1	94640	6


Viega PEX Press Elbow 90°
Drop ear
Zero Lead

- Bronze
- Press connection, female pipe thread

Model 2825.5ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.220	10	94505	6
1/2	1/2	0.225	10	94520	6
3/4	1/2	0.251	10	94535	6
3/4	3/4	0.331	10	94540	6


Viega PEXCr imp Elbow 90°
Zero Lead

- For dishwasher, connecting 3/8" compression to 3/4" hose supply connection

- Copper
- Hose connection

Model V5053

CTS	Hose	Wt [lb]	Quantity	Part No	DG
3/8	3/4		1	46743	2

NEW

Tees

Viega PEX Press Tee
Zero Lead

- Bronze
- Press connection

Model 2818ZL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	3/8	3/8	0.101	10	94021	6
1/2	1/2	1/2	0.104	10	94020	6
1/2	1/2	3/4	0.194	10	94022	6
3/4	1/2	1/2	0.174	10	94032	6
3/4	1/2	3/4	0.179	10	94034	6
3/4	3/4	1/2	0.185	10	94036	6
3/4	3/4	3/4	0.178	10	94040	6
1	1/2	1/2	0.282	10	94037	6
1	1/2	1	0.233	10	94039	6
1	3/4	1/2	0.287	10	94038	6
1	3/4	3/4	0.216	10	94052	6
1	3/4	1	0.242	10	94053	6
1	1	1/2	0.216	10	94050	6
1	1	3/4	0.262	10	94056	6
1	1	1	0.296	10	94060	6
1 1/4	1	3/4	0.527	5	94071	6
1 1/4	1	1	0.569	5	94073	6
1 1/4	1 1/4	3/4	0.547	5	94072	6
1 1/4	1 1/4	1	0.588	5	94074	6
1 1/4	1 1/4	1 1/4	0.716	5	94070	6
1 1/2	1	3/4	0.627	5	94081	6
1 1/2	1	1	0.740	5	94082	6
1 1/2	1 1/2	3/4	0.681	5	94083	6
1 1/2	1 1/2	1	0.767	5	94084	6
1 1/2	1 1/2	1 1/4	0.862	5	94085	6
1 1/2	1 1/2	1 1/2	0.932	5	94080	6
2	1 1/2	1	1.697	5	94091	6
2	1 1/2	1 1/4	1.737	5	94092	6
2	1 1/2	1 1/2	1.741	5	94093	6
2	2	2	1.769	1	94090	6



Viega PEX Press Tee
Smart Connect feature, Zero Lead
 - PPSU
 - Press connection
Model V5618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	3/8	3/8	0.002	25	49322	6
1/2	1/2	3/8	0.045	25	49332	6
1/2	1/2	1/2	0.042	25	49520	6
1/2	1/2	3/4	0.052	25	49334	6
3/4	1/2	1/2	0.052	25	49433	6
3/4	1/2	3/4	0.061	25	49434	6
3/4	3/4	1/2	0.059	25	49443	6
3/4	3/4	3/4	0.068	25	49540	6
1	1/2	1/2	0.068	10	49533	6
1	3/4	1/2	0.074	10	49543	6
1	1/2	1	0.113	10	49535	6
1	1	1/2	0.088	10	49553	6
1	3/4	3/4	0.084	10	49544	6
1	3/4	1	0.104	10	49545	6
1	1	3/4	0.102	10	49554	6
1	1	1	0.115	10	49560	6
1 1/4	1	3/4	0.142	5	49754	6
1 1/4	1	1	0.158	5	49755	6
1 1/4	1 1/4	3/4	0.182	5	49774	6
1 1/4	1 1/4	1	0.195	5	49775	6
1 1/4	1 1/4	1 1/4	0.250	5	49570	6
1 1/2	1	3/4	0.170	5	49854	6
1 1/2	1	1	0.195	5	49855	6
1 1/2	1 1/2	3/4	0.233	5	49884	6
1 1/2	1 1/2	1	0.245	5	49885	6
1 1/2	1 1/2	1 1/4	0.290	5	49887	6
1 1/2	1 1/2	1 1/2	0.326	5	49580	6
2	1 1/2	1		5	49985	6
2	1 1/2	1 1/4		5	49987	6
2	1 1/2	1 1/2		5	49988	6
2	2	3/4		5	49994	6
2	2	1		5	49995	6
2	2	1 1/4		5	49997	6
2	2	1 1/2		5	49998	6
2	2	2		5	49590	6



Viega PEX Press Tee
Zero Lead
 - For fire sprinkler systems
 - Only use with ViegaPEX Ultra tubing
 Model V5009.1,V5009.51
 - Bronze
 - Press connection, female pipe thread
 - Mounts to horizontal surfaces
Note
 For use with black ViegaPEX Ultra only.
UL listed for NFPA 13D systems
Model 2818.2ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.288	1	94636	6
1	3/4	1/2	0.348	1	94638	6
1	1	1/2	0.408	1	94639	6



Viega ProPress Tee
Zero Lead
 - For fire sprinkler systems
 - Only use with ViegaPEX Ultra tubing
 Model V5009.1,V5009.51
 - Bronze
 - Press connection, female pipe thread
 - Mounts to vertical surfaces
Note
 For use with black ViegaPEX Ultra only.
UL listed for NFPA 13D systems
Model 2818.3ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.529	1	94736	6
1	3/4	1/2	0.602	1	94738	6
1	1	1/2	0.650	1	94739	6

Adapters


**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection, male pipe thread
Model 2811ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.101	10	90506	6
1/2	1/2	0.099	10	90521	6
1/2	3/4	0.152	10	90526	6
3/4	1/2	0.110	10	90542	6
3/4	3/4	0.159	10	90541	6
3/4	1	0.181	10	90546	6
3/4	1 1/4	0.485	2	90562	6
1	3/4	0.183	10	90556	6
1	1	0.289	10	90561	6
1	1 1/4	0.514	2	90566	6
1 1/4	1 1/4	0.551	2	90571	6
1 1/2	1 1/2	0.672	2	90581	6
2	2	1.095	5	90591	6



**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection, female pipe thread
Model 2812ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.101	10	91520	6
1/2	3/4	0.139	10	91525	6
3/4	1/2	0.106	10	91541	6
3/4	3/4	0.139	10	91540	6
1	3/4	0.168	10	91545	6
1	1	0.238	10	91560	6
1 1/4	1 1/4	0.436	5	91570	6
1 1/2	1 1/2	0.516	5	91580	6
2	2	0.813	5	91590	6



**Viega PEX Press Adapter
Zero Lead**
- For fire sprinkler systems
- Only use with ViegaPEX Ultra tubing
Model V5009.1,V5009.51
- Bronze
- Press connection, female pipe thread
Note
For use with black ViegaPEX Ultra only.
UL listed for NFPA 13D systems
Model 2812.2ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.220	1	94632	6



**Viega PEX Press Adapter
Smart Connect feature, Zero Lead**
- For transitioning to ProPress
- Bronze
- Press connection
Components
EPDM sealing elements
Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.075	10	99620	6
1/2	3/4	0.115	10	99626	6
3/4	1/2	0.077	10	99630	6
3/4	3/4	0.112	10	99640	6
1	3/4	0.136	10	99645	6
1	1	0.187	10	99660	6
1 1/4	1	0.231	5	99665	6
1 1/4	1 1/4	0.284	5	99670	6
1 1/2	1	0.276	5	99675	6
1 1/2	1 1/2	0.444	5	99680	6
2	1	0.459	5	99685	6
2	2	0.719	5	99690	6



**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection, female copper tube size
Model 2813.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.062	10	92006	6
1/2	1/2	0.064	10	92021	6
1/2	3/4	0.098	10	92026	6
3/4	1/2	0.066	10	92036	6
3/4	3/4	0.115	10	92041	6
3/4	1	0.172	10	92045	6
1	1	0.187	10	92060	6
1 1/4	1 1/4	0.331	5	92070	6
1 1/2	1 1/2	0.450	5	92080	6
2	2	0.609	5	92090	6



**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection, male copper tube size
Model 2813.1ZL

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.066	10	97520	6
1/2	3/4	0.097	10	97525	6
3/4	1/2	0.079	10	97535	6
3/4	3/4	0.117	10	97540	6
3/4	1	0.154	10	97545	6
1	1	0.174	10	97560	6
1 1/4	1 1/4	0.344	5	97570	6
1 1/2	1 1/2	0.498	5	97580	6
2	2	0.696	5	97590¹⁾	6


¹⁾ For use with solder fittings only.



**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection
Note
2" ProPress tool may be required
Model 2813.3ZL

P1	FTG	Wt [lb]	Quantity	Part No	DG
2	2	0.736	5	97690¹⁾	6

¹⁾ For use with ProPress fittings only.



**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection, polybutylene (PB)
connection
- Does not include ring for PB connection
Model 2813.2ZL

P	PB	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.051	10	97820	6
3/4	3/4	0.073	10	97840	6



NEW

**Viega PEX Press Adapter
Zero Lead**
- Bronze
- Press connection, flare connection
Model 2892ZL

P	Flare	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.275	10	97140	6
1	3/4	0.326	10	97160	6
1	1	0.414	10	97165	6



NEW

**Viega PEX Press Tailpiece
Zero Lead**
- Bronze
- Press connection, female union BSP
Model 2893ZL

P	F BSP	Wt [lb]	Quantity	Part No	DG
1	1	0.240	10	96160	6
1	1 1/4		10	96165	6
3/4	1	0.194	10	96140	6

Couplings



**Viega PEX Press Coupling
Zero Lead**
- Bronze
- Press connection
Model 2815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.040	10	93000	6
1/2	3/8	0.048	10	93005	6
1/2	1/2	0.053	10	93020	6
3/4	1/2	0.068	10	93050	6
3/4	3/4	0.075	10	93040	6
1	3/4	0.115	10	93055	6
1	1	0.130	10	93060	6
1 1/4	3/4	0.187	5	93071	6
1 1/4	1	0.207	5	93065	6
1 1/4	1 1/4	0.260	5	93070	6
1 1/2	3/4	0.234	5	93072	6
1 1/2	1	0.240	5	93073	6
1 1/2	1 1/4	0.289	5	93075	6
1 1/2	1 1/2	0.313	5	93080	6
2	1 1/2	0.491	5	93091	6
2	2	0.580	5	93090	6



Viega PEX Press Coupling
Smart Connect feature, Zero Lead
 - PPSU
 - Press connection
Model V5615

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.022	25	49402	6
1/2	3/8	0.002	25	49342	6
1/2	1/2	0.027	25	49403	6
3/4	1/2	0.034	25	49343	6
3/4	3/4	0.040	25	49404	6
3/4	1 1/4	0.505	5	49347	6
3/4	1 1/2	0.118	5	49348	6
1	3/4	0.055	10	49354	6
1	1	0.068	10	49405	6
1	1 1/4	0.112	5	49357	6
1	1 1/2	0.151	5	49358	6
1 1/4	1 1/4	0.151	5	49407	6
1 1/4	1 1/2	0.165	5	49378	6
1 1/2	1 1/2	0.034	5	49408	6
2	1 1/2		5	49398	6
2	2		5	49409	6



Viega PEX Press Test plug
Zero Lead
 - Bronze
 - Press connection
Model 2856ZL

P	Wt [lb]	Quantity	Part No	DG
3/8	0.022	10	95000	6
1/2	0.035	10	95121	6
3/4	0.057	10	95141	6
1	0.108	10	95161	6



Viega PEX Press Test plug
Smart Connect feature, Zero Lead
 - PPSU
 - Press connection
Model V5656

P	Wt [lb]	Quantity	Part No	DG
3/8	0.002	25	49722	6
1/2	0.015	25	49723	6
3/4	0.021	25	49744	6
1	0.036	10	49765	6

Valves



NEW

Viega PEX Press Stop valve
Straight
Zero Lead
 - Chrome-plated brass
 - Press connection, compression
 - 1/4 turn
Model 2842.3ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4		10	94023	6
1/2	1/4		10	94031	6



NEW

Viega PEX Press Stop valve
Angled
Zero Lead
 - Chrome-plated brass
 - Press connection, compression
 - 1/4 turn
Model 2842.4ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4		10	93515	6
1/2	1/4	0.290	10	93511	6



NEW

Viega PEX Press Ball valve
Zero Lead
 - Brass
 - Press connection
 - Full port
Model 2842.2ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.280	10	94500	6
1/2	1/2	0.299	10	94521	6
3/4	3/4	0.395	10	94541	6



NEW

Viega ProPress Valve
Zero Lead
 - For copper manifolds
 - Brass
 - Press connection, male copper tube size
Note
 1/2" ProPress tool may be required
Model 2842.1ZL

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2		10	95002	6



NEW

Viega PEX Press Wall hydrant


Zero Lead

- Chrome-plated brass
- Press connection

Model 2888.0ZL

P	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	10	1.356	5	97120	6
3/4	10	1.394	5	97121	6

ManaBloc



Viega ManaBloc Distribution manifold

Zero Lead


- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

1/4 turn valves, T-handle valve key

Model V5030ZL

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
bronze	14	3/8	6	8	6.038	1	38142	2
bronze	14	1/2	6	8	6.118	1	38143	2
bronze	24	1/2	9	15	9.457	1	38243	2
bronze	30	1/2	12	18	11.947	1	38303	2
bronze	36	1/2	14	22	13.481	1	38363	2



Viega ManaBloc Distribution manifold

Zero Lead

- Press connection
- Combination port sizes, color coded ports for hot and cold water
- Does not include supply connections

Components

1/4 turn valves, T-handle valve key

Model V5040ZL

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
bronze	18	3/8	6	7	1/2	2	3	7.808	1	38183	2
bronze	24	3/8	7	11	1/2	2	4	9.372	1	38024	2
bronze	30	3/8	10	12	1/2	2	6	11.967	1	38030	2
bronze	36	3/8	11	15	1/2	3	7	13.951	1	38036	2



Viega MiniBloc Zoning manifold

Zero Lead

- For combination systems
- Press connection
- Blue color coded ports for cold water
- Does not include supply connections

Components

1/4 turn valves, T-handle valve key, optional red valve caps

Model V5050ZL

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
bronze	3	1/2	2.504	1	38033	2
bronze	4	1/2	2.479	1	38043	2
bronze	6	1/2	3.239	1	38063	2
bronze	8	1/2	4.209	1	38083	2



Viega MiniBloc Zoning manifold

Zero Lead

- For combination systems
- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5065ZL

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
bronze	5	½	2	3	2.905	1	38263	2
bronze	7	½	3	4	4.007	1	38273	2
bronze	10	½	4	6	4.765	1	38203	2



Viega PEX Press Port adapter

Zero Lead

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- Bronze
- Press connection, Viega ManaBloc port connection

Model 2877.3ZL

P	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.095	6	96101	2
½	½	0.101	6	96120	2



Viega PEX Press Supply adapter

Zero Lead

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- Bronze
- Press connection, Viega ManaBloc supply connection

Model 2877.8ZL

P	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.214	5	96141	2
1	1	0.236	5	96161	2
1¼	1	0.293	5	96171	2




Viega ProPress Supply adapter

Smart Connect feature, Zero Lead

- For connecting copper supply lines to Viega ManaBloc and Viega MiniBloc
- Bronze
- Press connection, Viega ManaBloc supply connection

Model 2813.6ZL

P	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.195	5	90356	2
1	1	0.272	5	90366	2



Viega ManaBloc Distribution manifold

Zero Lead


- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5630

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PPSU	14	¾	6	8	5.543	1	49142	2
PPSU	14	½	6	8	4.574	1	49143	2
PPSU	18	½	8	10	6.523	1	49183	2
PPSU	24	½	9	15	8.218	1	49243	2
PPSU	30	½	12	18	11.387	1	49303	2
PPSU	36	½	14	22	13.336	1	49363	2



Viega ManaBloc Distribution manifold

Zero Lead

- Press connection
- Combination port sizes, color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5640

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
PPSU	18	¾	6	7	½	2	3	6.758	1	49186	2
PPSU	24	¾	7	11	½	2	4	8.173	1	49246	2
PPSU	30	¾	10	12	½	2	6	10.147	1	49306	2
PPSU	36	¾	11	15	½	3	7	11.807	1	49366	2



Viega MiniBloc Zoning manifold

Zero Lead

- For combination systems
- Press connection
- Blue color coded ports for cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key, optional red valve caps

Model V5650

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
PPSU	3	½	2.159	1	49033	2
PPSU	4	½	2.354	1	49043	2
PPSU	6	½	2.879	1	49063	2
PPSU	8	½	3.689	1	49083	2



Viega MiniBloc Zoning manifold

Zero Lead

- For combination systems
- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5660

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PPSU	5	½	2	3	2.589	1	49453	2
PPSU	7	½	3	4	3.837	1	49473	2
PPSU	10	½	4	6	4.807	1	49410	2



Viega PEX Press Port adapter

Zero Lead

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- PPSU
- Press connection, Viega ManaBloc port connection

Model V5613.1

P	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.047	6	49224	2
½	½	0.050	6	49234	2



Viega PEX Press Supply adapter

Zero Lead

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- PPSU
- Press connection, Viega ManaBloc supply connection

Model V5613.2

P	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.098	5	49414	2
1	1	0.118	5	49416	2



**Viega ManaBloc Supply adapter
Zero Lead**

- For connecting CTS-sized supply lines to Viega ManaBloc or Viega MiniBloc
- Equipped with insert stiffener Model V5086
- Brass
- Compression, Viega ManaBloc supply connection

Model V5032ZL

CTS	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.395	5	46346	2



**Viega ManaBloc Supply adapter
Zero Lead**

- For connecting FPT supply lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Male pipe thread, Viega ManaBloc supply connection

Model V5033ZL

MPT	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.329	5	46646	2
1	1	0.399	5	46656	2



Viega MiniBloc Supply coupling

- For connecting Viega MiniBlocs
- PolyAlloy
- Viega MiniBloc supply connection

Model V5039.52

Supply1	Supply2	Wt [lb]	Quantity	Part No	DG
1	1	0.201	10	50355	2



**Port nut
Zero Lead**

- Not suitable for Viega ManaBloc distribution manifold Model V5030, V5030.2, Viega MiniBloc zoning manifold Model V5031
- Plastic

Model V5039.8

d	Wt [lb]	Quantity	Part No	DG
½	0.260	6	53006	2



**Port cap
Zero Lead**

- For Viega ManaBloc, Viega MiniBloc
- Plastic

Model V5087

d	Wt [lb]	Quantity	Part No	DG
¾	0.020	6	36204	2
½	0.046	6	36205	2



**Supply cap
Zero Lead**

- For Viega ManaBloc, Viega MiniBloc
- Brass

Model V5036.10

d	Wt [lb]	Quantity	Part No	DG
1	0.082	5	53601	2



Viega ManaBloc Mountings et

- For mounting Viega ManaBloc between studs
- Steel
- Pre-drilled to mount on 16" center studs

Components

(2) mounting straps, (4) screws

Model V5038

Wt [lb]	Quantity	Part No	DG
0.681	1	45716	2



Replacement kit

- For Viega ManaBloc and Viega MiniBloc valve stems, ports ½" or ¾"

Components

Red valve, blue valve, valve removal tool, T-handle valve key

Model V5039.6

Wt [lb]	Quantity	Part No	DG
0.150	1	50602	2


Replacement kit

- For Viega ManaBloc and Viega MiniBloc valve stems, ports 1/2" or 3/8"
- 1/4 turn

Components

- Red valve, blue valve, valve removal tool, T-handle valve key

Model 2870.91

Wt [lb]	Quantity	Part No	DG
0.150	1	51602	2


T-handle valve key

- For Viega ManaBloc, Viega MiniBloc

Model V5039.7

Wt [lb]	Quantity	Part No	DG
0.040	1	50601	2


Viega ManaBloc Accesspa nel

- Plastic

Note

- Can be mounted to open vertically or horizontally

Model V5099

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	18	14	1.350	1	50718	2
14	26	16	1.839	1	50726	2
14	30	24	3.489	1	50730	2
14	39	36	3.044	1	50739	2
14	39	36	4.999	1	50839¹⁾	2

¹⁾ transparent

Viega ManaBloc Accesspa nel

- Metal

Components

- (2) knurled knobs, (2) keys

Note

- Can be mounted to open vertically or horizontally

UL listed
Model V5099.1

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	40	30	26.258	1	50740	2
14	48	36	31.641	1	50748	2

Manifolds

Viega PEX Press Manifold
Header
Zero Lead

- Brazed copper
- Male copper tube size, press connection
- Flow through
- Does not include sleeve

Model 2836ZL

Outlet(s)	FTG	P	Wt [lb]	Quantity	Part No	DG
24	1 1/4	1/2	6.498	1	95470	6


Viega PEX Press Manifold
Zero Lead

- Brazed copper
- Male copper tube size, press connection
- Closed
- Does not include sleeve

Model 2833ZL

Outlet(s)	FTG	P	Wt [lb]	Quantity	Part No	DG
3	1	1/2	0.570	1	95703	6
4	1	1/2	0.705	1	95704	6
5	1	1/2	1.100	1	95705	6
6	1	1/2	1.300	1	95706	6
8	1	1/2	1.270	1	95708	6
10	1	1/2	1.550	1	95710	6
12	1	1/2	1.809	1	95712	6


**Viega PEX Press Manifold
Zero Lead**

- Brazed copper
- Female copper tube size, press connection
- Closed
- Does not include sleeve

Model 2832ZL

Outlet(s)	C	P	Wt [lb]	Quantity	Part No	DG
3	1	1/2	0.735	1	95603	6
4	1	1/2	0.725	1	95604	6
5	1	1/2	0.865	1	95605	6
6	1	1/2	1.145	1	95606	6
8	1	1/2	1.440	1	95608	6
10	1	1/2	1.750	1	95610	6
12	1	1/2	1.829	1	95612	6


**Viega PEX Press Manifold
Smart Connect feature, Zero Lead**

- Only use with lock clip Part No 58075
- PPSU
- Press connection
- Flow through
- Does not include mounting hardware

Model V5636

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.198	10	49152	6
3	3/4	3/4	1/2	0.255	10	49153	6
4	3/4	3/4	1/2	0.318	10	49054	6
4	1	3/4	1/2	0.330	10	49254	6
6	1	1	1/2	0.455	10	49256	6
8	1	1	1/2	0.576	5	49258	6


**Viega PEX Press Manifold
Smart Connect feature, Zero Lead**

- Only use with lock clip Part No 58075
- PPSU
- Press connection
- Closed
- Does not include mounting hardware

Model V5636.1

Outlet(s)	P1	P2	Wt [lb]	Quantity	Part No	DG
4	3/4	1/2	0.300	10	49004	6
6	1	1/2	0.428	10	49206	6

Stub-Outs

**Viega PEX Press Tub elbow 90°
Zero Lead**

- Brazed copper
- Press connection, male copper tube size

Model 2820.0ZL

P	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	3	6	0.261	25	92221	6

NEW

**Viega PEX Press Stub-out 90°
Zero Lead**

- Brazed copper
- Press connection, male copper tube size

Model 2820.1ZL

P	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.324	25	92406	6
1/2	1/2	3 1/2	8	0.330	25	92421	6
3/4	3/4	3 1/2	8	0.545	25	92441	6

NEW

Viega PEX Press Stub-out 90°

- Brazed copper
 - Press connection, male copper tube size
- Components
Wall plate

Model 2820.4ZL

P	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.327	25	92305	6
1/2	1/2	3 1/2	8	0.333	1	92321	6

NEW

**Viega PEX Press Stub-out
Zero Lead**

- Brazed copper
- Press connection, male copper tube size

Model 2820.2ZL

P	FTG	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	8	0.256	25	92609	6
1/2	1/2	15	0.422	25	92616	6

NEW

Lav Adapters



**Viega PEX Press Lav adapter
Zero Lead**
- Bronze
- Press connection, lav connection
Components
Metal nut
Model 2891ZL

P	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.165	1	97002	6
1/2	1/2	0.170	1	97003	6



**Viega PEX Press Lav adapter
Smart Connect feature, Zero Lead**
- PPSU
- Press connection, lav connection
Model V5613.3

P	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.030	1	49324	6
1/2	1/2	0.055	1	49333	6
3/4	3/4	0.080	1	49344	6

Closet Adapters



**Viega PEX Press Closet adapter
Zero Lead**
- Bronze
- Press connection, closet connection
Components
Plastic nut
Model 2890ZL

P	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.088	1	97004	6
1/2	1/2	0.095	1	97005	6



**Viega PEX Press Closet adapter
Smart Connect feature, Zero Lead**
- PPSU
- Press connection, closet connection
Model V5613.4

P	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.040	1	49223	6
1/2	1/2	0.072	1	49233	6

Outlet Boxes



NEW

**Viega PEX Press Outlet box
Zero Lead**
- For washing machine
- Plastic
- Color coded handles
Components
(2) 1/4 turn brass valves, water hammer arrestors
Model 2872.6ZL

P	Wt [lb]	Quantity	Part No	DG
1/2		1	97212	6



NEW

**Viega PEX Press Outlet box
Zero Lead**
- For ice maker
- Plastic
Components
1/4 turn brass valve, water hammer arrestor
Model 2872.7ZL

P	Wt [lb]	Quantity	Part No	DG
1/2		1	97220	6


NEW

**Viega PEX Press Outlet box
Zero Lead**

- For washing machine
- Plastic
- Color coded handles

Components
(2) ¼ turn brass valves

Model 2872.1US

P	Wt [lb]	Quantity	Part No	DG
½		1	97001	6


NEW

**Viega PEX Press Outlet box
Zero Lead**

- For ice maker
- Does not include sleeve

Components
¼ turn brass valve

Model 2872.0ZL

P	Wt [lb]	Quantity	Part No	DG
½		1	98000	6



**Tubing
Zero Lead**

- For ice maker
- High density polyethylene (HDPE)

Model V5052

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅝	100	white	1.200	1	43100	1

Tools



Viega PEX Press Hand tool

- Ratcheting design, color coded handles

Model 2882US

d	Version	Wt [lb]	Quantity	Part No	DG
⅜	green	3.446	1	50000	6
½	yellow	3.374	1	50020	6
¾	blue	3.138	1	50040	6
1	orange	4.549	1	50060	6



Viega PEX Press Hand tool case

- Suitable for prep tool Model 2858, tubing cutter Model 2889.2US, Viega PEXPress hand tool Model 2882US
- Plastic

Model 2880.3

	Wt [lb]	Quantity	Part No	DG
	7.673	1	50003	6



Viega PEX Press Starter tool set

- Equipped with tubing cutter Model 2889.2US, Viega PEX Press hand tool case Model 2880.3, Viega PEXPress hand tool Part No 50020, 50040

Model 2880.2

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	13.001	1	56000	6


Viega PEX Press Complete plumbing tool set

- Equipped with prep tool Model 2858, tubing cutter Model 2889.2US, Viega PEX Press hand tool Part No 50000, 50020, 50040, 50060

Model 2880.6US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 3/4, 1	22.709	1	56010	6


Viega PEX Press Starter tool set

- Equipped with tubing cutter Model 2889.2US, Viega PEX Press hand tool case Model 2880.3, prep tool Part No 54030, Viega PEX Press hand tool Part No 50020, 50040

Model 2880.4US

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	15.496	1	56020	6


Tubing bender

- Suitable for Viega FostaPEX tubing Model 2805US, 2806US, 2808US
- Will not kink tubing

Components

Formers, case

Model 2889.0US

for d	Wt [lb]	Quantity	Part No	DG
1/2, 5/8, 3/4, 1	9.477	1	56015	6


Prep tool

- For removing PE and aluminum layer from Viega FostaPEX tubing

Model 2858

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	1.150	1	54030¹	6
5/8, 1	1.401	1	54050²	6

¹⁾ Suitable for Viega FostaPEX Tubing Part No 35019, 35020, 35021, 35030, 35031, 35040, 35060, 35520, 35530, 35540, 35560, 35120, 35140

²⁾ Suitable for Viega FostaPEX Tubing Part No 35030, 35031, 35060, 35530, 35560, 35160

Blade

- Spare part for prep tool Model 2858
- Steel

Model 2858.1

	Wt [lb]	Quantity	Part No	DG
	0.013	2	54075	6


Compact press tool kit

- For Viega PEX Press connections 3/8" - 1 1/2", Viega ProPress connections up to 1"
- Not for 2" Viega PEX Press connections
- Equipped with battery charger Model 2999.81, rechargeable battery Model 2999.8, PEX press jaw compact Part No 56053, 56055, 56056

Components

Ridgid 210-B tool

Model 2999.6

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	23.993	1	57051	6


Compact press tool kit

- For Viega PEX Press connections 3/8" - 1 1/2", Viega ProPress connections up to 1"
- Not for 2" Viega PEX Press connections
- Equipped with battery charger Model 2999.81, rechargeable battery Model 2999.8

Components

Ridgid 210-B tool

Model 2999.7

	Wt [lb]	Quantity	Part No	DG
	15.995	1	57057	6



Rechargeable battery
- For Ridgid 210-B tool
Model 2999.8

V	Wt [lb]	Quantity	Part No	DG
18	0.855	1	57058	6



Battery charger
- For Ridgid 210-B tool
Model 2999.81

V	Wt [lb]	Quantity	Part No	DG
18	3.009	1	57059	6



PEX press jaw Compact
- For PEX tubing, Ridgid 210-B tool
- Steel
Model 2884.7US

Press Jaws	Wt [lb]	Quantity	Part No	DG
3/8	2.299	1	56052	6
1/2	2.299	1	56053	6
3/4	2.299	1	56055	6
1	2.579	1	56056	6
1 1/4	2.999	1	56060	6
1 1/2	2.769	1	56061	6



PEX press jaw Standard
- For PEX tubing, Ridgid 330-B tool
- Steel
Model 2899.7US

Press Jaws	Wt [lb]	Quantity	Part No	DG
1/2	3.799	1	56073	6
3/4	3.799	1	56075	6
1	3.899	1	56076	6
1 1/4	4.099	1	56080	6
1 1/2	4.299	1	56081	6
2	9.237	1	56082	6



Tubing cutter
- Suitable for Viega FostaPEX tubing
Model 2805US, 2806US, 2808US
- Steel
- Ratcheting design
Model 2840

max d	Wt [lb]	Quantity	Part No	DG
1 1/4	1.150	1	53541	5
1 1/2	0.954	1	53551	5
2	1.874	1	53561	5



Blade
- Spare part for tubing cutter Part No 53541
- Steel
Model V5057.1

for d	Wt [lb]	Quantity	Part No	DG
1 1/4	0.190	1	53542	5



Tubing cutter
- For PEX tubing
- Plastic
Model 2889.2US

max d	Wt [lb]	Quantity	Part No	DG
1	0.351	1	21304	5



Tubing cutter
- For PEX tubing
- Steel
Model V5055

max d	Wt [lb]	Quantity	Part No	DG
1 1/2	0.401	1	21307	5



Blade
- Suitable for tubing cutter Model V5055
- Steel
Model V5055.1

	Wt [lb]	Quantity	Part No	DG
	0.080	1	21317	5



Wheel cutter
- For PEX tubing
- Steel
Model V5059

max d	Wt [lb]	Quantity	Part No	DG
2	1.789	1	53641	5



Blade
- Spare part for wheel cutter Model V5059
- Steel
Model V5059.1

	Wt [lb]	Quantity	Part No	DG
	0.010	1	53642	5

Accessories



Viega PEX Press Sleeve
- Stainless steel
Model 2811.5

d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	61000	6
1/2	0.007	100	61020	6
3/4	0.010	100	61040	6



Viega PEX Press Sleeve
- For Viega PEX Press polymer fittings
- Stainless steel
Model V5615.3

d	Wt [lb]	Quantity	Part No	DG
3/8	0.008	10	49901	6
1/2	0.009	10	49902	6
3/4	0.014	10	49903	6
1	0.025	10	49904	6
1 1/4	0.065	10	49906	6
1 1/2	0.053	10	49905	6
2		10	49607	6



Lav riser
Zero Lead
- Does not include lav nut Model V5089
- Equipped with ferrule Model V5085
- PEX
Model V5080

CTS	O.D.	L	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.030	100	58112	2
1/4	3/8	15	0.035	100	58115	2
1/4	3/8	20	0.045	100	58120	2
1/4	3/8	30	0.071	100	58130	2
1/4	3/8	36	0.081	100	58136	2



Closet riser
Zero Lead
- Does not include ballcock nut Model V5089.1
- Equipped with ferrule Model V5085
- PEX
Model V5081

CTS	O.D.	L	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.031	100	57112	2
1/4	3/8	15	0.035	100	57115	2
1/4	3/8	20	0.050	100	57120	2
1/4	3/8	30	0.080	100	57130	2
1/4	3/8	36	0.085	100	57136	2



Lav nut
Zero Lead
- Suitable for lav riser Model V5080
Model V5089

FPT	Wt [lb]	Quantity	Part No	DG
1/2	0.017	100	33705	2



Ballcock nut
Zero Lead
- Suitable for closet riser Model V5081
Model V5089.1

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.023	100	53017	2



**Ferrule
Zero Lead**
- For Viega ManaBloc compression connections, risers, valves
Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2
3/4	7/8	0.003	100	53040	2



**Insert stiffener
Zero Lead**
- For Viega ManaBloc compression connections, risers
- Stainless steel
Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.001	100	56100	2
3/8	1/2	0.029	50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2



**Escutcheon
Single
Zero Lead**
- Not for Viega FostaPEX
- Plastic
Model V5088

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.012	50	53115	2
1/2	white	0.012	50	53120	2
1/2	white	0.010	50	53122¹⁾	2

¹⁾ for threaded connection



**Escutcheon
Double
Zero Lead**
- Not for Viega FostaPEX
- Plastic
Model V5088.1

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.016	25	53116	2
1/2	white	0.016	25	53121	2



Sleeve
- Chrome-plated steel
- Finishing
Model 2800.5US

d	L [in]	Wt [lb]	Quantity	Part No	DG
3/8	3 1/2	0.050	10	52500	2
1/2	3 1/2	0.054	10	52520	2



Sleeve
- Plastic
- Decorative
Model V5098

d	L [ft]	Wt [lb]	Quantity	Part No	DG
3/8	3	0.125	50	52600	2
1/2	3	0.138	50	52620	2



Sleeve
- Plastic
Model 2852US

max d	L [in]	Version	Wt [lb]	Quantity	Part No	DG
1/2	4 1/2	red	0.040	10	54020	2
1/2	4 1/2	blue	0.040	10	54520	2



**Bend support
Drop ear**
- Not for Viega FostaPEX
- Plastic-coated steel
Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.175	25	50520	2



**Bend support
Snap in**
- Not for Viega FostaPEX
- Suitable for bracket Model 2850.4US
- Plastic
Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.089	100	51021	2


Bracket

- For mounting on 16" center studs
- Suitable for bend support snap in Model 2850.3US
- Steel
- Mounting holes on 2" centers

Model 2850.4US

d	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	18	0.541	50	51022	2


Bend support

- Not for Viega FostaPEX
- Plastic

Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	51000	2
1/2	0.083	25	51020	2
5/8, 3/4	0.155	25	51040	2
1	0.273	25	51060	2
1 1/4	0.440	5	51070	2


Bend support

- For slab
- Not for Viega FostaPEX
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.090	10	15106	4
1/2	0.106	10	15107	4
5/8, 3/4	0.254	10	15108	4
1	0.830	1	15111	4


Tubing clamp
Turn out

- For 3/8" tubing and 1/2" tubing with standard or stub-out elbows
- Not for Viega FostaPEX
- Plastic
- Trim tapered tip to use with 1/2" tubing

Model V5071

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.071	25	52130	2


Full clamp

- Plastic

Components

Nail

Model V5092

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.013	100	52220	2
3/4	0.019	50	52240	2


J-clamp tubing fasteners

- Plastic

Components

Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2


Economy PEX tubing clamp

- Not for Viega FostaPEX
- Plastic

Model V5095

for d	Wt [lb]	Quantity	Part No	DG
1/4	0.002	100	52100	2
3/8	0.002	100	52110	2
1/2	0.003	100	52120	2
3/4	0.005	50	52140	2



**Snap clip
Single**
- Not for Viega FostaPEX
- Plastic
Model 2862US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	58015	2
1/2	0.011	100	58020	2
3/4	0.010	100	58040	2
1	0.014	50	58060	2



**Snap clip
Double**
- Not for Viega FostaPEX
- Plastic
Model 2862.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.012	50	58016	2
1/2	0.012	50	58021	2



Lock clip
- Plastic
Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.014	100	58071	2
1/2	0.013	100	58072¹	2
3/4	0.015	50	58073²	2
1	0.025	50	58074	2
1 1/4	0.030	50	58075	2
1 1/2	0.040	25	58076	2
2	0.050	15	58077	2

¹⁾ Suitable for ViegaPEX Barrier Tubing Part No 11445, 11450

²⁾ Suitable for Viega FostaPEX Tubing Part No 35030, 35031, 35530



Multi-clip
- Plastic
Components
Mounting screw
Model 2867US

max d	Wt [lb]	Quantity	Part No	DG
1	0.025	100	52006	2
2	0.006	25	52007	2



Multi-clip
- Plastic
Components
Strut clamp
Model 2867.1US

max d	Wt [lb]	Quantity	Part No	DG
2		25	52017	2



U-channel fastener
- Plastic
- Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.100	16	15310	4



Suspension clip tubing fasteners
- Plastic
Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.009	50	55020	2
3/4	0.012	50	55040	2
1	0.018	50	55060	2
1 1/4	0.022	50	55070	2
1 1/2	0.031	25	55080	2
1		25	55090	2



Tubing clamp
- Plastic
Model 2868US

for d	Wt [lb]	Quantity	Part No	DG
2		25	56090	2



Tubing insulator
- Plastic
- Fits 1 3/8" hole
Model V5094

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	55100	2
3/8, 1/2, 3/4, 1	0.014	25	55165	2
1/2	0.019	50	55120	2
3/4	0.014	50	55140	2
1	0.040	50	55160	2



Zip tie
- Plastic
Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	43714	2



Pipethon strap
- Plastic
Model V5097.1

	Wt [lb]	Quantity	Part No	DG
	0.060	20	43701	2



Uncoiler
- Not for 1" tubing or larger, Viega FostaPEX
Components

Movable metal frame, (2) coil hubs, tube guide

Note

Max. coil size for 3/8" and 1/2" tubing is 1000 ft.

Max. coil size for 3/4" tubing is 500 ft.

Model V5061

	Wt [lb]	Quantity	Part No	DG
	70.980	1	53509	5

PEX Crimp



PEX Crimp

The Viega PEX Crimp system provides the industry's most comprehensive selection of PEX tubing, fittings and accessories. Along with a wide variety of PEX fittings, Viega also offers the patented ManaBloc water distribution system which helps homeowners realize a reduction in water waste and increased energy savings.

FEATURES AND BENEFITS

- Available in Eco brass and PolyAlloy
- In sizes 3/8" to 1"
- Proven quality
- Corrosion-resistant
- Reduced flow noise
- Excellent chlorine resistance
- Comprehensive written warranty

CODES AND STANDARDS

- IPC: International Plumbing Code
- UPC: Uniform Plumbing Code
- NSPC: National Standard Plumbing Code
- CSA International: Canadian Standard Association
- NSF/ ANSI 61: Drinking Water System Components – Health Effects
- NSF/ ANSI 61G: Lead Content Evaluation Procedure to meet $\leq 0.25\%$ average lead content
- NSF/ ANSI 14: Plastics Piping System Components and Related Materials
- CSA B137.5: Standard Specification for PEX tubing systems in pressure applications
- ASTM F876: Standard Specification for PEX Tubing
- ASTM F877: Standard Specification for PEX Water Distribution System
- ASTM F1807/F2159: Standard Specification for insert PEX Fittings
- ASTM F2023: Standard Test Method for Evaluating the Oxidative Resistance of Cross-linked Polyethylene PEX Tubing and Systems to Hot Chlorinated Water
- UL 1821: Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service

ZERO LEAD

References to Zero Lead throughout this publication means product meeting the requirements of NSF 61-G through testing under NSF/ ANSI Standard 372 (0.25% or less percent maximum weighted average lead content). A few states already require meeting those requirements for plumbing fittings used in cooking and drinking water systems and federal law taking effect January 1, 2014 will make the requirements applicable to all states.

Index

Tubing	114
Elbows	117
Tees	118
Adapters	119
Couplings	120
Valves	120
ManaBloc	121
Manifolds	127
Stub-Outs	128
Lav Adapters	128
Closet Adapters	129
Outlet Boxes	130
Tools	130
Accessories	132

Tubing



ViegaPEX Tubing

Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5001

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101	1
3/8	500	red	21.000	1	32105	1
3/8	1000	red	42.000	1	32100	1
1/2	100	red	5.800	1	32121	1
1/2	300	red	17.100	1	32123	1
1/2	500	red	28.000	1	32125	1
1/2	1000	red	58.000	1	32120	1
3/4	100	red	11.000	1	32141	1
3/4	300	red	32.100	1	32143	1
3/4	500	red	53.000	1	32145	1
3/4	1000	red	106.000	1	32140	1



ViegaPEX Tubing

Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5001.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	red	1.060	50	33120	1
3/4	20	red	2.040	25	33145	1



ViegaPEX Tubing

Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5002

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201	1
3/8	500	blue	21.000	1	32205	1
3/8	1000	blue	42.000	1	32200	1
1/2	100	blue	5.300	1	32221	1
1/2	300	blue	17.100	1	32223	1
1/2	500	blue	26.500	1	32225	1
1/2	1000	blue	55.000	1	32220	1
3/4	100	blue	11.000	1	32241	1
3/4	300	blue	32.100	1	32243	1
3/4	500	blue	53.000	1	32245	1
3/4	1000	blue	106.000	1	32240	1



ViegaPEX Tubing

Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5002.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	blue	1.060	50	33240	1
3/4	20	blue	2.040	25	33265	1



ViegaPEX Tubing

Zero Lead

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5004

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	2	red/blue	58.000	1	32300	1
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	2	red/blue	48.000	1	32326	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1


ViegaPEX Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5003

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/4	100	white	3.200	1	32011	1
1/4	500	white	14.000	1	32015	1
3/8	100	white	5.000	1	32001	1
3/8	500	white	21.000	1	32005	1
3/8	1000	white	42.000	1	32000	1
1/2	100	white	6.000	1	32021	1
1/2	300	white	17.100	1	32023	1
1/2	500	white	28.000	1	32025	1
1/2	1000	white	55.000	1	32020	1
3/4	100	white	11.000	1	32041	1
3/4	300	white	32.100	1	32043	1
3/4	500	white	53.000	1	32045	1
3/4	1000	white	106.000	1	32040	1
1	100	white	17.000	1	32061	1
1	500	white	88.000	1	32065	1


ViegaPEX Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5003.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	white	1.080	50	33020	1
3/4	20	white	2.060	25	33045	1
1	20	white	3.420	5	33061	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5005

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	red	21.000	1	32505	1
1/2	100	red	6.000	1	32521	1
1/2	300	red	17.100	1	32523	1
1/2	500	red	28.000	1	32525	1
1/2	1000	red	55.000	1	32520	1
3/4	100	red	11.000	1	32541	1
3/4	300	red	32.100	1	32543	1
3/4	500	red	53.000	1	32545	1
1	100	red	17.000	1	32551	1
1	300	red	51.900	1	32553	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5005.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	red	0.550	50	33529	1
1/2	20	red	1.180	50	33520	1
3/4	10	red	0.550	25	33549	1
3/4	20	red	2.020	25	33540	1
1	20	red	3.480	5	33551	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5006

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	blue	21.000	1	32605	1
1/2	100	blue	6.000	1	32621	1
1/2	300	blue	15.900	1	32623	1
1/2	500	blue	28.000	1	32625	1
1/2	1000	blue	55.000	1	32620	1
3/4	100	blue	11.000	1	32641	1
3/4	300	blue	30.900	1	32643	1
3/4	500	blue	53.000	1	32645	1
1	100	blue	17.000	1	32651	1
1	300	blue	51.900	1	32653	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5006.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	blue	0.550	50	33629	1
1/2	20	blue	1.180	50	33620	1
3/4	10	blue	0.550	25	33649	1
3/4	20	blue	2.020	25	33645	1
1	20	blue	3.480	5	33651	1


ViegaPEX Ultra Tubing
Zero Lead

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5008

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	2	red/blue	56.000	1	33300	1
3/8	500	1	blue	28.000	1	33905	1
3/8	500	1	red	28.000	1	33805	1
1/2	300	2	red/blue	48.000	1	33326	1
1/2	300	1	blue	23.100	1	33923	1
1/2	300	1	red	23.100	1	33823	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5007

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	white	21.000	1	32405	1
1/2	100	white	6.000	1	32421	1
1/2	300	white	17.100	1	32423	1
1/2	500	white	28.000	1	32425	1
1/2	1000	white	55.000	1	32420	1
3/4	100	white	11.000	1	32441	1
3/4	300	white	32.100	1	32443	1
3/4	500	white	53.000	1	32445	1
1	100	white	17.000	1	32461	1
1	500	white	88.000	1	32465	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5007.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	white	0.550	50	33429	1
1/2	20	white	1.100	50	33420	1
3/4	10	white	0.550	25	33459	1
3/4	20	white	2.100	25	33405	1
1	20	white	3.480	5	33461	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5009

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	black	4.200	1	32701	1
3/8	500	black	21.000	1	32705	1
1/2	100	black	5.500	1	32721	1
1/2	300	black	16.500	1	32723	1
1/2	500	black	29.000	1	32725	1
1/2	1000	black	55.000	1	32720	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Coil

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

UL listed for NFPA 13D systems, ASTM F876,

ASTM F877

Model V5009.1

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/4	100	black	10.500	1	34741	1
3/4	300	black	31.500	1	34743	1
3/4	500	black	52.500	1	34745	1
3/4	1000	black	105.000	1	34740	1
1	100	black	17.400	1	34761	1
1	500	black	87.000	1	34765	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5009.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	black	0.550	50	33729	1
1/2	20	black	1.100	50	33720	1


ViegaPEX Ultra Tubing
Zero Lead

- PEX
- Straight length

Technical data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

UL listed for NFPA 13D systems, ASTM F876,

ASTM F877

Model V5009.51

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/4	20	black	2.100	25	35745	1
1	20	black	3.480	5	35761	1

Elbows

Viega PEXCr imp Elbow 90°
Zero Lead

- Brass
- Crimp connection

Model V5016ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.028	50	46922	2
1/2	1/2	0.045	50	46933	2
3/4	1/2	0.068	25	46243	2
3/4	3/4	0.085	25	46944	2
1	1	0.160	10	46955	2


Viega PEXCr imp Elbow 90°
Zero Lead

- PolyAlloy
- Crimp connection

Model V5216

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.007	50	43210	3
1/2	1/2	0.010	50	43220	3
3/4	3/4	0.021	25	43240	3
3/4	1/2	0.016	25	43242	3
1	1	0.046	10	43260	3


Viega PEXCr imp Elbow 90°
Zero Lead

- Brass
- Crimp connection, male pipe thread

Model V5014ZL

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.104	10	46822	2
1/2	3/8	0.103	10	46232	2
1/2	1/2	0.196	10	46821	2
3/4	3/4	0.240	10	46245	2



**Viega PEXCr imp Elbow 90°
Drop ear
Zero Lead**
- Brass
- Crimp connection, female pipe thread
Model V5027ZL

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.193	10	46233	2
3/4	3/4	0.309	10	46244	2



NEW

**Viega PEXCr imp Elbow 90°
Zero Lead**
- For dishwasher, connecting 3/8" compression to 3/4" hose supply connection
- Copper
- Hose connection
Model V5053

CTS	Hose	Wt [lb]	Quantity	Part No	DG
3/8	3/4		1	46743	2



**Viega PEXCr imp Elbow 90°
Zero Lead**
- Copper
- Crimp connection, female copper tube size
Model V5021

Crimp	C	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.048	50	44305	2
1/2	1/2	0.048	50	44325	2
3/4	3/4	0.102	25	44345	2



**Viega PEXCr imp Elbow 90°
Zero Lead**
- Copper
- Crimp connection, male copper tube size
Model V5020

Crimp	FTG	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.045	50	44302	2
1/2	1/2	0.045	50	44320	2
3/4	3/4	0.095	25	44340	2

Tees



**Viega PEX Crimp Tee
Zero Lead**
- Brass
- Crimp connection
Model V5018ZL

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.034	50	46500	2
1/2	1/2	1/2	0.055	50	46520	2
1/2	1/2	3/4	0.080	25	46524	2
3/4	3/4	3/4	0.102	25	46540	2
3/4	1/2	1/2	0.079	25	46433	2
3/4	1/2	3/4	0.102	25	46435	2
3/4	3/4	1/2	0.113	25	46443	2
3/4	3/4	1	0.139	10	46445	2
1	3/4	3/4	0.150	10	46544	2
1	3/4	1	0.170	10	46545	2
1	1	1/2	0.128	10	46553	2
1	1	3/4	0.153	10	46554	2
1	1	1	0.185	10	46560	2



**Viega PEX Crimp Tee
Zero Lead**
- PolyAlloy
- Crimp connection
Model V5218

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.014	50	43520	3
1/2	1/2	3/4	0.019	25	43334	3
3/4	3/4	3/4	0.029	25	43540	3
3/4	1/2	1/2	0.021	25	43433	3
3/4	1/2	3/4		25	43434	3
3/4	3/4	1/2	0.023	25	43443	3
3/4	3/4	1	0.038	10	43445	3
1	3/4	3/4	0.047	10	43544	3
1	3/4	1	0.054	10	43545	3
1	1	1/2	0.043	10	43553	3
1	1	3/4	0.046	10	43554	3
1	1	1	0.059	10	43560	3

Adapters


**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, male pipe thread
Model V5011ZL

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.102	50	46302	2
1/2	1/2	0.101	50	46321	2
1/2	3/4	0.131	25	46324	2
3/4	1/2	0.094	25	46342	2
3/4	3/4	0.139	25	46340	2
3/4	1	0.202	10	46446	2
1	3/4	0.133	10	46361	2
1	1	0.235	10	46366	2



**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, female pipe thread
Model V5012ZL

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.101	25	46323	2
1/2	1/2	0.090	25	46333	2
1/2	3/4	0.139	25	46334	2
3/4	3/4	0.147	25	46344	2
3/4	1	0.203	10	46345	2
1	1	0.262	10	46355	2



**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, polybutylene (PB)
connection
Note
Use Viega PEX Crimp ring model V5019.9 for
PB connection
Model V5017ZL

Crimp	PB	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.022	100	46620	2
1/2	1/2	0.031	100	46630	2
3/4	3/4	0.057	50	46641	2
1	1	0.075	10	46650	2



**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, polyethylene (PE)
connection
- Does not include hose clamp
Note
Use standard stainless steel hose clamp for
PE connection
Model V5047ZL

Crimp	PE	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.104	25	46145	2
1	1	0.157	10	46156	2



**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, female copper tube size
Model V5045ZL

Crimp	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.043	50	46635	2
3/4	3/4	0.060	25	46645	2
1	1	0.108	10	40655¹	2

¹⁾ copper



**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, male copper tube size
Model V5046ZL

Crimp	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.032	50	46633	2
3/4	3/4	0.064	25	46644	2
1	1	0.113	10	60651¹	2

¹⁾ copper



**Viega PEXCr imp Adapter
Zero Lead**
- Brass
- Crimp connection, female copper tube size,
male copper tube size
Note
Copper connection can be used as either
male or female connection.
Model V5024ZL

Crimp	C	FTG	Wt [lb]	Quantity	Part No	DG
3/8	1/4	3/8	0.024	50	46621	2
3/8	3/8	1/2	0.032	50	46622	2
1/2	1/4	3/8	0.032	50	46631	2
1	3/4	1	0.182	10	46654	2

Couplings



**Viega PEXCr imp Coupling
Zero Lead**
- Brass
- Crimp connection
Model V5015ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.019	100	46422	2
1/2	3/8	0.023	100	46432	2
1/2	1/2	0.026	100	46434	2
3/4	1/2	0.041	50	46441	2
3/4	3/4	0.045	50	46444	2
1	3/4	0.070	10	46454	2
1	1	0.064	10	46455	2



**Viega PEXCr imp Coupling
Zero Lead**
- PolyAlloy
- Crimp connection
Model V5215

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.004	50	43402	3
1/2	1/2	0.006	100	43403	3
1/2	3/8		50	43332	3
3/4	3/8	0.010	50	43342	3
3/4	1/2		50	43343	3
1	1/2	0.019	10	43353	3
3/4	3/4	0.012	50	43404	3
1	3/4	0.021	10	43354	3
1	1	0.024	10	43355	3



**Viega PEX Crimp Test plugs
Zero Lead**
- PLS
- Crimp connection
Model V5058

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	0.004	100	43702	2
1/2	0.004	100	43723	2
3/4	0.012	50	43744	2
1	0.015	50	43765	2

Valves



**Viega PEX Crimp Ball valve
Zero Lead**
- Brass
- Crimp connection
- 1/4 turn, full port
Model V5037ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.306	10	46010	2
1/2	1/2	0.277	10	46031	2
3/4	3/4	0.395	10	46044	2
1	1	0.664	10	46060	2



**Viega PEX Crimp Ball valve
Zero Lead**
- Chrome-plated brass
- Crimp connection
- 1/4 turn, full port
Model V5023ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.210	10	46021	2



**Viega PEXCr imp Valve
Zero Lead**
- PolyAlloy
- Crimp connection
- 1/4 turn
Model V5236

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.066	10	43030	3
3/4	3/4	0.080	10	43040	3



**Viega PEX Crimp Stop valve
Straight
Zero Lead**
- Equipped with ferrule Model V5085,
Viega PEXC rimp ring Model V5019.9
- Chrome-plated brass
- Crimp connection
- 1/4 turn
Model V5026ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.321	1	46001	2
1/2	1/4	0.295	1	46022	2


Viega PEX Crimp Stop valve
Angled
Zero Lead

- Equipped with ferrule Model V5085, Viega PEXC rimp ring Model V5019.9
- Chrome-plated brass
- Crimp connection
- ¼ turn

Model V5064ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.340	1	46002	2
1/2	1/4	0.330	1	46025	2


Viega PEX Crimp Stop valve
Straight
Zero Lead

- PolyAlloy
- Crimp connection, lav connection
- ¼ turn

Model V5036.30

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.090	10	43023	3
1/2	1/2	0.090	10	43031	3


Viega PEX Crimp Stop valve
Straight
Zero Lead

- PolyAlloy
- Crimp connection, closet connection
- ¼ turn

Model V5036.31

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.100	10	43002	3
1/2	1/2	0.103	10	43003	3


Viega PEXCr imp Adapter
Straight
Zero Lead

- For ice maker
- Brass
- Crimp connection

Model V5051ZL


Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/8	0.077	1	46301	2
1/2	1/8	0.081	1	46322	2


Viega PEX Crimp Tee
Zero Lead

- For ice maker
- Brass
- Crimp connection

Model V5062ZL

Crimp1	Crimp2	CTS	Wt [lb]	Quantity	Part No	DG
3/8	3/8	1/8	0.131	1	46503	2
1/2	1/2	1/8	0.127	1	46521	2

ManaBloc

Viega ManaBloc Distribution manifold
Zero Lead


- Crimp connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5043ZL

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
brass	14	3/8	6	8	6.038	1	41142	2
brass	14	1/2	6	8	6.233	1	41143	2
brass	24	1/2	9	15	9.122	1	41243	2
brass	30	1/2	12	18	10.942	1	41303	2
brass	36	1/2	14	22	12.791	1	41363	2


Viega ManaBloc Distribution manifold
Zero Lead

- Crimp connection
- Combination port sizes, color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5035ZL

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
brass	18	¾	6	7	½	2	3	7.998	1	41183	2
brass	24	¾	7	11	½	2	4	8.897	1	41246	2
brass	30	¾	10	12	½	2	6	11.327	1	41306	2
brass	36	¾	11	15	½	3	7	13.231	1	41366	2


Viega MiniBloc Zoning manifold
Zero Lead

- For combination systems
- Crimp connection
- Blue color coded ports for cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key, optional red valve caps

Model V5031ZL

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
brass	3	½	2.329	1	41033	2
brass	4	½	2.479	1	41043	2
brass	6	½	2.999	1	41063	2
brass	8	½	4.724	1	41083	2


Viega MiniBloc Zoning manifold
Zero Lead

- For combination systems
- Crimp connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5066ZL

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
brass	5	½	2	3	2.819	1	42063	2
brass	7	½	3	4	3.837	1	42073	2
brass	10	½	4	6	4.587	1	42003	2


Viega PEX Crimp Port adapter
Zero Lead

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Crimp connection, Viega ManaBloc port connection

Model V5039ZL


Crimp	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.085	6	46624	2
½	½	0.090	6	46634	2


Viega PEX Crimp Supply adapter
Zero Lead

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Crimp connection, Viega ManaBloc supply connection

Model V5034ZL

Crimp	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.198	5	46414	2
1	1	0.155	5	46416	2



Viega ManaBloc Distribution manifold
Zero Lead


- Crimp connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5030.5

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PolyAlloy	14	¾	6	8	7.598	1	50142	2
PolyAlloy	14	½	6	8	5.415	1	50143	2
PolyAlloy	24	½	9	15	7.718	1	50243	2
PolyAlloy	30	½	12	18	9.668	1	50303	2
PolyAlloy	36	½	14	22	11.275	1	50363	2



Viega ManaBloc Distribution manifold
Zero Lead

- Crimp connection
- Combination port sizes, color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5030.51

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
PolyAlloy	18	¾	6	7	½	2	3	6.328	1	51618	2
PolyAlloy	24	¾	7	11	½	2	4	8.007	1	50624	2
PolyAlloy	30	¾	10	12	½	2	6	9.833	1	50630	2
PolyAlloy	36	¾	11	15	½	3	7	11.481	1	50636	2



Viega MiniBloc Zoning manifold
Zero Lead

- Crimp connection
- Blue color coded ports for cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key, optional red valve caps

Model V5031.5

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
PolyAlloy	3	½	2.119	1	50033	2
PolyAlloy	4	½	2.434	1	50043	2
PolyAlloy	6	½	3.579	1	50063	2
PolyAlloy	8	½	3.919	1	50083	2



Viega MiniBloc Zoning manifold
Zero Lead

- Crimp connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5067

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PolyAlloy	5	½	2	3	2.523	1	51063	2
PolyAlloy	7	½	3	4	3.244	1	51073	2
PolyAlloy	10	½	4	6	4.005	1	51003	2



Viega PEX Crimp Port adapter
Zero Lead

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc port connection

Model V5039.1

Crimp	Port	Wt [lb]	Quantity	Part No	DG
¾	¾		6	51133	2
¾	½	0.040	6	50023	2
½	¾	0.026	6	51123	2
½	½	0.040	6	50133	2




Viega PEX Crimp Supply adapter Zero Lead

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc supply connection

Model V5213

P	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.095	5	50141	2
1	1	0.100	5	50151	2



Viega ManaBloc Distribution manifold Zero Lead


- Compression
- Color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5030

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
compression	14	¾	6	8	5.280	1	36142	2
compression	18	¾	8	10	6.201	1	36182	2
compression	24	¾	9	15	7.774	1	36242	2
compression	30	¾	12	18	9.117	1	36302	2
compression	36	¾	14	22	10.958	1	36362	2
compression	14	½	6	8	5.578	1	36144	2
compression	18	½	8	10	6.463	1	36183	2
compression	24	½	9	15	8.158	1	36243	2
compression	30	½	12	18	9.887	1	36303	2
compression	36	½	14	22	11.537	1	36363	2



Viega ManaBloc Distribution manifold Zero Lead

- Compression
- Combination port sizes, color coded ports for hot and cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key

Model V5030.2

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
compression	24	¾	7	11	½	2	4	7.918	1	36624	2
compression	30	¾	10	12	½	2	6	9.823	1	36630	2
compression	36	¾	11	15	½	3	7	11.397	1	36636	2



Viega MiniBloc Zoning manifold Zero Lead

- Compression
- Blue color coded ports for cold water
- Does not include supply connections

Components

¼ turn valves, T-handle valve key, optional red valve caps

Model V5031

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
compression	3	¾	2.024	1	36032	2
compression	4	¾	2.234	1	36042	2
compression	6	¾	2.918	1	36062	2
compression	8	¾	3.549	1	36082	2
compression	3	½	2.119	1	36033	2
compression	4	½	2.344	1	36043	2
compression	6	½	2.900	1	36063	2
compression	8	½	3.829	1	36083	2


**Viega ManaBloc Lock-inn ut
Zero Lead**

- For use with Viega ManaBloc compression connections
 - Spare part for Viega ManaBloc distribution manifold Model V5030,V5030.2, Viega MiniBloc zoning manifold Model V5031
 - Plastic
 - Compression
- Model V5036.24**

CTS	Wt [lb]	Quantity	Part No	DG
3/8	0.020	100	36002	2
1/2	0.040	100	36003	2


**Viega ManaBloc Lock-inn sert
Zero Lead**

- For use with Viega ManaBloc compression connections
- Model V5036.25**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.002	100	36402	2
1/2	5/8	0.002	100	36403	2


**Ferrule
Zero Lead**

- For Viega ManaBloc compression connections, risers, valves
- Model V5085**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2
3/4	7/8	0.003	100	53040	2


**Insert stiffener
Zero Lead**

- For Viega ManaBloc compression connections, risers
 - Stainless steel
- Model V5086**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.001	100	56100	2
3/8	1/2	0.029	50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2


Viega ManaBloc Wrench

- For Viega ManaBloc compression connections
 - Chrome-plated steel
- Model V5036.23**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.600	1	50631	5


**Viega ManaBloc Supply adapter
Zero Lead**

- For connecting CTS-sized supply lines to Viega ManaBloc or Viega MiniBloc
 - Equipped with insert stiffener Model V5086
 - Brass
 - Compression, Viega ManaBloc supply connection
- Model V5032ZL**

CTS	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.395	5	46346	2


**Viega ManaBloc Supply adapter
Zero Lead**

- For connecting FPT supply lines to Viega ManaBloc and Viega MiniBloc
 - Brass
 - Male pipe thread, Viega ManaBloc supply connection
- Model V5033ZL**

MPT	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.329	5	46646	2
1	1	0.399	5	46656	2



Viega MiniBloc Supply coupling
 - For connecting Viega MiniBlocs
 - PolyAlloy
 - Viega MiniBloc supply connection
Model V5039.52

Supply1	Supply2	Wt [lb]	Quantity	Part No	DG
1	1	0.201	10	50355	2



Port nut
Zero Lead
 - Not suitable for Viega ManaBloc distribution manifold Model V5030,V5030.2,
 Viega MiniBloc zoning manifold Model V5031
 - Plastic
Model V5039.8

d	Wt [lb]	Quantity	Part No	DG
1/2	0.260	6	53006	2



Port cap
Zero Lead
 - For Viega ManaBloc, Viega MiniBloc
 - Plastic
Model V5087

d	Wt [lb]	Quantity	Part No	DG
3/8	0.020	6	36204	2
1/2	0.046	6	36205	2



Supply cap
Zero Lead
 - For Viega ManaBloc, Viega MiniBloc
 - Brass
Model V5036.10

d	Wt [lb]	Quantity	Part No	DG
1	0.082	5	53601	2



Viega ManaBloc Mountings et
 - For mounting Viega ManaBloc between studs
 - Steel
 - Pre-drilled to mount on 16" center studs
Components
 (2) mounting straps, (4) screws
Model V5038

Wt [lb]	Quantity	Part No	DG
0.681	1	45716	2



Replacement kit
 - For Viega ManaBloc and Viega MiniBloc valve stems, ports 1/2" or 3/8"
Components
 Red valve, blue valve, valve removal tool,
 T-handle valve key
Model V5039.6

Wt [lb]	Quantity	Part No	DG
0.150	1	50602	2



Replacement kit
 - For Viega ManaBloc and Viega MiniBloc valve stems, ports 1/2" or 3/8"
 - 1/4 turn
Components
 Red valve, blue valve, valve removal tool,
 T-handle valve key
Model 2870.91

Wt [lb]	Quantity	Part No	DG
0.150	1	51602	2



T-handle valve key
 - For Viega ManaBloc, Viega MiniBloc
Model V5039.7

Wt [lb]	Quantity	Part No	DG
0.040	1	50601	2


Viega ManaBloc Access panel

- Plastic

Note

Can be mounted to open vertically or horizontally

Model V5099

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	18	14	1.350	1	50718	2
14	26	16	1.839	1	50726	2
14	30	24	3.489	1	50730	2
14	39	36	3.044	1	50739	2
14	39	36	4.999	1	50839¹⁾	2

¹⁾ transparent


Viega ManaBloc Access panel

- Metal

Components

(2) knurled knobs, (2) keys


Note

Can be mounted to open vertically or horizontally

UL listed

Model V5099.1

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	40	30	26.258	1	50740	2
14	48	36	31.641	1	50748	2

Manifolds

Viega PEX Crimp Manifold
Zero Lead

- Brazed copper
- Crimp connection
- Closed

Model V5035

Crimp1	Crimp2	Crimp3	Outlet(s)	Wt [lb]	Quantity	Part No	DG
closed	3/4	1/2	4	0.605	1	44844	2
closed	3/4	1/2	6	0.835	1	44846	2
closed	3/4	1/2	8	1.085	1	44848	2
closed	3/4	1/2	10	1.305	1	44840	2
closed	1	1/2	4	0.625	1	44864	2


Viega PEX Crimp Manifold
Zero Lead

- Brazed copper
- Crimp connection
- Flow through

Model V5035.4

Crimp1	Crimp2	Crimp3	Outlet(s)	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	4	0.620	1	45844	2
3/4	3/4	1/2	6	0.850	1	45846	2
3/4	3/4	1/2	8	1.065	1	45848	2
1	1	3/4	4	0.635	1	45864	2


Viega PEX Crimp Manifold
Zero Lead

- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Flow through
- Does not include mounting hardware

Model V5031.2

Crimp1	Crimp2	Crimp3	Outlet(s)	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	2	0.135	10	65152	2
3/4	3/4	1/2	3	0.197	10	65153	2
3/4	3/4	1/2	4	0.221	10	65154	2
1	3/4	1/2	4	0.140	10	65254	2
1	1	1/2	6	0.309	10	65256	2
1	1	1/2	8	0.396	5	65258	2


Viega PEX Crimp Manifold
Zero Lead

- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Closed
- Does not include mounting hardware

Model V5031.22

Crimp1	Crimp2	Crimp2	Outlet(s)	Wt [lb]	Quantity	Part No	DG
closed	3/4	1/2	4	0.217	10	65104	2
closed	1	1/2	6	0.302	10	65206	2

Stub-Outs



**Viega PEXCr imp Stub-out 90°
Zero Lead**
- Copper
- Crimp connection, male copper tube size
Model V5070

Crimp	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.235	50	44208	2
1/2	1/2	3 1/2	6	0.195	50	44226	2
1/2	1/2	3 1/2	8	0.235	50	44228	2
3/4	1/2	3 1/2	8	0.410	50	44240	2



**Viega PEXCr imp Stub-out 90°
Zero Lead**
- Copper
- Crimp connection, male copper tube size
Components
Wall plate
Model V5070.1

Crimp	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.286	25	44209	2
1/2	1/2	3 1/2	6	0.235	25	44227	2
1/2	1/2	3 1/2	8	0.277	25	44229	2

Lav Adapters



**Viega PEX Crimp Lav adapter
Zero Lead**
- Brass
- Crimp connection, lav connection
Components
Plastic nut
Model V5075ZL

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.065	1	46023	2
1/2	1/2	0.055	1	46033	2



**Viega PEX Crimp Lav adapter
Zero Lead**
- Brass
- Crimp connection, lav connection
Components
Brass nut
Model V5079ZL

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.090	1	46024	2
1/2	1/2	0.090	1	46034	2
3/4	3/4	0.160	1	46040	2



**Viega PEX Crimp Lav adapter
Zero Lead**
- Equipped with ferrule Model V5085,
Viega PEXC rimp ring Model V5019.9
- Brass
- Crimp connection, compression
Components
Brass ferrule
Model V5077ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.120	1	46032	2
1/2	1/4	0.115	1	46331	2



**Viega PEX Crimp Lav adapter
Zero Lead**
- PolyAlloy
- Crimp connection, lav connection
Model V5263

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.025	1	43323	3
1/2	1/2	0.025	1	43333	3
3/4	3/4	0.045	1	43344	3



**Viega PEX Crimp Lav elbow 90°
Zero Lead**
- Copper
- Crimp connection, lav connection
Components
Plastic nut
Model V5076

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.085	1	44201	2



**Viega PEX Crimp Lav elbow 90°
Zero Lead**
- PolyAlloy
- Crimp connection, lav connection
Components
Plastic nut
Model V5255

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.027	50	43232	3
1/2	1/2	0.029	50	43233	3
3/4	3/4	0.053	25	43244	3



**Cone seal
Zero Lead**
- Spare part for Viega PEX Crimp lav adapter Model V5075ZL, V5079ZL, V5263, Viega PEXC rimp lave lbow 90° Model V5076, V5255, Viega PEX Crimp stop valve straight Model V5036.30, Viega PEXPress lav adapter Model 2891, 2891ZL, V5613.3
Model V5084.1

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	43721	2
3/4	0.004	100	43740	2

Closet Adapters



**Viega PEX Crimp Closet adapter
Zero Lead**
- Brass
- Crimp connection, closet connection
Components
Plastic nut
Model V5072ZL

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.070	1	46223	2
1/2	1/2	0.065	1	46234	2



**Viega PEX Crimp Closet adapter
Zero Lead**
- PolyAlloy
- Crimp connection, closet connection
Components
Plastic nut
Model V5257

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.036	1	43300	3
1/2	1/2	0.035	1	43320	3



**Viega PEX Crimp Closet elbow 90°
Zero Lead**
- Copper
- Crimp connection, closet connection
Components
Plastic nut
Model V5078

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.100	1	44203	2



**Cone seal
Zero Lead**
- Spare part for Viega PEX Crimp closet adapter Model V5072ZL, V5257, Viega PEX Crimp closet elbow 90° Model V5078, Viega PEXPress closet adapter Model 2890ZL, V5613.4
Model V5084

d	Wt [lb]	Quantity	Part No	DG
1/2	0.005	100	43820	2



**Viega PEX Crimp Swivel connector
Zero Lead**
- For hot water heater
- Copper
- Crimp connection, female pipe thread
Model V5048ZL

Crimp	FPT	L [in]	Wt [lb]	Quantity	Part No	DG
3/4	3/4	18	0.570	25	46764	2

Outlet Boxes


NEW

Viega PEX Crimp Outlet box Zero Lead

- For ice maker

Components

¼ turn brass valve, water hammer arrestor

Model 2872.8ZL

Crimp	Wt [lb]	Quantity	Part No	DG
3/8		1	46710	2
1/2		1	46720	2


NEW

Viega PEX Crimp Outlet box Zero Lead

- For washing machine

Components

(2) ¼ turn brass valves, water hammer arrestors

Model 2872.9ZL

Crimp	Wt [lb]	Quantity	Part No	DG
1/2		1	46730	2



Viega PEX Crimp Outlet box Zero Lead

- For ice maker

- Plastic

Components

¼ turn brass valve

Model V5073

Crimp	Wt [lb]	Quantity	Part No	DG
3/8		1	43700	2
1/2	1.095	1	43722	2



Viega PEX Crimp Outlet box Zero Lead

- For washing machine

- Color coded handles

Components

(2) ¼ turn brass valves

Model V5073.5

Crimp	Wt [lb]	Quantity	Part No	DG
1/2	2.344	1	43720	2



Tubing

Zero Lead

- For ice maker

- High density polyethylene (HDPE)

Model V5052

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/8	100	white	1.200	1	43100	1

Tools



Viega PEX Crimp Hand tool

Full circle

- Soft touch

Model V5082.5

for d	Wt [lb]	Quantity	Part No	DG
3/8	3.404	1	41700	5
1/2	3.309	1	41720	5
1/2, 3/4	4.574	1	41724	5
3/4	3.474	1	41740	5
1	4.599	1	41760	5



Repair set
 - Suitable for Viega PEX Crimp hand tool full circle Part No 41760
Model V5082.9

	Wt [lb]	Quantity	Part No	DG
	0.120	1	41741	5



Repair set
 - Suitable for Viega PEX Crimp hand tool full circle Part No 41700, 41720, 41724, 41740
Model V5082.10

	Wt [lb]	Quantity	Part No	DG
	0.115	1	41701	5



Viega PEX Crimp Hand tool
 - Ratcheting design, soft touch
Model V5082.6

d	Wt [lb]	Quantity	Part No	DG
3/8	1.670	1	41702	5
1/2	1.520	1	41721	5



Viega PEX Crimp Hand tool
 - Compact angled, color coded handles
Model V5082.4

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	green	2.389	1	41703	5
1/2	yellow	2.442	1	41723	5
3/4	blue	2.595	1	41744	5



Viega PEX Crimp Caliper
Model V5054

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 3/4	0.120	1	53507	5
1	0.060	1	53511	5



Tubing cutter
 - Suitable for Viega FostaPEX tubing
 Model 2805US, 2806US, 2808US
 - Steel
 - Ratcheting design
Model 2840

max d	Wt [lb]	Quantity	Part No	DG
1 1/4	1.150	1	53541	5
1 1/2	0.954	1	53551	5
2	1.874	1	53561	5



Blade
 - Spare part for tubing cutter Part No 53541
 - Steel
Model V5057.1

for d	Wt [lb]	Quantity	Part No	DG
1 1/4	0.190	1	53542	5



Tubing cutter
 - For PEX tubing
 - Plastic
Model 2889.2US

max d	Wt [lb]	Quantity	Part No	DG
1	0.351	1	21304	5



Tubing cutter
 - For PEX tubing
 - Steel
Model V5055

max d	Wt [lb]	Quantity	Part No	DG
1 1/2	0.401	1	21307	5



Blade
- Suitable for tubing cutter Model V5055
- Steel
Model V5055.1

	Wt [lb]	Quantity	Part No	DG
	0.080	1	21317	5



Wheel cutter
- For PEX tubing
- Steel
Model V5059

max d	Wt [lb]	Quantity	Part No	DG
2	1.789	1	53641	5



Blade
- Spare part for wheel cutter Model V5059
- Steel
Model V5059.1

	Wt [lb]	Quantity	Part No	DG
	0.010	1	53642	5

Accessories



Viega PEXCr imp Ring
- Copper
Model V5019.9

d	Wt [lb]	Quantity	Part No	DG
3/8	0.011	100	43600	2
1/2	0.013	100	43620	2
3/4	0.018	100	43640	2
1	0.022	50	43660	2



Lav riser
Zero Lead
- Does not include lav nut Model V5089
- Equipped with ferrule Model V5085
- PEX
Model V5080

CTS	O.D.	L	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.030	100	58112	2
1/4	3/8	15	0.035	100	58115	2
1/4	3/8	20	0.045	100	58120	2
1/4	3/8	30	0.071	100	58130	2
1/4	3/8	36	0.081	100	58136	2



Closet riser
Zero Lead
- Does not include ballcock nut Model V5089.1
- Equipped with ferrule Model V5085
- PEX
Model V5081

CTS	O.D.	L	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.031	100	57112	2
1/4	3/8	15	0.035	100	57115	2
1/4	3/8	20	0.050	100	57120	2
1/4	3/8	30	0.080	100	57130	2
1/4	3/8	36	0.085	100	57136	2



Lav nut
Zero Lead
- Suitable for lav riser Model V5080
Model V5089

FPT	Wt [lb]	Quantity	Part No	DG
1/2	0.017	100	33705	2



Ballcock nut
Zero Lead
- Suitable for closet riser Model V5081
Model V5089.1

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.023	100	53017	2



Ferrule
Zero Lead
- For Viega ManaBloc compression connections, risers, valves
Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2
3/4	7/8	0.003	100	53040	2


Insert stiffener
Zero Lead

- For ManaBloc compression connections, risers
- Stainless steel

Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.001	100	56100	2
3/8	1/2		50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2


Escutcheon
Single
Zero Lead

- Not for Viega FostaPEX
- Plastic

Model V5088

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.012	50	53115	2
1/2	white	0.012	50	53120	2
1/2	white	0.010	50	53122¹	2

¹⁾ for threaded connection

Escutcheon
Double
Zero Lead

- Not for Viega FostaPEX
- Plastic

Model V5088.1

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.016	25	53116	2
1/2	white	0.016	25	53121	2


Sleeve

- Chrome-plated steel
- Finishing

Model 2800.5US

d	L [in]	Wt [lb]	Quantity	Part No	DG
3/8	3 1/2	0.050	10	52500	2
1/2	3 1/2	0.054	10	52520	2


Sleeve

- Plastic
- Decorative

Model V5098

d	L [ft]	Wt [lb]	Quantity	Part No	DG
3/8	3	0.125	50	52600	2
1/2	3	0.138	50	52620	2


Sleeve

- Plastic

Model 2852US

max d	L [in]	Version	Wt [lb]	Quantity	Part No	DG
1/2	4 1/2	red	0.040	10	54020	2
1/2	4 1/2	blue	0.040	10	54520	2


Bend support
Drop ear

- Not for Viega FostaPEX
- Plastic-coated steel

Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.175	25	50520	2


Bend support
Snap in

- Not for Viega FostaPEX
- Suitable for bracket Model 2850.4US
- Plastic

Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.089	100	51021	2


Bracket

- For mounting on 16" center studs
- Suitable for bend support snap in Model 2850.3US
- Steel
- Mounting holes on 2" centers

Model 2850.4US

d	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	18	0.541	50	51022	2



Bend support
 - Not for Viega FostaPEX
 - Plastic
Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	51000	2
1/2	0.083	25	51020	2
5/8, 3/4	0.155	25	51040	2
1	0.273	25	51060	2
1 1/4	0.440	5	51070	2



Bend support
 - For slab
 - Not for Viega FostaPEX
 - Plastic
Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.090	10	15106	4
1/2	0.106	10	15107	4
5/8, 3/4	0.254	10	15108	4
1	0.830	1	15111	4



Tubing clamp
Turn out
 - For 3/8" tubing and 1/2" tubing with standard or stub-out elbows
 - Not for Viega FostaPEX
 - Plastic
 - Trim tapered tip to use with 1/2" tubing
Model V5071

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.071	25	52130	2



Full clamp
 - Plastic
Components
 Nail
Model V5092

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.013	100	52220	2
3/4	0.019	50	52240	2



J-clamp tubing fasteners
 - Plastic
Components
 Nail
Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2



Economy PEX tubing clamp
 - Not for Viega FostaPEX
 - Plastic
Model V5095

for d	Wt [lb]	Quantity	Part No	DG
1/4	0.002	100	52100	2
3/8	0.002	100	52110	2
1/2	0.003	100	52120	2
3/4	0.005	50	52140	2



Snap clip
Single
 - Not for Viega FostaPEX
 - Plastic
Model 2862US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	58015	2
1/2	0.011	100	58020	2
3/4	0.010	100	58040	2
1	0.014	50	58060	2



Snap clip
Double
 - Not for Viega FostaPEX
 - Plastic
Model 2862.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.012	50	58016	2
1/2	0.012	50	58021	2



Lock clip
 - Plastic
Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.014	100	58071	2
1/2	0.013	100	58072¹	2
3/4	0.015	50	58073²	2
1	0.025	50	58074	2
1 1/4	0.030	50	58075	2
1 1/2	0.040	25	58076	2
2	0.050	15	58077	2

¹⁾ Suitable for ViegaPEX Barrier Tubing Part No 11445, 11450

²⁾ Suitable for Viega FostaPEX Tubing Part No 35030, 35031, 35530



Multi-clip
 - Plastic
Components
 Mounting screw
Model 2867US

max d	Wt [lb]	Quantity	Part No	DG
1	0.025	100	52006	2
2	0.006	25	52007	2



Multi-clip
 - Plastic
Components
 Strut clamp
Model 2867.1US

max d	Wt [lb]	Quantity	Part No	DG
2		25	52017	2



U-channel fastener
 - Plastic
 - Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.100	16	15310	4



Suspension clip tubing fasteners
 - Plastic
Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.009	50	55020	2
3/4	0.012	50	55040	2
1	0.018	50	55060	2
1 1/4	0.022	50	55070	2
1 1/2	0.031	25	55080	2
1		25	55090	2



Tubing clamp
 - Plastic
Model 2868US

for d	Wt [lb]	Quantity	Part No	DG
2		25	56090	2


Tubing insulator

- Plastic
- Fits 1 3/8" hole

Model V5094

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	55100	2
3/8, 1/2, 3/4, 1	0.014	25	55165	2
1/2	0.019	50	55120	2
3/4	0.014	50	55140	2
1	0.040	50	55160	2


Zip tie

- Plastic

Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	43714	2


Pipethon strap

- Plastic

Model V5097.1

	Wt [lb]	Quantity	Part No	DG
	0.060	20	43701	2


Uncoiler

- Not for 1" tubing or larger, Viega FostaPEX

Components

Movable metal frame, (2) coil hubs, tube guide

Note

Max. coil size for 3/8" and 1/2" tubing is 1000 ft.

Max. coil size for 3/4" tubing is 500 ft.

Model V5061

	Wt [lb]	Quantity	Part No	DG
	70.980	1	53509	5

Catalog Index



viega

Model No	Page	Model No	Page	Model No	Page	Model No	Page	Model No	Page
0103	46	2810.7US	150	2850.3US	133	2872.8ZL	16	2882US	103
0107XL	46	2810.8US	150	2850.4US	108	2872.8ZL	130	2882US	157
0108	46	2810.9US	151	2850.4US	133	2872.9ZL	16	2884.7US	105
0108XL	46	2810US	149	2851US	108	2872.9ZL	130	2884.7US	159
0113.1XL	49	2811.5	106	2851US	134	2873.0US	157	2887.0	168
0113.3	49	2811ZL	93	2851US	163	2873.1US	156	2887.1	168
0611	40	2811ZL	142	2851US	190	2873.4US	162	2887.2	168
0611.1	41	2811ZL	182	2852US	107	2873.5US	145	2887.3	17
0612	41	2812.2ZL	93	2852US	133	2873.5US	185	2887.3	155
0612.1	41	2812ZL	93	2856.6	145	2873.81	33	2888.0ZL	14
0615	41	2813.1ZL	94	2856.6	184	2873.89	36	2888.0ZL	96
0615.2	42	2813.1ZL	142	2856.7	145	2874.3US	162	2889.0US	104
0616	40	2813.1ZL	182	2856ZL	95	2874.4US	157	2889.0US	158
0616.1	40	2813.2ZL	94	2857.1US	151	2874.5US	149	2889.2US	105
0618	40	2813.3ZL	94	2857.2US	151	2874.6US	149	2889.2US	131
0626	40	2813.5ZL	93	2857.2US	187	2874.7US	148	2889.2US	161
0626.1	40	2813.5ZL	142	2857.7US	148	2875.1US	151	2889.2US	188
0650	41	2813.5ZL	182	2857US	151	2875.3US	187	2889.4US	159
0656	41	2813.6ZL	97	2858	104	2875.4US	149	2889.6US	160
0670	42	2813PZL	27	2858	158	2875.4US	187	2889.6US	188
0687	42	2813PZL	93	2858.1	104	2875.5US	187	2889.7US	159
0911XL	26	2813PZL	142	2858.1	158	2875.6US	160	2889.8US	159
0912XL	27	2813PZL	182	2859US	162	2875.6US	188	2889.8US	163
0915.1XL	31	2814.2ZL	91	2859US	189	2875.8US	167	2889.9US	164
0915.2XL	30	2814.5ZL	90	2860US	108	2875.8US	191	2890.0US	160
0915.5XL	30	2814.6ZL	90	2860US	134	2876.0US	149	2890.0US	162
0915XL	29	2814.7ZL	90	2860US	163	2876.1US	156	2890.0US	188
0916.1XL	22	2814ZL	90	2861US	109	2876.3US	156	2890.0US	189
0916XL	22	2815NG	183	2861US	135	2876.4US	167	2890.3US	160
0917.2XL	25	2815ZL	94	2862.1US	109	2876.5US	168	2890.3US	162
0918XL	25	2815ZL	143	2862.1US	135	2876.6US	168	2890.3US	188
0926.1XL	24	2816ZL	90	2862.1US	163	2876.7US	168	2890.3US	190
0926XL	23	2816ZL	141	2862US	109	2877.0US	169	2890.4US	143
0956XL	28	2816ZL	181	2862US	134	2877.1	145	2890.4US	163
0959.5XL	28	2818.2ZL	92	2862US	163	2877.1	184	2890.4US	183
1003.5SV	145	2818.3ZL	92	2863US	109	2877.2	144	2890.4US	190
1003.5SV	184	2818ZL	91	2863US	135	2877.2	184	2890ZL	102
1022.6SV	146	2818ZL	141	2863US	164	2877.3ZL	97	2891.1US	160
1022.7SV	146	2818ZL	181	2864US	109	2877.4	144	2891.1US	187
1022.8SV	167	2819NG	146	2864US	135	2877.4	184	2891ZL	102
1022SV	146	2819NG	185	2864US	163	2877.5	144	2892ZL	14
1022SV	185	2820.0ZL	15	2864US	190	2877.5	184	2892ZL	94
1024SV	145	2820.0ZL	101	2865.1US	165	2877.6	145	2893ZL	14
1024SV	185	2820.1ZL	15	2865.1US	190	2877.6	185	2893ZL	94
1028SV	166	2820.1ZL	101	2865.3US	167	2877.7	149	2899.1	168
1030.1SV	143	2820.2ZL	15	2865.3US	191	2877.8ZL	97	2899.7US	105
1030SV	143	2820.2ZL	101	2865.4US	167	2877.9	169	2899.7US	159
1069SV	166	2820.4ZL	15	2865.4US	191	2878	144	2899.8US	159
2800.5US	107	2820.4ZL	101	2865US	164	2878	183	2899.9US	160
2800.5US	133	2825.5ZL	91	2865US	190	2878.910	165	2911.1ZL	26
2801.0US	154	2832ZL	101	2866US	162	2878.911	165	2911ZL	26
2801.1US	161	2833ZL	100	2866US	189	2878.912	166	2912.1ZL	27
2801.1US	189	2834.1US	147	2867.1US	109	2878.913	165	2912ZL	27
2801.4US	162	2834.1US	186	2867.1US	135	2878.914	165	2914.2ZL	23
2801.8US	154	2834.2US	147	2867US	109	2878.915	165	2915	29
2801.9US	161	2834.2US	186	2867US	135	2878.916	165	2915.1	30
2801.9US	189	2834.3US	147	2867US	164	2878.917	165	2915.1ZL	30
2802US	140	2834.3US	186	2868US	110	2878.918	166	2915.2	30
2802US	180	2834.4US	146	2868US	135	2878.919	166	2915.3	29
2803US	140	2834.4US	185	2870.5US	151	2878.920	166	2915.5	29
2803US	180	2834.5US	147	2870.7US	156	2878.922	144	2916	22
2804	143	2834.5US	186	2870.91	100	2878.922	184	2916.1	22
2804	183	2834US	147	2870.91	126	2878.923	166	2916.3	22
2804.2US	154	2834US	186	2870.9US	167	2878.924	166	2917.2ZL	25
2804.4US	154	2835US	147	2870.9US	191	2878.925	166	2917.3ZL	26
2805US	89	2835US	186	2871.0US	148	2878.927	147	2918	24
2805US	140	2836ZL	100	2871.2US	148	2878.927	186	2925.2ZL	23
2805US	180	2840	105	2871.3US	148	2879	144	2925.5ZL	23
2806US	89	2840	131	2871.4US	167	2879	183	2926	23
2806US	141	2840	160	2871.4US	191	2879.2US	155	2926.1	23
2806US	181	2840	188	2871.5US	167	2879.4US	155	2927	34
2808US	90	2842.1ZL	14	2871.5US	191	2879.6US	148	2928	34
2808US	141	2842.1ZL	95	2871.6US	152	2879.9US	168	2945	33
2808US	181	2842.2ZL	14	2871.8US	162	2880.2	103	2946	35
2809.1US	152	2842.2ZL	95	2872.0ZL	16	2880.2	157	2947	22
2809.2US	16	2842.3ZL	95	2872.0ZL	103	2880.3	103	2956	28
2809.2US	152	2842.4ZL	14	2872.1US	16	2880.3	157	2957ZL	29
2809.3US	152	2842.4ZL	95	2872.1US	103	2880.4US	104	2957ZL	156
2809.3US	164	2850.1US	107	2872.2US	149	2880.4US	158	2959.5ZL	27
2810.1US	150	2850.1US	133	2872.4US	187	2880.5US	158	2959.7	35
2810.2US	150	2850.1US	164	2872.6ZL	15	2880.6US	104	2959.7	52
2810.3US	146	2850.2US	108	2872.6ZL	102	2881	155	2959.7	62
2810.3US	185	2850.2US	134	2872.7US	157	2881.2NG	155	2959.7	69
2810.71U	150	2850.2US	164	2872.7ZL	15	2881.3	156	2959.9	35
2810.72U	150	2850.2US	190	2872.7ZL	102	2881.4	156	2959.9	51
2810.73U	150	2850.3US	107	2872.8US	157	2881.6	155	2959.9	62

Model No	Page	Model No	Page	Model No	Page	Model No	Page	Model No	Page
2959.9	68	4315.5XL	68	V5005	115	V5054	131	V5216	117
2960ZL	28	4315XL	68	V5005.5	87	V5055	105	V5218	118
2962ZL	28	4316.1XL	66	V5005.5	115	V5055	131	V5236	120
2963.9	34	4316XL	66	V5006	87	V5055	161	V5255	129
2963.9	61	4317.2XL	67	V5006	115	V5055	188	V5257	129
2965ZL	28	4318XL	67	V5006.5	88	V5055.1	105	V5263	128
2967ZL	29	4326.1XL	66	V5006.5	116	V5055.1	132	V5336	156
2969	35	4326XL	66	V5007	88	V5055.1	161	V5613.1	98
2970.10	33	4356.1XL	67	V5007	116	V5055.1	189	V5613.2	98
2970.1ZL	32	4359XL	67	V5007.5	88	V5057.1	105	V5613.3	102
2970.3	33	4370.8	51	V5007.5	116	V5057.1	131	V5613.4	102
2970.3ZL	32	4370.8	68	V5008	88	V5057.1	161	V5615	95
2970.80	36	4811	75	V5008	116	V5057.1	188	V5615.3	106
2970.96	36	4812	75	V5009	88	V5058	120	V5616	90
2971	35	4815	76	V5009	116	V5059	106	V5618	92
2971	142	4815.1	76	V5009.1	89	V5059	132	V5630	97
2971.1ZL	12	4815.5	76	V5009.1	117	V5059	161	V5636	101
2971.1ZL	31	4816	74	V5009.5	89	V5059	189	V5636.1	101
2971.3ZL	12	4816.1	74	V5009.5	117	V5059.1	106	V5640	98
2971.3ZL	31	4817.2	75	V5009.51	89	V5059.1	132	V5650	98
2971.4ZL	12	4818	74	V5009.51	117	V5059.1	161	V5656	95
2971.4ZL	31	4826	74	V5011ZL	119	V5059.1	189	V5660	98
2971.5ZL	12	4826.1	74	V5012ZL	119	V5061	110	V9011	175
2971.5ZL	31	4856	13	V5014ZL	117	V5061	136	V9013.1	176
2973	12	4856	76	V5015ZL	120	V5062ZL	121	V9015	176
2973	32	4859.5	13	V5016ZL	117	V5064ZL	121	V9015.3	175
2973.1	13	4859.5	75	V5017ZL	119	V5065ZL	97	V9015.4	175
2973.1	32	4860	76	V5018ZL	118	V5066ZL	122	V9016	174
2973.2	13	6011	49	V5019.9	132	V5067	123	V9016.2	174
2973.2	33	6011XL	49	V5020	118	V5070	128	V9016.3	174
2974	33	6012	49	V5021	118	V5070.1	128	V9016.4	174
2974ZL	32	6015	50	V5023ZL	120	V5071	108	V9016.5	174
2975.1	34	6015.1	51	V5024ZL	119	V5071	134	V9018	174
2975.2	34	6015.1XL	51	V5026ZL	120	V5072ZL	129	V9018.2	175
2976.1ZL	35	6015.5	50	V5027ZL	118	V5073	130	V9018.5	175
2986	34	6015.5XL	51	V5030	124	V5073.5	130	V9018.6	175
2986	51	6015XL	50	V5030.2	124	V5075ZL	128	V9018.7	175
2986	68	6016	46	V5030.5	123	V5076	128	V9018.8	175
2989	34	6016.1	47	V5030.51	123	V5077ZL	128	V9040	176
2989	61	6016.1XL	47	V5030ZL	96	V5078	129	V9049	176
2999.6	104	6016XL	46	V5031	124	V5079ZL	128	V9056	176
2999.6	158	6017.2	48	V5031.2	127	V5080	106		
2999.7	104	6017.2XL	48	V5031.22	127	V5080	132		
2999.7	158	6018	48	V5031.5	123	V5081	106		
2999.8	105	6018XL	48	V5031ZL	122	V5081	132		
2999.8	159	6026	46	V5032ZL	99	V5082.10	131		
2999.81	105	6026.1	47	V5032ZL	125	V5082.4	131		
2999.81	159	6026.1XL	47	V5033ZL	99	V5082.5	130		
4003	56	6026XL	47	V5033ZL	125	V5082.6	131		
4003	66	6056	50	V5034ZL	122	V5082.9	131		
4007XL	56	6056.1XL	50	V5035	127	V5084	129		
4007XL	66	6059XL	49	V5035.4	127	V5084.1	129		
4011	58	6060	50	V5035ZL	122	V5085	107		
4011XL	58	6611	81	V5036.10	99	V5085	125		
4012	59	6612	81	V5036.10	126	V5085	132		
4012.5	59	6615	82	V5036.23	125	V5086	107		
4013.1XL	59	6615.1	82	V5036.24	125	V5086	125		
4013.2XL	59	6615.5	82	V5036.25	125	V5086	133		
4015	60	6616	80	V5036.30	121	V5087	99		
4015.1	61	6616.1	80	V5036.31	121	V5087	126		
4015.1XL	61	6617.2	81	V5037ZL	120	V5088	107		
4015.5	60	6618	80	V5038	99	V5088	133		
4015.5XL	61	6626	80	V5038	126	V5088.1	107		
4015XL	60	6626.1	80	V5039.1	123	V5088.1	133		
4016	56	6656	14	V5039.52	99	V5089	106		
4016.1	56	6656	82	V5039.52	126	V5089	132		
4016.1XL	56	6659.5	13	V5039.6	99	V5089.1	106		
4016XL	56	6659.5	81	V5039.6	126	V5089.1	132		
4017.2	58	6660	82	V5039.7	100	V5092	108		
4017.2XL	58	9438.5SV	146	V5039.7	126	V5092	134		
4018	57	V1203.0	154	V5039.8	99	V5094	110		
4018XL	57	V5001	86	V5039.8	126	V5094	136		
4026	56	V5001	114	V5039ZL	122	V5095	108		
4026.1	57	V5001.5	86	V5040ZL	96	V5095	134		
4026.1XL	57	V5001.5	114	V5043ZL	121	V5097	110		
4026XL	57	V5002	86	V5045ZL	119	V5097	136		
4044.2XL	58	V5002	114	V5046ZL	119	V5097.1	110		
4056	60	V5002.5	86	V5047ZL	119	V5097.1	136		
4056.1XL	60	V5002.5	114	V5048ZL	129	V5098	107		
4059	59	V5003	87	V5050ZL	96	V5098	133		
4059XL	59	V5003	115	V5051ZL	121	V5099	100		
4060	60	V5003.5	87	V5052	103	V5099	127		
4067	60	V5003.5	115	V5052	130	V5099.1	100		
4070	61	V5004	86	V5053	16	V5099.1	127		
4311XL	67	V5004	114	V5053	91	V5213	124		
4315.1XL	68	V5005	87	V5053	118	V5215	120		

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
11400	140	14065	150	15311	163	15790	155	16178	40
11405	140	14543	30	15311	190	15800	148	16183	40
11410	140	14568	24	15312	160	15801	148	16188	40
11415	140	15003	168	15312	162	15802	148	16193	40
11420	140	15004	168	15312	188	15900	143	16198	40
11425	140	15005	168	15312	189	15900	183	16203	40
11425	180	15031	145	15313	160	15901	143	16207	162
11427	140	15031	185	15313	162	15901	183	16208	40
11427	180	15032	166	15313	188	15902	143	16209	162
11428	140	15033	166	15313	190	15902	183	16211	162
11430	140	15040	145	15314	163	15903	143	16212	162
11430	180	15040	184	15314	190	15903	183	16213	40
11435	140	15044	145	15320	143	15904	143	16218	40
11435	180	15044	184	15320	163	15904	183	16223	40
11436	140	15053	145	15320	183	15905	143	16228	40
11436	180	15053	184	15320	190	15905	183	16233	40
11440	140	15054	145	15448	24	15906	143	16238	40
11440	180	15055	146	15453	24	15906	183	16243	40
11445	140	15055	185	15458	24	15907	143	16248	40
11445	180	15056	144	15463	24	15907	183	16253	40
11450	140	15056	184	15483	24	15908	143	16258	40
11450	180	15058	144	15488	24	15908	183	16263	40
11455	140	15058	184	15493	24	15909	143	16268	40
11455	180	15059	144	15498	24	15909	183	16273	40
11457	140	15059	184	15503	24	15910	143	16278	40
11457	180	15060	145	15508	24	15910	183	16283	40
11458	140	15060	185	15513	24	15940	154	16288	40
11458	180	15061	149	15518	24	15941	154	16293	40
11460	140	15063	169	15538	24	15942	154	16298	40
11460	180	15064	149	15544	34	15943	154	16303	40
11462	140	15065	168	15544	61	15944	154	16308	40
11462	180	15066	168	15549	34	15945	154	16313	41
11465	140	15104	150	15549	61	15946	154	16318	41
11465	180	15106	108	15559	34	15947	154	16323	41
11470	140	15106	134	15559	61	15948	154	16328	41
11470	180	15106	163	15564	34	15949	154	16333	41
11475	140	15107	108	15564	61	15950	154	16338	41
11475	180	15107	134	15569	34	15980	154	16423	35
11480	140	15107	163	15569	61	15981	154	16428	35
11480	180	15107	190	15588	30	15982	154	16428	142
11485	140	15108	108	15593	30	15983	154	16500	144
11485	180	15108	134	15603	30	15984	154	16500	183
11500	140	15108	163	15608	30	15985	154	16501	144
11500	180	15108	190	15700	144	15986	154	16501	183
11505	140	15111	108	15700	183	15987	154	16502	144
11505	180	15111	134	15701	144	15988	154	16502	183
11510	140	15111	163	15701	183	15989	154	16503	144
11510	180	15111	190	15702	144	15990	154	16503	183
11515	140	15112	152	15702	183	16015	148	16504	144
11515	180	15170	166	15703	144	16016	148	16504	183
11520	140	15171	165	15703	183	16017	167	16505	144
11520	180	15172	165	15704	144	16017	191	16505	183
12120	154	15174	166	15704	183	16018	167	16506	144
12121	154	15175	165	15705	144	16018	191	16506	183
12122	154	15176	165	15705	183	16020	148	16507	144
12123	154	15177	165	15706	144	16043	40	16507	183
12124	154	15178	165	15706	183	16048	40	16508	144
12125	154	15179	165	15707	144	16053	40	16508	183
12126	161	15180	166	15707	183	16058	40	16509	144
12126	189	15181	166	15708	144	16063	40	16509	183
12127	161	15182	166	15708	183	16068	40	16510	144
12127	189	15183	166	15709	144	16073	40	16510	183
12128	162	15184	166	15709	183	16078	41	17002	167
12151	154	15186	144	15710	144	16088	41	17002	191
12152	154	15186	184	15710	183	16093	41	17015	187
12153	154	15205	151	15740	155	16098	41	17016	167
12600	155	15206	151	15741	155	16101	157	17016	191
12605	155	15207	151	15742	155	16102	157	17017	167
12840	156	15208	151	15743	155	16103	41	17017	191
12845	156	15209	151	15744	155	16104	157	17020	167
12850	156	15210	151	15745	155	16105	157	17020	191
12852	156	15211	151	15746	155	16108	41	17023	187
12860	155	15213	151	15747	155	16113	41	17029	149
13265	168	15216	151	15748	155	16115	157	17029	187
13266	168	15216	187	15749	155	16118	41	17031	187
13267	168	15217	148	15750	155	16123	41	17100	147
14005	151	15301	165	15780	155	16128	40	17100	186
14021	149	15301	190	15781	155	16133	40	17102	147
14022	149	15302	164	15782	155	16138	40	17102	186
14025	150	15302	190	15783	155	16143	40	17103	147
14026	150	15304	162	15784	155	16148	40	17103	186
14035	150	15304	189	15785	155	16153	40	17104	146
14036	150	15310	109	15786	155	16158	40	17104	185
14050	150	15310	135	15787	155	16163	40	17105	146
14055	150	15310	163	15788	155	16168	40	17105	185
14060	150	15310	190	15789	155	16173	40	17106	147

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
17106	186	18156	152	20204	162	20853	28	22353	33
17107	147	18157	152	20205	162	20858	28	22358	33
17107	186	18158	16	20623	22	20863	28	22363	33
17120	147	18158	152	20628	22	20868	25	22368	33
17120	186	18160	152	20633	22	20873	25	22373	33
17121	147	18165	152	20638	22	20878	25	22378	33
17121	186	18165	164	20643	22	20883	25	23203	41
17122	147	18166	152	20648	22	20888	25	23208	41
17122	186	18166	164	20653	23	20893	25	23218	41
17123	146	18468	30	20658	23	21023	42	23223	41
17123	185	18473	30	20663	23	21028	42	23228	41
17124	146	19007	146	20668	24	21033	42	23233	41
17124	185	19007	185	20673	24	21038	42	23238	41
17125	147	19008	146	20678	24	21043	42	23243	41
17125	186	19008	185	20683	25	21048	42	23253	41
17126	147	19009	146	20684	25	21207	164	23258	41
17126	186	19009	185	20685	30	21210	145	23263	41
17140	147	19010	146	20688	25	21210	185	23268	41
17140	186	19010	185	20689	25	21304	105	23273	42
17141	147	19011	146	20690	30	21304	131	23278	42
17141	186	19011	185	20693	25	21304	161	23283	42
17142	147	19012	146	20694	25	21304	188	23288	42
17142	186	19013	143	20695	30	21307	105	23293	42
17143	147	19014	143	20698	25	21307	131	23298	42
17143	186	19015	143	20699	25	21307	161	23303	42
17144	147	19016	143	20700	30	21307	188	23308	42
17144	186	19017	143	20703	25	21310	160	23313	42
17145	147	19025	167	20704	25	21310	188	23333	40
17145	186	19026	167	20705	30	21316	160	23348	40
17160	147	19027	167	20708	25	21316	188	23353	40
17160	186	19028	167	20709	25	21317	105	23358	41
17161	147	19029	167	20710	30	21317	132	23363	41
17161	186	19109	146	20713	25	21317	161	23368	41
17162	147	19110	146	20714	25	21317	189	23373	41
17162	186	19305	146	20715	30	21430	159	23442	36
17163	147	19306	146	20718	25	21431	159	23444	36
17163	186	19412	167	20719	25	21431	163	24000	12
17164	147	19648	42	20720	30	21432	160	24000	32
17164	186	19653	42	20723	25	21432	187	24005	12
17165	147	19658	42	20724	25	21450	159	24005	32
17165	186	19663	42	20725	30	21455	160	24010	12
17166	147	19668	42	20727	25	22005	76	24010	32
17166	186	19673	42	20728	29	22006	162	24015	12
17167	147	19748	35	20729	25	22006	189	24015	32
17167	186	19748	52	20730	30	22007	162	24020	12
17598	41	19748	62	20732	25	22007	189	24020	32
17603	41	19748	69	20733	29	22008	162	24025	12
17608	41	19758	35	20734	25	22008	189	24025	32
17613	41	19758	52	20738	29	22009	82	24030	13
17618	41	19758	62	20739	25	22053	33	24030	32
17623	41	19758	69	20743	30	22054	33	24035	13
17688	40	19763	35	20744	25	22058	33	24035	32
17768	34	19763	52	20748	30	22059	33	24040	13
17768	51	19763	62	20749	25	22063	33	24040	32
17768	68	19763	69	20753	30	22064	33	24045	13
17778	34	19768	36	20754	25	22068	33	24045	33
17778	51	19771	34	20758	31	22069	33	24050	13
17778	68	19773	36	20759	25	22073	33	24050	33
17788	34	19776	34	20763	31	22074	33	25000	76
17788	51	19778	36	20768	31	22075	33	25001	82
17788	68	19781	34	20773	31	22076	33	25010	76
17803	34	19786	34	20774	25	22077	33	25011	82
17803	51	19791	34	20778	31	22078	33	25015	76
17803	68	19961	34	20783	31	22080	33	25016	82
17818	34	20001	156	20784	25	22143	36	25020	76
17818	51	20002	156	20788	25	22163	36	25021	82
17818	68	20003	156	20793	25	22228	24	25025	76
17823	34	20041	156	20794	25	22233	24	25026	82
17823	51	20042	156	20795	25	22238	24	25030	76
17823	68	20045	156	20798	25	22243	24	25031	82
18003	157	20046	156	20803	25	22248	24	25035	76
18008	149	20070	156	20808	25	22253	24	25036	82
18020	149	20071	156	20813	31	22258	24	25040	76
18025	157	20072	156	20814	31	22263	24	25041	82
18028	169	20073	156	20815	31	22268	24	25045	76
18033	149	20074	156	20817	31	22278	25	25046	82
18050	149	20080	156	20818	31	22283	25	25050	76
18051	149	20081	156	20819	27	22288	25	25051	82
18060	148	20082	156	20823	26	22293	25	25055	76
18062	148	20083	156	20828	26	22298	25	25056	82
18150	152	20084	156	20829	27	22303	25	25100	75
18151	152	20102	162	20833	28	22308	25	25101	81
18152	16	20103	162	20838	26	22313	25	25105	75
18152	152	20201	162	20839	27	22323	25	25106	81
18154	152	20202	162	20843	28	22328	30	25110	75
18155	152	20203	162	20848	28	22333	30	25111	81

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
25115	75	25435	75	25756	14	32025	87	32521	87
25116	81	25436	81	25756	82	32025	115	32521	115
25120	75	25440	75	25760	13	32040	87	32523	87
25121	81	25441	81	25760	75	32040	115	32523	115
25125	75	25445	75	25761	13	32041	87	32525	87
25126	81	25446	81	25761	81	32041	115	32525	115
25130	75	25450	75	25765	13	32043	87	32541	87
25131	81	25451	81	25765	75	32043	115	32541	115
25135	75	25455	75	25766	13	32045	87	32543	87
25136	81	25456	81	25766	81	32045	115	32543	115
25140	75	25460	75	25770	13	32061	87	32545	87
25141	81	25461	81	25770	75	32061	115	32545	115
25145	75	25465	75	25771	13	32065	87	32551	87
25146	81	25466	81	25771	81	32065	115	32551	115
25150	75	25470	75	25775	13	32100	86	32553	87
25151	81	25471	81	25775	75	32100	114	32553	115
25155	75	25475	75	25776	13	32101	86	32605	87
25156	81	25476	81	25776	81	32101	114	32605	115
25200	74	25480	75	25780	13	32105	86	32620	87
25201	80	25481	81	25780	75	32105	114	32620	115
25205	74	25485	75	25781	13	32120	86	32621	87
25206	80	25486	81	25781	81	32120	114	32621	115
25210	74	25575	75	25785	13	32121	86	32623	87
25211	80	25576	81	25785	75	32121	114	32623	115
25215	74	25580	75	25786	13	32123	86	32625	87
25216	80	25581	81	25786	81	32123	114	32625	115
25220	74	25585	75	26000	76	32125	86	32641	87
25221	80	25586	81	26001	82	32125	114	32641	115
25225	74	25590	75	26005	76	32140	86	32643	87
25226	80	25591	81	26006	82	32140	114	32643	115
25230	74	25595	75	26010	76	32141	86	32645	87
25231	80	25596	81	26011	82	32141	114	32645	115
25235	74	25600	75	26015	76	32143	86	32651	87
25236	80	25601	81	26016	82	32143	114	32651	115
25240	74	25605	75	26020	76	32145	86	32653	87
25241	80	25606	81	26021	82	32145	114	32653	115
25245	74	25610	75	26025	76	32200	86	32701	88
25246	80	25611	81	26026	82	32200	114	32701	116
25250	74	25615	75	26030	76	32201	86	32705	88
25251	80	25616	81	26031	82	32201	114	32705	116
25255	74	25620	75	26035	76	32205	86	32720	88
25256	80	25621	81	26036	82	32205	114	32720	116
25300	74	25625	75	26040	76	32220	86	32721	88
25301	80	25626	81	26041	82	32220	114	32721	116
25305	74	25630	75	26045	76	32221	86	32723	88
25306	80	25631	81	26046	82	32221	114	32723	116
25310	74	25635	75	26050	74	32223	86	32725	88
25311	80	25636	81	26051	80	32223	114	32725	116
25315	74	25640	75	26055	74	32225	86	32791	89
25316	80	25641	81	26056	80	32225	114	32805	86
25320	74	25645	75	26060	74	32240	86	32805	114
25321	80	25646	81	26061	80	32240	114	32823	86
25325	74	25700	76	26065	74	32241	86	32823	114
25326	80	25701	82	26066	80	32241	114	32905	86
25330	74	25705	76	26070	74	32243	86	32905	114
25331	80	25706	82	26071	80	32243	114	32923	86
25335	74	25710	76	26075	74	32245	86	32923	114
25336	80	25711	82	26076	80	32245	114	33020	87
25340	74	25715	76	26100	74	32300	86	33020	115
25341	80	25716	82	26101	80	32300	114	33045	87
25350	74	25720	76	26105	74	32326	86	33045	115
25351	80	25721	82	26106	80	32326	114	33061	87
25360	74	25725	76	26110	74	32405	88	33061	115
25361	80	25726	82	26111	80	32405	116	33120	86
25365	74	25730	13	26115	74	32420	88	33120	114
25366	80	25730	76	26116	80	32420	116	33145	86
25370	74	25731	14	26120	74	32421	88	33145	114
25371	80	25731	82	26121	80	32421	116	33240	86
25375	74	25735	13	26125	74	32423	88	33240	114
25376	80	25735	76	26126	80	32423	116	33265	86
25380	74	25736	14	32000	87	32425	88	33265	114
25381	80	25736	82	32000	115	32425	116	33300	88
25385	74	25740	13	32001	87	32441	88	33300	116
25386	80	25740	76	32001	115	32441	116	33326	88
25390	74	25741	14	32005	87	32443	88	33326	116
25391	80	25741	82	32005	115	32443	116	33405	88
25395	74	25745	13	32011	87	32445	88	33405	116
25396	80	25745	76	32011	115	32445	116	33420	88
25400	74	25746	14	32015	87	32461	88	33420	116
25401	80	25746	82	32015	115	32461	116	33429	88
25405	75	25750	13	32020	87	32465	88	33429	116
25406	81	25750	76	32020	115	32465	116	33459	88
25410	75	25751	14	32021	87	32505	87	33459	116
25411	81	25751	82	32021	115	32505	115	33461	88
25415	75	25755	13	32023	87	32520	87	33461	116
25416	81	25755	76	32023	115	32520	115	33520	87


Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
33520	115	35560	141	39060	174	42073	122	45864	127
33529	87	35560	181	39061	174	43002	121	46001	120
33529	115	35745	89	39062	174	43003	121	46002	121
33540	87	35745	117	39063	174	43023	121	46010	120
33540	115	35761	89	39064	174	43030	120	46021	120
33549	87	35761	117	39065	174	43031	121	46022	120
33549	115	35771	89	39067	174	43040	120	46023	128
33551	87	35781	89	39068	174	43100	103	46024	128
33551	115	36002	125	39069	174	43100	130	46025	121
33620	88	36003	125	39070	174	43210	117	46031	120
33620	116	36032	124	39071	174	43220	117	46032	128
33629	88	36033	124	39072	174	43232	129	46033	128
33629	116	36042	124	39080	174	43233	129	46034	128
33645	88	36043	124	39090	174	43240	117	46040	128
33645	116	36062	124	39091	174	43242	117	46044	120
33649	88	36063	124	39100	174	43244	129	46060	120
33649	116	36082	124	39101	174	43260	117	46145	119
33651	88	36083	124	39102	174	43300	129	46156	119
33651	116	36142	124	39103	174	43320	129	46223	129
33705	106	36144	124	39110	174	43323	128	46232	117
33705	132	36182	124	39111	174	43332	120	46233	118
33720	89	36183	124	39112	174	43333	128	46234	129
33720	117	36204	99	39113	174	43334	118	46243	117
33729	89	36204	126	39114	174	43342	120	46244	118
33729	117	36205	99	39115	174	43343	120	46245	117
33791	89	36205	126	39116	174	43344	128	46301	121
33805	88	36242	124	39117	174	43353	120	46302	119
33805	116	36243	124	39118	174	43354	120	46321	119
33823	88	36302	124	39119	174	43355	120	46322	121
33823	116	36303	124	39120	174	43402	120	46323	119
33905	88	36362	124	39121	174	43403	120	46324	119
33905	116	36363	124	39122	174	43404	120	46331	128
33923	88	36402	125	39123	174	43433	118	46333	119
33923	116	36403	125	39124	174	43434	118	46334	119
34740	89	36624	124	39140	175	43443	118	46340	119
34740	117	36630	124	39141	175	43445	118	46342	119
34741	89	36636	124	39142	175	43520	118	46344	119
34741	117	38024	96	39143	175	43540	118	46345	119
34743	89	38030	96	39144	175	43544	118	46346	99
34743	117	38033	96	39145	175	43545	118	46346	125
34745	89	38036	96	39150	175	43553	118	46355	119
34745	117	38043	96	39155	175	43554	118	46361	119
34761	89	38063	96	39156	175	43560	118	46366	119
34761	117	38083	96	39160	175	43600	132	46414	122
34765	89	38142	96	39161	175	43620	132	46416	122
34765	117	38143	96	39162	175	43640	132	46422	120
34771	89	38183	96	39170	176	43660	132	46432	120
34773	89	38203	97	39171	176	43700	130	46433	118
34781	89	38243	96	39172	176	43701	110	46434	120
35019	89	38263	97	39173	176	43701	136	46435	118
35019	140	38273	97	39180	176	43702	120	46441	120
35019	180	38303	96	39181	176	43714	110	46443	118
35020	89	38363	96	39182	176	43714	136	46444	120
35020	140	39001	175	39190	176	43720	130	46445	118
35020	180	39002	175	39191	176	43721	129	46446	119
35021	89	39003	175	39192	176	43722	130	46454	120
35021	140	39004	175	39193	176	43723	120	46455	120
35021	180	39005	175	39194	176	43740	129	46500	118
35030	140	39006	175	40655	119	43744	120	46503	121
35030	180	39007	175	41033	122	43765	120	46520	118
35031	140	39008	175	41043	122	43820	129	46521	121
35031	180	39009	175	41063	122	44201	128	46524	118
35040	89	39010	175	41083	122	44203	129	46540	118
35040	140	39011	175	41142	121	44208	128	46544	118
35040	180	39020	176	41143	121	44209	128	46545	118
35060	89	39021	176	41183	122	44226	128	46553	118
35060	140	39022	176	41243	121	44227	128	46554	118
35060	180	39023	176	41246	122	44228	128	46560	118
35120	90	39024	176	41303	121	44229	128	46620	119
35120	141	39025	176	41306	122	44240	128	46621	119
35120	181	39027	176	41363	121	44302	118	46622	119
35140	90	39028	176	41366	122	44305	118	46624	122
35140	141	39029	176	41700	130	44320	118	46630	119
35140	181	39030	176	41701	131	44325	118	46631	119
35160	90	39031	176	41702	131	44340	118	46633	119
35160	141	39032	176	41703	131	44345	118	46634	122
35160	181	39033	176	41720	130	44840	127	46635	119
35520	89	39034	176	41721	131	44844	127	46641	119
35520	141	39040	175	41723	131	44846	127	46644	119
35520	181	39041	175	41724	130	44848	127	46645	119
35530	141	39044	175	41740	130	44864	127	46646	99
35530	181	39050	175	41741	131	45716	99	46646	125
35540	89	39051	175	41744	131	45716	126	46650	119
35540	141	39052	175	41760	130	45844	127	46654	119
35540	181	39053	175	42003	122	45846	127	46656	99
35560	89	39054	175	42063	122	45848	127	46656	125

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
46710	16	49545	92	50839	100	53017	106	56020	158
46710	130	49553	92	50839	127	53017	132	56030	158
46720	16	49554	92	51000	108	53020	107	56052	105
46720	130	49560	92	51000	134	53020	125	56052	159
46730	16	49570	92	51000	164	53020	132	56053	105
46730	130	49580	92	51003	123	53040	107	56053	159
46743	16	49590	92	51020	108	53040	125	56054	159
46743	91	49607	106	51020	134	53040	132	56055	105
46743	118	49722	95	51020	164	53115	107	56055	159
46764	129	49723	95	51020	190	53115	133	56056	105
46821	117	49744	95	51021	107	53116	107	56056	159
46822	117	49754	92	51021	133	53116	133	56060	105
46922	117	49755	92	51022	108	53120	107	56060	159
46933	117	49765	95	51022	133	53120	133	56061	105
46944	117	49774	92	51040	108	53121	107	56061	159
46955	117	49775	92	51040	134	53121	133	56073	105
48420	176	49854	92	51040	164	53122	107	56073	159
49004	101	49855	92	51040	190	53122	133	56074	159
49033	98	49884	92	51060	108	53507	131	56075	105
49043	98	49885	92	51060	134	53509	110	56075	159
49054	101	49887	92	51060	164	53509	136	56076	105
49063	98	49901	106	51060	190	53511	131	56076	159
49083	98	49902	106	51063	123	53541	105	56080	105
49142	97	49903	106	51070	108	53541	131	56080	159
49143	97	49904	106	51070	134	53541	160	56081	105
49152	101	49905	106	51070	164	53541	188	56081	159
49153	101	49906	106	51070	190	53542	105	56082	105
49183	97	49985	92	51073	123	53542	131	56082	159
49186	98	49987	92	51123	123	53542	161	56090	110
49206	101	49988	92	51133	123	53542	188	56090	135
49210	90	49994	92	51602	100	53551	105	56100	107
49220	90	49995	92	51602	126	53551	131	56100	125
49223	102	49997	92	51618	123	53551	160	56100	133
49224	98	49998	92	52000	108	53551	188	56110	107
49233	102	50000	103	52000	134	53561	105	56110	125
49234	98	50000	157	52000	163	53561	131	56110	133
49240	90	50002	159	52006	109	53561	160	56120	107
49243	97	50003	103	52006	135	53561	188	56120	125
49246	98	50003	157	52006	164	53601	99	56120	133
49254	101	50020	103	52007	109	53601	126	56140	107
49256	101	50020	157	52007	135	53641	106	56140	125
49258	101	50023	123	52007	164	53641	132	56140	133
49260	90	50030	157	52017	109	53641	161	56160	17
49270	90	50033	123	52017	135	53641	189	56160	155
49280	90	50040	103	52020	108	53642	106	57051	104
49290	90	50040	157	52020	134	53642	132	57051	158
49303	97	50043	123	52020	163	53642	161	57057	104
49306	98	50060	103	52040	108	53642	189	57057	158
49322	92	50060	157	52040	134	54020	107	57058	105
49324	102	50063	123	52040	163	54020	133	57058	159
49332	92	50083	123	52060	108	54030	104	57059	105
49333	102	50133	123	52060	134	54030	158	57059	159
49334	92	50141	124	52060	163	54050	104	57112	106
49342	95	50142	123	52100	108	54050	158	57112	132
49343	95	50143	123	52100	134	54075	104	57115	106
49344	102	50151	124	52110	108	54075	158	57115	132
49347	95	50243	123	52110	134	54520	107	57120	106
49348	95	50303	123	52120	108	54520	133	57120	132
49354	95	50355	99	52120	134	55020	109	57130	106
49357	95	50355	126	52130	108	55020	135	57130	132
49358	95	50363	123	52130	134	55040	109	57136	106
49363	97	50520	107	52140	108	55040	135	57136	132
49366	98	50520	133	52140	134	55060	109	58000	163
49378	95	50520	164	52220	108	55060	135	58001	163
49398	95	50601	100	52220	134	55070	109	58015	109
49402	95	50601	126	52240	108	55070	135	58015	134
49403	95	50602	99	52240	134	55080	109	58015	163
49404	95	50602	126	52500	107	55080	135	58016	109
49405	95	50624	123	52500	133	55090	109	58016	135
49407	95	50630	123	52520	107	55090	135	58016	163
49408	95	50631	125	52520	133	55100	110	58020	109
49409	95	50636	123	52600	107	55100	136	58020	134
49410	98	50647	176	52600	133	55120	110	58020	163
49414	98	50648	176	52620	107	55120	136	58021	109
49416	98	50718	100	52620	133	55140	110	58021	135
49433	92	50718	127	53000	107	55140	136	58021	163
49434	92	50726	100	53000	125	55160	110	58040	109
49443	92	50726	127	53000	132	55160	136	58040	134
49453	98	50730	100	53005	107	55165	110	58040	163
49473	98	50730	127	53005	125	55165	136	58060	109
49520	92	50739	100	53005	132	56000	103	58060	134
49533	92	50739	127	53006	99	56000	157	58060	163
49535	92	50740	100	53006	126	56010	104	58070	164
49540	92	50740	127	53015	107	56015	104	58071	109
49543	92	50748	100	53015	125	56015	158	58071	135
49544	92	50748	127	53015	132	56020	104	58071	164

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
58072	109	77477	24	79130	28	79680	27	80061	59
58072	135	77482	24	79135	28	79685	27	80062	67
58072	164	77487	24	79140	28	79690	27	80063	59
58073	109	77607	23	79145	28	79695	27	80064	59
58073	135	77612	23	79150	28	79700	28	80065	58
58073	164	77617	23	79155	29	79705	28	80066	67
58074	109	77622	23	79160	29	79710	28	80067	58
58074	135	77627	23	79165	29	79715	28	80068	58
58074	164	77632	23	79170	29	79720	28	80069	58
58075	109	77637	23	79175	29	79725	28	80070	58
58075	135	77642	23	79180	29	79730	28	80071	60
58075	164	77647	23	79185	23	79735	28	80072	67
58076	109	77652	23	79190	23	79740	28	80073	60
58076	135	77657	23	79195	23	79745	28	80074	60
58076	164	77662	23	79205	23	79750	28	80075	59
58077	109	77712	28	79210	26	79755	28	80076	60
58077	135	77717	28	79215	26	79760	25	80077	60
58077	164	77722	28	79220	26	79765	25	80078	60
58112	106	77727	28	79225	26	79770	25	80080	59
58112	132	77732	28	79230	26	79775	25	80081	59
58115	106	77737	28	79235	26	79780	25	80082	59
58115	132	77742	34	79240	26	79785	25	80083	59
58120	106	77747	34	79245	26	79790	25	80085	59
58120	132	78047	29	79250	26	79795	25	80090	59
58130	106	78052	29	79255	26	79800	29	80092	59
58130	132	78057	29	79260	26	79800	156	80095	59
58136	106	78062	29	79265	26	79805	29	80100	59
58136	132	78067	29	79270	26	79805	156	80105	59
60010	157	78072	29	79275	26	79810	29	80110	59
60651	119	78077	30	79280	26	79810	156	80115	59
61000	106	78082	30	79285	26	79815	29	80120	59
61020	106	78087	30	79290	26	79815	156	80125	59
61040	106	78092	30	79295	27	79820	32	80126	59
65104	127	78097	30	79300	27	79825	32	80127	59
65152	127	78102	30	79305	27	79830	32	80160	61
65153	127	78107	30	79310	27	79835	32	80165	61
65154	127	78112	30	79315	27	79840	32	80170	61
65206	127	78117	30	79320	27	79845	32	80175	61
65254	127	78122	30	79325	27	79850	30	80180	61
65256	127	78137	34	79330	27	79855	30	80185	61
65258	127	78142	34	79335	27	79860	30	80190	61
65801	33	78147	30	79340	27	79920	12	80195	61
65803	33	78152	30	79345	27	79920	31	80200	61
77032	22	78157	30	79350	27	79923	12	80205	61
77033	23	78162	30	79355	27	79923	31	80210	61
77042	22	78167	30	79360	27	79925	12	80215	61
77043	23	78172	29	79365	27	79925	31	80220	61
77062	22	78177	29	79370	27	79928	12	80225	61
77063	23	78182	29	79375	26	79928	31	80230	61
77072	22	78187	29	79380	26	79930	12	80235	61
77073	23	78192	29	79385	26	79930	31	80237	68
77317	22	78197	29	79390	26	79933	12	80240	61
77322	22	78202	35	79395	26	79933	31	80242	68
77325	22	78207	35	79400	26	79935	12	80245	61
77327	22	78242	34	79405	26	79935	31	80247	68
77330	22	78242	61	79410	26	79938	12	80250	61
77332	22	78247	34	79415	26	79938	31	80252	68
77337	22	78247	61	79420	26	79940	12	80255	61
77342	22	78252	34	79425	27	79940	31	80257	68
77347	22	78252	61	79430	27	79943	12	80260	61
77352	22	78257	34	79435	27	79943	31	80262	68
77353	22	78257	61	79440	27	79945	12	80265	60
77357	22	78262	34	79445	27	79945	31	80270	60
77362	22	78262	61	79450	27	79948	12	80275	60
77367	22	78267	34	79455	27	79948	31	80280	60
77372	22	78267	61	79460	27	79970	12	80285	60
77377	24	79000	35	79465	27	79970	31	80290	60
77382	24	79005	29	79470	27	79975	12	80295	60
77387	24	79010	29	79475	27	79975	31	80297	68
77392	24	79015	29	79520	23	79980	12	80300	60
77397	24	79020	29	79525	23	79980	31	80302	68
77402	24	79025	29	79530	23	79990	12	80305	60
77407	24	79030	29	79535	23	79990	31	80307	68
77412	24	79035	32	79540	23	79995	12	80310	60
77417	24	79040	32	79545	23	79995	31	80315	60
77422	24	79045	32	79550	23	80010	58	80320	60
77427	24	79050	32	79560	23	80015	58	80325	60
77432	24	79055	32	79565	23	80020	58	80330	60
77437	24	79060	32	79570	23	80025	58	80335	60
77442	24	79095	32	79580	25	80030	58	80340	61
77447	24	79100	32	79585	25	80035	58	80342	68
77452	24	79105	32	79590	25	80040	58	80345	61
77457	24	79110	32	79595	25	80045	58	80347	68
77462	24	79115	32	79635	26	80050	58	80350	61
77467	24	79120	32	79640	26	80055	58	80352	68
77472	24	79125	28	79660	24	80060	58	80355	60

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
80360	60	80753	57	82015	66	85277	50	85904	48
80365	60	80760	57	82020	56	85282	50	85905	48
80370	60	80770	57	82020	66	85287	50	85912	48
80375	60	80780	57	82025	56	85292	50	85914	48
80380	60	80781	57	82025	66	85297	50	85915	48
80385	60	80782	57	82042	56	85302	50	85922	48
80387	67	80790	57	82042	66	85307	50	85924	48
80390	60	80791	57	82050	56	85312	50	85925	48
80392	67	80800	57	82050	66	85317	50	85932	48
80395	60	80810	57	82055	56	85322	50	85934	48
80397	67	80820	58	82055	66	85327	50	85935	48
80400	56	80830	58	82820	155	85332	50	85942	48
80405	56	80840	58	82825	155	85337	50	85944	48
80410	56	80850	58	83020	183	85342	51	85945	48
80415	56	80860	58	83030	183	85347	51	85952	48
80420	56	80870	58	83040	183	85352	51	85954	48
80425	56	80880	58	83050	183	85357	50	85955	48
80430	56	80890	58	83055	183	85362	50	85962	48
80432	66	80900	58	83060	183	85387	50	85972	48
80433	66	80904	67	83065	183	85392	50	85982	48
80435	56	80905	67	83070	183	85397	50	85992	48
80437	66	80910	58	83071	183	85402	46	86002	48
80440	56	80914	67	83072	183	85407	46	86003	49
80442	66	80915	67	83073	183	85412	46	86007	50
80445	56	80920	58	83075	183	85417	46	86008	49
80450	56	80924	67	83080	183	85422	46	86012	50
80455	56	80925	67	85012	49	85427	46	86013	49
80460	56	80930	58	85017	49	85432	46	86017	50
80465	56	80934	67	85022	49	85437	46	86022	50
80470	56	80935	67	85027	49	85442	46	86023	49
80475	57	80940	58	85032	49	85447	46	86027	50
80477	66	80944	67	85037	49	85452	46	86028	49
80480	57	80945	67	85042	49	85457	46	86032	50
80482	66	80950	58	85047	49	85462	46	86067	49
80485	57	80952	67	85052	49	85467	46	86072	49
80487	66	80954	67	85054	49	85472	46	86077	49
80490	56	80955	67	85062	49	85477	47	86367	50
80495	56	80960	58	85067	49	85482	47	86372	50
80500	56	80962	67	85072	49	85487	47	86377	50
80505	56	80970	58	85077	49	85492	47	86382	50
80510	56	80972	67	85082	49	85497	47	87000	46
80515	56	80980	58	85087	49	85502	47	87005	46
80520	56	80982	67	85094	49	85512	47	87010	46
80522	66	80990	58	85096	49	85517	47	87015	46
80525	56	80992	67	85097	49	85522	47	87020	46
80530	56	81000	58	85107	49	85527	47	87025	46
80532	66	81002	67	85117	49	85532	47	87050	46
80535	57	81005	60	85122	49	85537	47	87055	46
80540	57	81010	60	85127	49	85542	47	87060	46
80545	57	81015	60	85128	49	85547	47	87065	46
80550	57	81020	60	85132	51	85557	47	87070	46
80555	57	81025	60	85132	68	85562	47	87075	46
80560	57	81030	60	85133	51	85567	47	87080	46
80565	57	81035	59	85133	68	85572	47	87085	46
80567	66	81040	59	85134	51	85577	47	87090	46
80570	57	81045	59	85134	68	85582	48	87095	46
80572	66	81050	59	85135	49	85587	48	87100	46
80575	57	81055	59	85136	51	85592	48	87105	46
80577	66	81060	59	85136	68	85597	48	89407	146
80580	57	81065	59	85137	51	85598	48	89408	146
80585	57	81067	67	85137	68	85607	48	89409	146
80590	57	81070	59	85138	51	85612	48	89409	185
80595	57	81072	67	85138	68	85617	48	89410	146
80600	57	81075	59	85145	49	85622	48	89410	185
80605	57	81077	67	85155	49	85632	48	89413	146
80610	57	81080	61	85162	51	85642	48	89413	185
80612	67	81085	61	85167	51	85652	48	90356	97
80615	57	81090	61	85172	51	85662	48	90366	97
80617	67	81095	61	85173	51	85672	48	90506	93
80620	57	81100	61	85182	51	85682	48	90506	142
80622	67	81105	61	85187	51	85692	48	90521	93
80630	57	81130	35	85192	51	85702	48	90521	142
80640	57	81130	51	85197	51	85712	48	90521	182
80650	57	81130	62	85202	51	85722	48	90526	93
80660	57	81130	68	85212	51	85732	48	90526	142
80670	57	81131	35	85217	51	85742	48	90526	182
80680	57	81131	51	85222	51	85752	48	90541	93
80690	57	81131	62	85232	51	85822	48	90541	142
80700	57	81131	68	85237	51	85832	48	90541	182
80710	57	82000	56	85242	51	85842	48	90542	93
80720	57	82000	66	85247	51	85852	48	90542	142
80730	57	82005	56	85252	51	85862	48	90542	182
80740	57	82005	66	85257	51	85872	48	90546	93
80750	57	82010	56	85262	51	85882	48	90546	142
80751	57	82010	66	85267	50	85892	48	90546	182
80752	57	82015	56	85272	50	85902	48	90556	93

Part No	Page	Part No	Page	Part No	Page	Part No	Page	Part No	Page
90556	142	93005	94	94022	91	94500	14	97540	182
90556	182	93005	143	94022	141	94500	95	97545	94
90561	93	93020	94	94022	181	94505	91	97545	142
90561	142	93020	143	94023	95	94520	91	97545	182
90561	182	93040	94	94031	95	94535	91	97560	94
90562	93	93040	143	94032	91	94540	91	97560	142
90562	142	93050	94	94032	141	94541	14	97560	182
90562	182	93050	143	94032	181	94541	95	97570	94
90566	93	93055	94	94034	91	94632	93	97570	142
90566	142	93055	143	94034	141	94635	91	97570	182
90566	182	93060	94	94034	181	94636	92	97580	94
90571	93	93060	143	94036	91	94638	92	97580	142
90571	142	93065	94	94036	141	94639	92	97580	182
90571	182	93065	143	94036	181	94640	91	97590	94
90581	93	93070	94	94037	91	94646	91	97590	142
90581	142	93070	143	94037	141	94736	92	97590	182
90581	182	93071	94	94037	181	94738	92	97690	94
90591	93	93071	143	94038	91	94739	92	97820	94
90591	142	93072	94	94038	141	94757	24	97840	94
90591	182	93072	143	94038	181	94762	24	98000	16
91520	93	93073	94	94039	91	94767	24	98000	103
91525	93	93073	143	94039	141	94772	24	99307	90
91540	93	93075	94	94039	181	94777	24	99308	90
91541	93	93075	143	94040	91	95000	95	99309	90
91545	93	93080	94	94040	141	95002	14	99310	90
91560	93	93080	143	94040	181	95002	95	99311	90
91570	93	93090	94	94050	91	95121	95	99620	27
91580	93	93090	143	94050	141	95141	95	99620	93
91590	93	93091	94	94050	181	95161	95	99620	142
92006	93	93091	143	94052	91	95470	100	99620	182
92006	142	93417	35	94052	141	95603	101	99626	27
92021	93	93417	51	94052	181	95604	101	99626	93
92021	142	93417	62	94053	91	95605	101	99626	142
92021	182	93417	68	94053	141	95606	101	99626	182
92026	93	93422	35	94053	181	95608	101	99630	27
92026	142	93422	51	94056	91	95610	101	99630	93
92026	182	93422	62	94056	141	95612	101	99630	142
92036	93	93422	68	94056	181	95703	100	99630	182
92036	142	93427	35	94060	91	95704	100	99640	27
92036	182	93427	51	94060	141	95705	100	99640	93
92041	93	93427	62	94060	181	95706	100	99640	142
92041	142	93427	68	94070	91	95708	100	99640	182
92041	182	93432	35	94070	141	95710	100	99645	27
92045	93	93432	51	94070	181	95712	100	99645	93
92045	142	93432	62	94071	91	96101	97	99645	142
92045	182	93432	68	94071	141	96120	97	99645	182
92060	93	93437	35	94071	181	96140	14	99660	27
92060	142	93437	51	94072	91	96140	94	99660	93
92060	182	93437	62	94072	141	96141	97	99660	142
92070	93	93437	68	94072	181	96160	14	99660	182
92070	142	93442	35	94073	91	96160	94	99665	27
92070	182	93442	51	94073	141	96161	97	99665	93
92080	93	93442	62	94073	181	96165	14	99665	142
92080	142	93442	68	94074	91	96165	94	99665	182
92080	182	93447	35	94074	141	96171	97	99670	27
92090	93	93447	51	94074	181	97001	16	99670	93
92090	142	93447	62	94080	91	97001	103	99670	142
92090	182	93447	68	94080	141	97002	102	99670	182
92221	15	93511	14	94080	181	97003	102	99675	27
92221	101	93511	95	94081	91	97004	102	99675	93
92305	15	93515	14	94081	141	97005	102	99675	142
92305	101	93515	95	94081	181	97120	14	99675	182
92321	15	93520	90	94082	91	97120	96	99680	27
92321	101	93520	141	94082	141	97121	14	99680	93
92406	15	93520	181	94082	181	97121	96	99680	142
92406	101	93540	90	94083	91	97140	14	99680	182
92421	15	93540	141	94083	141	97140	94	99685	27
92421	101	93540	181	94083	181	97160	14	99685	93
92441	15	93560	90	94084	91	97160	94	99685	142
92441	101	93560	141	94084	141	97165	14	99685	182
92520	90	93560	181	94084	181	97165	94	99690	27
92525	90	93570	90	94085	91	97212	15	99690	93
92540	90	93570	141	94085	141	97212	102	99690	142
92545	90	93570	181	94085	181	97220	15	99690	182
92560	90	93580	90	94090	91	97220	102		
92565	90	93580	141	94090	141	97520	94		
92570	90	93580	181	94090	181	97520	142		
92580	90	93590	90	94091	91	97520	182		
92590	90	93590	141	94091	141	97525	94		
92609	15	93590	181	94091	181	97525	142		
92609	101	94020	91	94092	91	97525	182		
92616	15	94020	141	94092	141	97535	94		
92616	101	94020	181	94092	181	97535	142		
92757	90	94021	91	94093	91	97535	182		
93000	94	94021	141	94093	141	97540	94		
93000	143	94021	181	94093	181	97540	142		



Viega

Terms and Conditions

The Viega logo consists of the word "viega" in a bold, lowercase, sans-serif font. The letters are white and are set against a solid black rectangular background.

The following standard Terms and Conditions apply to all sales of products by Viega LLC unless otherwise modified in Order Confirmation or Delivery Note. Any contrary terms in purchase orders or purchaser standard terms and conditions are rejected and acceptance of the order by Viega LLC is conditioned upon these terms and conditions or as set out specifically in the Viega order confirmation.

Terms of Payment: Terms are 2% 10th prox., net 30 days. Payable in U.S. or Canadian dollars depending on point of delivery.

Price Changes: All published prices are subject to change. Viega historically has given reasonable notice (normally 30 days) of an effective date for those changes, but reserves the right, under unusual circumstances, to give shorter notice.

Sales Orders: Purchase orders submitted to Viega shall specify Viega part numbers as well as product description from a Viega catalog. All such offers to purchase are subject to Viega LLC acceptance, which shall be by order confirmation provided to the customer by Viega. Customer is responsible for reviewing the order confirmation and reporting any necessary changes to Viega Customer Service within 24 hours. Mistakes on orders due to inaccurate or incomplete information from the customer and not changed by the customer will be the customer's responsibility and/or subject to Viega's return policy.

Terms of Shipment: Viega prepays freight on all shipments. Customer is not billed for freight on orders of \$2,500 net or greater. Excess freight charges resulting from special requested routing or

specifying non-Viega designated common carriers will be billed to the customer. Stainless pipe is prepaid at \$5,000 net and above and can not be combined with other Viega materials to qualify. Stainless fittings may be combined with other Viega products to meet freight requirements and are prepaid at \$2,500 net.

Restrictions: Orders from U.S. customers with a "Ship to" Canada location will not be accepted and U.S. customers are not authorized to sell product to Canada.

Freight Delivery and Risk of Loss in Transit: All prices are FOB shipment point.

Returns: All returns are subject to Viega's return policy. No material may be returned without our written permission and return material authorization (RMA) number. Any items with a purchase date older than one year will not be allowed for return. We will accept cataloged and resalable items only. No returns will be allowed for broken bags or bundles, items outside of original packaging, discontinued, damaged, or non-cataloged merchandise. Any material which is authorized to be returned will be subject to a minimum fifteen percent (15%) restocking fee. For more information on returns and the complete return policy go to www.viega.net.

These standard terms and conditions are those in effect on the date of publication of this catalog. Viega reserves the right to change these terms and conditions by posting such changes on www.viega.net.

Viega LLC

301 N. Main, 9th Floor, Wichita, KS 67202

Phone: 1-800-976-9819

www.viega.com • insidesales@viega.com

724910_CAT_USA_0513

©2013, FostaPEX®, MegaPress®, ProPress®, and Viega® are registered trademarks of Viega GmbH & Co. Climate Mat®, Climate Panel®, Climate Trak®, ManaBloc®, Smart Connect®, Snap Panel®, XL® and XL-C® are registered trademarks of Viega LLC. MiniBloc™, PolyAlloy™, ProRadiant™, SmartLoop™ and Zero Lead™ are trademarks of Viega LLC; RIDGID® is a registered trademark of RIDGID, Inc.

**The global leader
in plumbing, heating
and pipe joining systems**

The Viega logo consists of the word "viega" in a bold, lowercase, sans-serif font. The letters are white and are set against a solid black rectangular background.