



TAC
1354 Clifford Avenue
P. O. Box 2940
Loves Park, IL 61132-2940
www.tac.com

VX-2X13-5XX-9-XX Series
VX-7XXX-XXX-4-XX Series
MX4X-7XXX Series
MX40-6XXX Series

TAC DuraLynx™ Ball Valve Assemblies
Linked Globe Valve Assemblies

Cross Reference Guide

TAC DuraDrive™ Actuator/Linkage Assemblies

This cross reference guide lists TAC DuraLynx Ball Valve Assemblies and Ball Valve Body/Linkage Assemblies, Globe Linked Valve Assemblies, and TAC DuraDrive Actuator/Linkage Assemblies, which may replace obsolete TAC Barber-Colman, Siebe Environmental Controls (SEC), and competitive devices. The replacement valves in this list represent what we believe are equivalent units.

This guide is divided into two sections. The first section includes charts that explain the part numbering systems for both the TAC DuraLynx Ball Valve Assemblies and the Linked Globe Valve Assemblies. The second section lists Valve Assemblies, Actuator/Linkage Assemblies and Ball Valve Body/Linkage Assemblies. The Actuator/Linkage Assembly cross-reference lists SEC model numbers alphanumerically in the left-hand column, with the suggested replacements in the right-hand column. The Valve Assembly cross-reference categorizes model numbers by control signal. Cross-references for both the Valve Assemblies and the Ball Valve Body/Linkage Assemblies list the Linked Ball Valve Assemblies alphanumerically in the center column and the suggested replacements, TAC DuraLynx Ball Valve Assemblies, in the right-hand column. Corresponding SEC model numbers are listed in the left-hand column.

Note: Items listed do not necessarily have exactly the same physical size, flow capacity, pressure close-offs, electrical ratings, etc. Emphasis was placed on providing a replacement valve of the same specifications wherever possible. The user must determine the acceptability of the substitution by reviewing the valve specifications.

TAC assumes no responsibility for guaranteeing the acceptability of any suggested replacement in this guide.

TAC DuraLynx Ball Valve Assemblies and Ball Valve Body/Linkage Assemblies

The TAC VA, VF, and VS-2X13-5XX-9-XX series TAC DuraLynx Ball Valve Assemblies are complete actuator/valve assemblies that accept two-position, floating, or proportional control signals, respectively, from a DDC system or from a thermostat, for control of hot water or chilled water, or solutions of up to 50% Glycol. These valve assemblies are not recommended for steam applications. These assemblies consist of direct-coupled spring return and non-spring return actuators mounted on 2-way (1/2" to 3") and 3-way (1/2" to 2") ball valve bodies. The Ball Valve Body/Linkage Assemblies allow the field-mounting of TAC DuraDrive actuators.

Typical applications include reheat on VAV boxes, fan coil units, hot and chilled water coils in air handling units, and unit ventilators.

Note: The TAC DuraLynx Ball Valve Assemblies feature low-friction ball valves that allow the use of single TAC DuraDrive actuators in all valve sizes. As a result, these single-mount units may be used in place of the earlier TAC Dual-Mount Linked Ball Valve Assemblies, as listed in "Valve Assembly Cross Reference."


Linked Globe Valve Assemblies

The TAC VA, VF, and VS-7000 series Linked Globe Valve Assemblies are complete actuator/valve assemblies that accept two position, floating, or proportional control, respectively, from a DDC system or from a thermostat, for control of hot water, chilled water and steam coils. These valve assemblies consist of linked spring return and non-spring return actuators mounted on 1/2" to 2" (15 mm to 50 mm), two-way and three-way, globe valve bodies. The assembly is used for mixing and diverting applications, using a specially designed linkage assembly. This linkage uses a rack and pinion mechanism to convert the rotary motion of the direct-linked actuator into the linear motion necessary to lift or lower the valve stem.

Typical applications include reheat on VAV boxes, fan coil units, hot and chilled water coils in air handling units, and unit ventilators.

Part Numbering Systems

TAC DuraLynx Ball Valve Assemblies



SR = Spring Return
NSR = Non-Spring Return

* Includes valve body, linkage, and anti-rotation clips for spring return and non-spring return TAC DuraDrive actuators listed above.


¹ The Valve Body/Linkage Assemblies are being introduced for the first time as part of the TAC DuraLynx product family. Because they are not replacements for existing products, they are not listed in the cross-reference tables contained within this document.

² 2-way spring return ball valve assemblies are shipped normally open, voltage rise to close, as standard. These units can be field-converted to normally closed (NC). Contact the factory for further information on NC models.

³ Only the listed 35 lb-in. and 133 lb-in. TAC DuraDrive actuators are compatible with TAC DuraLynx ball valve assemblies.

* Denotes Full Port valve, without characterizing insert.

TAC Linked Globe Valve Assemblies



¹ The configuration of the valve assembly determines the valve stem position and flow, as shipped from the factory. See the table below.

Valve Assemblies	Valve Body Action	Factory Shipped Position		Action
		Valve Stem	Flow	
VX-721X-XXX-4-P	2-Way Stem Up Open	Up	Open	A to AB Flow decreases as actuator rotates CW
VX-722X-XXX-4-P	2-Way Stem Up Closed	Up	Closed	A to AB Flow increases as actuator rotates CW
VX-731X-XXX-4-P	3-Way Mixing	Up	Flow B to AB	A to AB Flow increases as actuator rotates CW B to AB Flow decreases as actuator rotates CW
VX-732X-XXX-4-P	3-Way Diverting	Up	Flow B to AB	B to A Flow increases as actuator rotates CW B to AB Flow decreases as actuator rotates CW

Actuator/Linkage Assembly Cross Reference

This section lists TAC Actuator and Linkage Assemblies. The TAC models replace the Siebe Environmental Controls (SEC) models.

The chart lists the SEC model numbers alphanumerically in the left-hand column with the suggested TAC replacement in the right-hand column.

Listed by SEC Model Number

SEC Actuator Model Number	TAC Actuator/Linkage Model Number Discontinued 11/00	TAC Actuator/Linkage Model Number Effective 4/02	Description
MA-7101-200	MA40-LF120-200	MA40-7040-200	120 Vac 35 lb-in. SR (two-position)
MA-7101-201	MA40-LF120-201	MA40-7040-201	120 Vac 35 lb-in. SR w/aux Switch (two-position)
MA-7103-200	MA40-LF24-200	MA40-7043-200	24 Vac 35 lb-in. SR (two-position)
MA-7103-201	MA40-LF24-201	MA40-7043-201	24 Vac 35 lb-in. SR w/aux Switch (two-position)
MA-7201-200	MA40-NF120-200	MA41-7070-200	120 Vac 60 lb-in. SR (two-position)
MA-7201-201	MA40-NF120-202	MA41-7070-201	120 Vac 60 lb-in. SR w/aux Switch (two-position)
MA-7203-200	MA40-NF24-200	MA41-7073-200	24 Vac 60 lb-in. SR (two-position)
MA-7203-201	MA40-NF24-202	MA41-7073-201	24 Vac 60 lb-in. SR w/aux Switch (two-position)
MA-7501-200	MA40-AF120-200	MA41-7150-200	120 Vac 133 lb-in. SR (two-position)
MA-7501-202	MA40-AF120-202	MA41-7150-201	120 Vac 133 lb-in. SR w/aux Switch (two-position)
MA-7503-200	MA40-AF24-200	MA41-7153-200	24 Vac 133 lb-in. SR (two-position)
MA-7503-202	MA40-AF24-202	MA41-7153-201	24 Vac 133 lb-in. SR w/aux Switch (two-position)
MA-7505-200	MA40-AF230-200	MA41-7151-200	230 Vac 133 lb-in. SR (two-position)
MA-7505-202	MA40-AF230-202	MA41-7151-201	230 Vac 133 lb-in. SR w/ Switch (two-position)
MF-6103-200	MF40-6043-200	MF40-6043-200	24 Vac 35 lb-in. NSR (floating)
MF-6203-200	MF40-NM24-200	MF40-6083-200	24 Vac 70 lb-in. SPDT NSR (floating)
MF-6633-200	MF40-SM24-200	MF40-6153-200	24 Vac 133 lb-in. SPDT NSR (floating)
MF-7103-200	MF40-LF24-200	MF40-7043-200	24 Vac 35 lb-in. SR (floating)
MF-7103-201	MF40-LF24-201	MF40-7043-201	24 Vac 35 lb-in. SR w/switch (floating)
MS-6103-200	MS40-6043-200	MS40-6043-200	24 Vac 35 lb-in. NSR (proportional)
MS-6203-200	MS40-NM24-200	MS40-6083-200'	24 Vac 70 lb-in. 2-10Vdc/4-20mAdc NSR (proportional)
MS-6633-200	MS40-SM24-200	MS40-6153-200	24 Vac 133 lb-in. 2-10Vdc/4-20mAdc NSR (proportional)
MS-7103-200	MS40-LF24-200	MS40-7043-200	24 Vac 35 lb-in. SR (proportional)
MS-7103-201	MS40-LF24-201	MS40-7043-201	24 Vac 35 lb-in. SR w/aux Switch (proportional)
MS-7203-200	MS40-NF24-200	MS41-7073-200	24 Vac 60 lb-in. SR (proportional)
MS-7433-200	MS40-AF24-200	MS41-7153-200	24 Vac 133 lb-in. SR (proportional)

Valve Assembly Cross Reference

This section lists TAC DuraLynx Ball Valve Assemblies and Linked Globe Valve Assemblies. The TAC models replace the corresponding Siebe Environmental Controls (SEC) models. In addition, the TAC DuraLynx Ball Valve Assemblies replace the corresponding TAC Linked Ball Valve Assemblies. The lists are categorized by control signal.

TWO-POSITION CONTROL

Ball Valve Assemblies

Note: The Ball Valve Assemblies cross-reference tables are listed alphanumerically by Linked Ball Valve Assembly model numbers in the middle column. The suggested TAC DuraLynx replacements are listed in the right-hand column.

2-Way Ball Valve Assy, SR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VA-2253-326-8-20	VA-2253-532-8-20	VA-2213-532-9-02 or VA-2213-532-9-03
VA-2253-326-8-22	VA-2253-532-8-22	VA-2213-532-9-04
VA-2253-326-8-24	VA-2253-532-8-24	VA-2213-532-9-05
VA-2253-326-8-26	VA-2253-532-8-26	VA-2213-532-9-07 or VA-2213-532-9-17 ^a
VA-2253-327-8-20	VA-2253-533-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7040-501
VA-2253-327-8-22	VA-2253-533-8-22	VB-2213-500-9-04 & MA40-7040-501
VA-2253-327-8-24	VA-2253-533-8-24	VB-2213-500-9-05 & MA40-7040-501
VA-2253-327-8-26	VA-2253-533-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7040-501
VA-2253-328-8-20	VA-2253-536-8-20	VA-2213-536-9-02 or VA-2213-536-9-03
VA-2253-328-8-22	VA-2253-536-8-22	VA-2213-536-9-04
VA-2253-328-8-24	VA-2253-536-8-24	VA-2213-536-9-05
VA-2253-328-8-26	VA-2253-536-8-26	VA-2213-536-9-07 or VA-2213-536-9-17 ^a
VA-2253-329-8-20	VA-2253-537-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7043-501
VA-2253-329-8-22	VA-2253-537-8-22	VB-2213-500-9-04 & MA40-7043-501
VA-2253-329-8-24	VA-2253-537-8-24	VB-2213-500-9-05 & MA40-7043-501
VA-2253-329-8-26	VA-2253-537-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7043-501
VA-2253-330-8-20	VA-2253-542-8-20	VA-2213-532-9-02 or VA-2213-532-9-03
VA-2253-330-8-22	VA-2253-542-8-22	VA-2213-532-9-04
VA-2253-330-8-24	VA-2253-542-8-24	VA-2213-532-9-05
VA-2253-330-8-26	VA-2253-542-8-26	VA-2213-532-9-07 or VA-2213-532-9-17 ^a

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VA-2253-330-8-44	VA-2253-542-8-44	VA-2213-532-9-18
VA-2253-330-8-46	VA-2253-542-8-46	VA-2213-532-9-18 or VA-2213-532-9-27 ^a
VA-2253-331-8-20	VA-2253-543-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7040-501 (1 aux. Sw.)
VA-2253-331-8-22	VA-2253-543-8-22	VB-2213-500-9-04 & MA40-7040-501 (1 aux. Sw.)
VA-2253-331-8-24	VA-2253-543-8-24	VB-2213-500-9-05 & MA40-7040-501 (1 aux. Sw.)
VA-2253-331-8-26	VA-2253-543-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7040-501 (1 aux. Sw.)
VA-2253-331-8-44	VA-2253-543-8-44	VB-2213-500-9-18 & MA40-7040-501 (1 aux. Sw.)
VA-2253-332-8-20	VA-2253-546-8-20	VA-2213-536-9-02 or VA-2213-536-9-03
VA-2253-332-8-22	VA-2253-546-8-22	VA-2213-536-9-04
VA-2253-332-8-24	VA-2253-546-8-24	VA-2213-536-9-05
VA-2253-332-8-26	VA-2253-546-8-26	VA-2213-536-9-07 or VA-2213-536-9-17 ^a
VA-2253-332-8-44	VA-2253-546-8-44	VA-2213-536-9-18
VA-2253-332-8-46	VA-2253-546-8-46	VA-2213-536-9-27 ^a or VA-2213-536-9-18
VA-2253-333-8-20	VA-2253-547-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7043-501 (1 aux. sw.)
VA-2253-333-8-22	VA-2253-547-8-22	VB-2213-500-9-04 & MA40-7043-501 (1 aux. sw.)
VA-2253-333-8-24	VA-2253-547-8-24	VB-2213-500-9-05 & MA40-7043-501 (1 Aux. sw.)
VA-2253-333-8-26	VA-2253-547-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7043-501 (1 aux. sw.)
VA-2253-333-8-44	VA-2253-547-8-44	VB-2213-500-9-18 & MA40-7043-501 (1 aux. sw.)
VA-2253-333-8-46	VA-2253-547-8-46	VB-2213-500-9-18 or VB-2213-500-9-27 ^a & MA40-7043-501 (1 aux. sw.)
VA-2253-334-8-20	VA-2253-552-8-20	VA-2213-532-9-02 or VA-2213-532-9-03
VA-2253-334-8-22	VA-2253-552-8-22	VA-2213-532-9-04
VA-2253-334-8-24	VA-2253-552-8-24	VA-2213-532-9-05
VA-2253-334-8-26	VA-2253-552-8-26	VA-2213-532-9-07 or VA-2213-532-9-17 ^a
VA-2253-334-8-44	VA-2253-552-8-44	VA-2213-532-9-18
VA-2253-334-8-46	VA-2253-552-8-46	VA-2213-532-9-27 ^a or VA-2213-532-9-18

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

TWO-POSITION CONTROL

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VA-2253-334-8-54	VA-2253-552-8-54	VA-2213-532-9-45 ^a or VA-2213-532-9-27
VA-2253-335-8-20	VA-2253-553-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7040-501 (1 aux. sw.)
VA-2253-335-8-22	VA-2253-553-8-22	VB-2213-500-9-04 & MA40-7040-501 (1 aux. sw.)
VA-2253-335-8-24	VA-2253-553-8-24	VB-2213-500-9-05 & MA40-7040-501 (1 aux. sw.)
VA-2253-335-8-26	VA-2253-553-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7040-501 (1 aux. sw.)
VA-2253-335-8-44	VA-2253-553-8-44	VB-2213-500-9-18 & MA40-7040-501 (1 aux. sw.)
VA-2253-335-8-46	VA-2253-553-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MA40-7040-501 (1 aux. sw.)
VA-2253-335-8-54	VA-2253-553-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27 & MA40-7040-501 (1 aux. sw.)
VA-2253-338-8-20	VA-2253-554-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7041
VA-2253-338-8-22	VA-2253-554-8-22	VB-2213-500-9-04 & MA40-7041
VA-2253-338-8-24	VA-2253-554-8-24	VB-2213-500-9-05 & MA40-7041
VA-2253-338-8-26	VA-2253-554-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7041
VA-2253-338-8-44	VA-2253-554-8-44	VB-2213-500-9-18 & MA40-7041
VA-2253-338-8-46	VA-2253-554-8-46	VB-2213-500-9-18 or VB-2213-500-9-27 ^a & MA40-7041
VA-2253-338-8-54	VA-2253-554-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27 & MA40-7041
VA-2253-339-8-20	VA-2253-555-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7041-501 (1 aux. sw.)
VA-2253-339-8-22	VA-2253-555-8-22	VB-2213-500-9-04 & MA40-7041-501 (1 aux. sw.)
VA-2253-339-8-24	VA-2253-555-8-24	VB-2213-500-9-05 & MA40-7041-501 (1 aux. sw.)
VA-2253-339-8-26	VA-2253-555-8-26	VB-2213-500-9-07 & MA40-7041-501 (1 aux. sw.)
VA-2253-339-8-44	VA-2253-555-8-44	VB-2213-500-9-18 & MA40-7041-501 (1 aux. sw.)
VA-2253-339-8-46	VA-2253-555-8-46	VB-2213-500-9-18 or VB-2213-500-9-27 ^a & MA40-7041-501 (1 aux. sw.)
VA-2253-339-8-54	VA-2253-555-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27 & MA40-7041-501 (1 aux. sw.)
VA-2253-336-8-20	VA-2253-556-8-20	VA-2213-536-9-02 or VA-2213-536-9-03
VA-2253-336-8-22	VA-2253-556-8-22	VA-2213-536-9-04
VA-2253-336-8-24	VA-2253-556-8-24	VA-2213-536-9-05

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VA-2253-336-8-26	VA-2253-556-8-26	VA-2213-536-9-07 or VA-2213-536-9-17 ^a
VA-2253-336-8-44	VA-2253-556-8-44	VA-2213-536-9-18
VA-2253-336-8-46	VA-2253-556-8-46	VA-2213-536-9-27 ^a or VA-2213-536-9-18
VA-2253-336-8-54	VA-2253-556-8-54	VA-2213-536-9-45 ^a or VA-2213-536-9-27
VA-2253-337-8-20	VA-2253-557-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MA40-7043-501 (1 aux. sw.)
VA-2253-337-8-22	VA-2253-557-8-22	VB-2213-500-9-04 & MA40-7043-501 (1 aux. sw.)
VA-2253-337-8-24	VA-2253-557-8-24	VB-2213-500-9-05 & MA40-7043-501 (1 aux. sw.)
VA-2253-337-8-26	VA-2253-557-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MA40-7043-501 (1 aux. sw.)
VA-2253-337-8-44	VA-2253-557-8-44	VB-2213-500-9-18 & MA40-7043-501 (1 aux. sw.)
VA-2253-337-8-46	VA-2253-557-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MA40-7043-501 (1 aux. sw.)
VA-2253-337-8-54	VA-2253-557-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27 & MA40-7043-501 (1 aux. sw.)
VA-2253-350-8-56 ^b	VA-2253-562-8-56 ^b	VA-2213-532-9-82 ^a or VA-2213-532-9-9-27
VA-2253-350-8-64 ^b	VA-2253-562-8-64 ^b	VA-2213-532-9-45
VA-2253-350-8-74 ^b	VA-2253-562-8-74 ^b	VA-2213-532-9-63 ^a or VA-2213-532-9-54
VA-2253-351-8-56 ^b	VA-2253-563-8-56 ^b	VB-2213-500-9-82 ^a or VB-2213-500-9-27 & MA40-7040-501 (1 aux. sw.)
VA-2253-351-8-64 ^b	VA-2253-563-8-64 ^b	VB-2213-500-9-45 & MA40-7040-501 (1 aux. sw.)
VA-2253-351-8-74 ^b	VA-2253-563-8-74 ^b	VB-2213-500-9-63 ^a or VB-2213-500-9-54 & MA40-7040-501 (1 aux. sw.)
VA-2253-354-8-56 ^b	VA-2253-564-8-56 ^b	VB-2213-500-9-27 or VB-2213-500-9-82 ^a & MA40-7041
VA-2253-354-8-64 ^b	VA-2253-564-8-64 ^b	VB-2213-500-9-45 ^a & MA40-7041
VA-2253-354-8-74 ^b	VA-2253-564-8-74 ^b	VB-2213-500-9-63 ^a or VB-2213-500-9-54 & MA40-7041
VA-2253-355-8-56 ^b	VA-2253-565-8-56 ^b	VB-2213-500-9-27 or VB-2213-500-9-82 ^a & MA40-7041-501 (1 aux. sw.)
VA-2253-355-8-64 ^b	VA-2253-565-8-64 ^b	VB-2213-500-9-45 & MA40-7041-501 (1 aux. sw.)
VA-2253-355-8-74 ^b	VA-2253-565-8-74 ^b	VB-2213-500-9-63 ^a or VB-2213-500-9-54 & MA40-7041-501 (1 aux. sw.)
VA-2253-352-8-56 ^b	VA-2253-566-8-56 ^b	VA-2213-532-9-82 ^a or VA-2213-536-9-27
VA-2253-352-8-64 ^b	VA-2253-566-8-64 ^b	VA-2213-536-9-45
VA-2253-352-8-74 ^b	VA-2253-566-8-74 ^b	VA-2213-536-9-63 ^a or VA-2213-536-9-54

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
VA-2253-353-8-56 ^b	VA-2253-567-8-56 ^b	VB-2213-500-9-27 or VB-2213-500-9-82 ^a & MA40-7043-501 (1 aux. sw.)
VA-2253-353-8-64 ^b	VA-2253-567-8-64 ^b	VB-2213-500-9-45 & MA40-7043-501 (1 aux. sw.)
VA-2253-353-8-74 ^b	VA-2253-567-8-74 ^b	VB-2213-500-9-63 ^a or VB-2213-500-9-54 & MA40-7043-501 (1 aux. sw.)

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, SR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
VA-2353-326-8-21	VA-2353-532-8-21	VA-2313-532-9-05
VA-2353-327-8-21	VA-2353-533-8-21	VB-2313-500-9-05 & MA40-7040-501
VA-2353-328-8-21	VA-2353-536-8-21	VA-2313-536-9-05
VA-2353-329-8-21	VA-2353-537-8-21	VB-2313-500-9-05 & MA40-7043-501
VA-2353-330-8-21	VA-2353-542-8-21	VA-2313-532-9-05
VA-2353-330-8-41	VA-2353-542-8-41	VA-2313-532-9-16
VA-2353-331-8-21	VA-2353-543-8-21	VB-2313-500-9-05 & MA40-7040-501
VA-2353-331-8-41	VA-2353-543-8-41	VB-2313-500-9-16 & MA40-7040-501
VA-2353-332-8-21	VA-2353-546-8-21	VA-2313-536-9-05
VA-2353-332-8-41	VA-2353-546-8-41	VA-2313-536-9-16
VA-2353-333-8-21	VA-2353-547-8-21	VB-2313-500-9-05 & MA40-7043-501 (1 aux. sw.)
VA-2353-333-8-41	VA-2353-547-8-41	VB-2313-500-9-16 & MA40-7043-501 (1 aux. sw.)
VA-2353-334-8-21	VA-2353-552-8-21	VA-2313-532-9-05
VA-2353-334-8-41	VA-2353-552-8-41	VA-2313-532-9-16
VA-2353-334-8-51 ^c	VA-2353-552-8-51 ^c	VA-2313-532-9-30
VA-2353-335-8-21	VA-2353-553-8-21	VB-2313-500-9-5 & MA40-7040-501 (1 aux. sw.)
VA-2353-335-8-41	VA-2353-553-8-41	VB-2313-500-9-16 & MA40-7040-501 (1 aux. sw.)
VA-2353-335-8-51 ^c	VA-2353-553-8-51 ^c	VB-2313-500-9-30 & MA40-7040-501 (1 aux. sw.)
VA-2353-338-8-21	VA-2353-554-8-21	VB-2313-500-9-05 & MA40-7041
VA-2353-338-8-41	VA-2353-554-8-41	VB-2313-500-9-16 & MA40-7041-501
VA-2353-338-8-51 ^c	VA-2353-554-8-51 ^c	VB-2313-500-9-30 & MA40-7041
VA-2353-339-8-21	VA-2353-555-8-21	VB-2313-500-9-05 & MA40-7041-501 (1 aux. sw.)

a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

c. While the SEC and earlier TAC units are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
VA-2353-339-8-41	VA-2353-555-8-41	VB-2313-500-9-16 & MA40-7041-501 (1 aux. sw.)
VA-2353-339-8-51 ^c	VA-2353-555-8-51 ^c	VB-2313-500-9-30 & MA40-7041-501 (1 aux. sw.)
VA-2353-336-8-21	VA-2353-556-8-21	VA-2313-536-9-05
VA-2353-336-8-41	VA-2353-556-8-41	VA-2313-536-9-16
VA-2353-336-8-51 ^c	VA-2353-556-8-51 ^c	VA-2313-536-9-30
VA-2353-337-8-21	VA-2353-557-8-21	VB-2313-500-9-5 & MA40-7043-501 (1 aux. sw.)
VA-2353-337-8-41	VA-2353-557-8-41	VB-2313-500-9-16 & MA40-7043-501 (1 aux. sw.)
VA-2353-337-8-51 ^c	VA-2353-557-8-51 ^c	VB-2313-500-9-30 & MA40-7043-501 (1 aux. sw.)
VA-2353-350-8-61 ^c	VA-2353-562-8-61 ^c	VA-2313-532-9-54 ^b or VA-2313-532-9-44
VA-2353-350-8-71 ^c	VA-2353-562-8-71 ^c	VA-2313-532-9-46 ^b or VA-2313-532-9-54
VA-2353-351-8-61 ^c	VA-2353-563-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MA40-7040-501 (1 aux. sw.)
VA-2353-351-8-71 ^c	VA-2353-563-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MA40-7040-501 (1 aux. sw.)
VA-2353-354-8-61 ^c	VA-2353-564-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MA40-7041
VA-2353-354-8-71 ^c	VA-2353-564-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MA40-7041
VA-2353-355-8-61 ^c	VA-2353-565-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MA40-7041-501 (1 aux. sw.)
VA-2353-355-8-71 ^c	VA-2353-565-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MA40-7041-501 (1 aux. sw.)
VA-2353-352-8-61 ^c	VA-2353-566-8-61 ^c	VA-2313-536-9-54 ^b or VA-2313-536-9-44
VA-2353-352-8-71 ^c	VA-2353-566-8-71 ^c	VA-2313-536-9-46 ^b or VA-2313-536-9-54
VA-2353-353-8-61 ^c	VA-2353-567-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MA40-7043-501 (1 aux. sw.)
VA-2353-353-8-71 ^c	VA-2353-567-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MA40-7043-501 (1 aux. sw.)
—	VA-2353-576-8-41	VA-2313-536-9-16
—	VA-2353-576-8-51	VA-2313-536-9-30
—	VA-2353-576-8-61	VA-2313-536-9-54 ^b or VA-2313-536-9-44
—	VA-2353-582-8-61 ^c	VA-2313-532-9-54 ^b or VA-2313-532-9-44
—	VA-2353-582-8-71 ^c	VA-2313-532-9-46 ^b or VA-2313-532-9-54
—	VA-2353-582-8-81 ^c	VA-2313-532-9-63

a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

c. While the SEC and earlier TAC units are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

TWO-POSITION CONTROL

3-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
—	VA-2353-584-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MA40-7041
—	VA-2353-584-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MA40-7041
—	VA-2353-584-8-81 ^c	VB-2313-500-9-63 & MA40-7041
—	VA-2353-586-8-61 ^c	VA-2313-536-9-54 ^b or VA-2313-536-9-44
—	VA-2353-586-8-71 ^c	VA-2313-536-9-46 ^b or VA-2313-536-9-54
—	VA-2353-586-8-81 ^c	VA-2313-536-9-63

a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

c. While the SEC and earlier TAC units are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

Globe Valve Assemblies

Note: The Globe Valve Assemblies cross-reference tables are listed alphanumerically by SEC Assembly model numbers in the left-hand column. The suggested TAC replacements are listed in the right-hand column.

2-Way Globe Valve Assy, SR

SEC Assembly Model Number	TAC Assembly Model Number
VA-7211-326-4-1	VA-7211-532-4-1
VA-7211-326-4-2	VA-7211-532-4-2
VA-7211-326-4-3	VA-7211-532-4-3
VA-7211-326-4-4	VA-7211-532-4-4
VA-7211-326-4-5	VA-7211-532-4-5
VA-7211-326-4-6	VA-7211-532-4-6
VA-7211-326-4-7	VA-7211-532-4-7
VA-7211-326-4-8	VA-7211-532-4-8
VA-7211-326-4-9	VA-7211-532-4-9
VA-7211-327-4-1	VA-7211-533-4-1
VA-7211-327-4-2	VA-7211-533-4-2
VA-7211-327-4-3	VA-7211-533-4-3
VA-7211-327-4-4	VA-7211-533-4-4
VA-7211-327-4-5	VA-7211-533-4-5
VA-7211-327-4-6	VA-7211-533-4-6
VA-7211-327-4-7	VA-7211-533-4-7
VA-7211-327-4-8	VA-7211-533-4-8
VA-7211-327-4-9	VA-7211-533-4-9
VA-7211-328-4-1	VA-7211-536-4-1
VA-7211-328-4-2	VA-7211-536-4-2
VA-7211-328-4-3	VA-7211-536-4-3
VA-7211-328-4-4	VA-7211-536-4-4
VA-7211-328-4-5	VA-7211-536-4-5
VA-7211-328-4-6	VA-7211-536-4-6
VA-7211-328-4-7	VA-7211-536-4-7
VA-7211-328-4-8	VA-7211-536-4-8
VA-7211-328-4-9	VA-7211-536-4-9
VA-7211-329-4-1	VA-7211-537-4-1
VA-7211-329-4-2	VA-7211-537-4-2
VA-7211-329-4-3	VA-7211-537-4-3
VA-7211-329-4-4	VA-7211-537-4-4
VA-7211-329-4-5	VA-7211-537-4-5
VA-7211-329-4-6	VA-7211-537-4-6
VA-7211-329-4-7	VA-7211-537-4-7
VA-7211-329-4-8	VA-7211-537-4-8
VA-7211-329-4-9	VA-7211-537-4-9
VA-7211-330-4-7	VA-7211-542-4-7
VA-7211-330-4-8	VA-7211-542-4-8
VA-7211-330-4-9	VA-7211-542-4-9
VA-7211-331-4-7	VA-7211-543-4-7
VA-7211-331-4-8	VA-7211-543-4-8
VA-7211-331-4-9	VA-7211-543-4-9
VA-7211-332-4-7	VA-7211-546-4-7
VA-7211-332-4-8	VA-7211-546-4-8

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7211-332-4-9	VA-7211-546-4-9
VA-7211-333-4-7	VA-7211-547-4-7
VA-7211-333-4-8	VA-7211-547-4-8
VA-7211-333-4-9	VA-7211-547-4-9
VA-7213-326-4-1	VA-7213-532-4-1
VA-7213-326-4-2	VA-7213-532-4-2
VA-7213-326-4-3	VA-7213-532-4-3
VA-7213-326-4-4	VA-7213-532-4-4
VA-7213-326-4-5	VA-7213-532-4-5
VA-7213-326-4-6	VA-7213-532-4-6
VA-7213-326-4-7	VA-7213-532-4-7
VA-7213-326-4-8	VA-7213-532-4-8
VA-7213-326-4-9	VA-7213-532-4-9
VA-7213-327-4-1	VA-7213-533-4-1
VA-7213-327-4-2	VA-7213-533-4-2
VA-7213-327-4-3	VA-7213-533-4-3
VA-7213-327-4-4	VA-7213-533-4-4
VA-7213-327-4-5	VA-7213-533-4-5
VA-7213-327-4-6	VA-7213-533-4-6
VA-7213-327-4-7	VA-7213-533-4-7
VA-7213-327-4-8	VA-7213-533-4-8
VA-7213-327-4-9	VA-7213-533-4-9
VA-7213-328-4-1	VA-7213-536-4-1
VA-7213-328-4-2	VA-7213-536-4-2
VA-7213-328-4-3	VA-7213-536-4-3
VA-7213-328-4-4	VA-7213-536-4-4
VA-7213-328-4-5	VA-7213-536-4-5
VA-7213-328-4-6	VA-7213-536-4-6
VA-7213-328-4-7	VA-7213-536-4-7
VA-7213-328-4-8	VA-7213-536-4-8
VA-7213-328-4-9	VA-7213-536-4-9
VA-7213-329-4-1	VA-7213-537-4-1
VA-7213-329-4-2	VA-7213-537-4-2
VA-7213-329-4-3	VA-7213-537-4-3
VA-7213-329-4-4	VA-7213-537-4-4
VA-7213-329-4-5	VA-7213-537-4-5
VA-7213-329-4-6	VA-7213-537-4-6
VA-7213-329-4-7	VA-7213-537-4-7
VA-7213-329-4-8	VA-7213-537-4-8
VA-7213-329-4-9	VA-7213-537-4-9
VA-7213-330-4-10	VA-7213-542-4-10
VA-7213-330-4-11	VA-7213-542-4-11
VA-7213-330-4-7	VA-7213-542-4-7
VA-7213-330-4-8	VA-7213-542-4-8
VA-7213-330-4-9	VA-7213-542-4-9
VA-7213-331-4-10	VA-7213-543-4-10
VA-7213-331-4-11	VA-7213-543-4-11
VA-7213-331-4-7	VA-7213-543-4-7
VA-7213-331-4-8	VA-7213-543-4-8
VA-7213-331-4-9	VA-7213-543-4-9

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7213-332-4-10	VA-7213-546-4-10
VA-7213-332-4-11	VA-7213-546-4-11
VA-7213-332-4-7	VA-7213-546-4-7
VA-7213-332-4-8	VA-7213-546-4-8
VA-7213-332-4-9	VA-7213-546-4-9
VA-7213-333-4-10	VA-7213-547-4-10
VA-7213-333-4-11	VA-7213-547-4-11
VA-7213-333-4-7	VA-7213-547-4-7
VA-7213-333-4-8	VA-7213-547-4-8
VA-7213-333-4-9	VA-7213-547-4-9
VA-7213-334-4-10	VA-7213-552-4-10
VA-7213-334-4-11	VA-7213-552-4-11
VA-7213-335-4-10	VA-7213-553-4-10
VA-7213-335-4-11	VA-7213-553-4-11
VA-7213-336-4-10	VA-7213-556-4-10
VA-7213-336-4-11	VA-7213-556-4-11
VA-7213-337-4-10	VA-7213-557-4-10
VA-7213-337-4-11	VA-7213-557-4-11
VA-7213-338-4-10	VA-7213-554-4-10
VA-7213-338-4-11	VA-7213-554-4-11
VA-7213-339-4-10	VA-7213-555-4-10
VA-7213-339-4-11	VA-7213-555-4-11
VA-7215-326-4-1	VA-7215-532-4-1
VA-7215-326-4-2	VA-7215-532-4-2
VA-7215-326-4-3	VA-7215-532-4-3
VA-7215-326-4-4	VA-7215-532-4-4
VA-7215-326-4-5	VA-7215-532-4-5
VA-7215-326-4-6	VA-7215-532-4-6
VA-7215-326-4-7	VA-7215-532-4-7
VA-7215-326-4-8	VA-7215-532-4-8
VA-7215-326-4-9	VA-7215-532-4-9
VA-7215-327-4-1	VA-7215-533-4-1
VA-7215-327-4-2	VA-7215-533-4-2
VA-7215-327-4-3	VA-7215-533-4-3
VA-7215-327-4-4	VA-7215-533-4-4
VA-7215-327-4-5	VA-7215-533-4-5
VA-7215-327-4-6	VA-7215-533-4-6
VA-7215-327-4-7	VA-7215-533-4-7
VA-7215-327-4-8	VA-7215-533-4-8
VA-7215-327-4-9	VA-7215-533-4-9
VA-7215-328-4-1	VA-7215-536-4-1
VA-7215-328-4-2	VA-7215-536-4-2
VA-7215-328-4-3	VA-7215-536-4-3
VA-7215-328-4-4	VA-7215-536-4-4
VA-7215-328-4-5	VA-7215-536-4-5
VA-7215-328-4-6	VA-7215-536-4-6
VA-7215-328-4-7	VA-7215-536-4-7
VA-7215-328-4-8	VA-7215-536-4-8
VA-7215-328-4-9	VA-7215-536-4-9
VA-7215-329-4-1	VA-7215-537-4-1

TWO-POSITION CONTROL

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7215-329-4-2	VA-7215-537-4-2
VA-7215-329-4-3	VA-7215-537-4-3
VA-7215-329-4-4	VA-7215-537-4-4
VA-7215-329-4-5	VA-7215-537-4-5
VA-7215-329-4-6	VA-7215-537-4-6
VA-7215-329-4-7	VA-7215-537-4-7
VA-7215-329-4-8	VA-7215-537-4-8
VA-7215-329-4-9	VA-7215-537-4-9
VA-7215-330-4-10	VA-7215-542-4-10
VA-7215-330-4-11	VA-7215-542-4-11
VA-7215-330-4-7	VA-7215-542-4-7
VA-7215-330-4-8	VA-7215-542-4-8
VA-7215-330-4-9	VA-7215-542-4-9
VA-7215-331-4-10	VA-7215-543-4-10
VA-7215-331-4-11	VA-7215-543-4-11
VA-7215-331-4-7	VA-7215-543-4-7
VA-7215-331-4-8	VA-7215-543-4-8
VA-7215-331-4-9	VA-7215-543-4-9
VA-7215-332-4-10	VA-7215-546-4-10
VA-7215-332-4-11	VA-7215-546-4-11
VA-7215-332-4-7	VA-7215-546-4-7
VA-7215-332-4-8	VA-7215-546-4-8
VA-7215-332-4-9	VA-7215-546-4-9
VA-7215-333-4-10	VA-7215-547-4-10
VA-7215-333-4-11	VA-7215-547-4-11
VA-7215-333-4-7	VA-7215-547-4-7
VA-7215-333-4-8	VA-7215-547-4-8
VA-7215-333-4-9	VA-7215-547-4-9
VA-7215-334-4-10	VA-7215-552-4-10
VA-7215-334-4-11	VA-7215-552-4-11
VA-7215-335-4-10	VA-7215-553-4-10
VA-7215-335-4-11	VA-7215-553-4-11
VA-7215-336-4-10	VA-7215-556-4-10
VA-7215-336-4-11	VA-7215-556-4-11
VA-7215-337-4-10	VA-7215-557-4-10
VA-7215-337-4-11	VA-7215-557-4-11
VA-7215-338-4-10	VA-7215-554-4-10
VA-7215-338-4-11	VA-7215-554-4-11
VA-7215-339-4-10	VA-7215-555-4-10
VA-7215-339-4-11	VA-7215-555-4-11
VA-7221-326-4-1	VA-7221-532-4-1
VA-7221-326-4-2	VA-7221-532-4-2
VA-7221-326-4-3	VA-7221-532-4-3
VA-7221-326-4-4	VA-7221-532-4-4
VA-7221-326-4-5	VA-7221-532-4-5
VA-7221-326-4-6	VA-7221-532-4-6
VA-7221-326-4-7	VA-7221-532-4-7
VA-7221-326-4-8	VA-7221-532-4-8
VA-7221-326-4-9	VA-7221-532-4-9
VA-7221-327-4-1	VA-7221-533-4-1

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7221-327-4-2	VA-7221-533-4-2
VA-7221-327-4-3	VA-7221-533-4-3
VA-7221-327-4-4	VA-7221-533-4-4
VA-7221-327-4-5	VA-7221-533-4-5
VA-7221-327-4-6	VA-7221-533-4-6
VA-7221-327-4-7	VA-7221-533-4-7
VA-7221-327-4-8	VA-7221-533-4-8
VA-7221-327-4-9	VA-7221-533-4-9
VA-7221-328-4-1	VA-7221-536-4-1
VA-7221-328-4-2	VA-7221-536-4-2
VA-7221-328-4-3	VA-7221-536-4-3
VA-7221-328-4-4	VA-7221-536-4-4
VA-7221-328-4-5	VA-7221-536-4-5
VA-7221-328-4-6	VA-7221-536-4-6
VA-7221-328-4-7	VA-7221-536-4-7
VA-7221-328-4-8	VA-7221-536-4-8
VA-7221-328-4-9	VA-7221-536-4-9
VA-7221-329-4-1	VA-7221-537-4-1
VA-7221-329-4-2	VA-7221-537-4-2
VA-7221-329-4-3	VA-7221-537-4-3
VA-7221-329-4-4	VA-7221-537-4-4
VA-7221-329-4-5	VA-7221-537-4-5
VA-7221-329-4-6	VA-7221-537-4-6
VA-7221-329-4-7	VA-7221-537-4-7
VA-7221-329-4-8	VA-7221-537-4-8
VA-7221-329-4-9	VA-7221-537-4-9
VA-7221-330-4-7	VA-7221-542-4-7
VA-7221-330-4-8	VA-7221-542-4-8
VA-7221-330-4-9	VA-7221-542-4-9
VA-7221-331-4-7	VA-7221-543-4-7
VA-7221-331-4-8	VA-7221-543-4-8
VA-7221-331-4-9	VA-7221-543-4-9
VA-7221-332-4-7	VA-7221-546-4-7
VA-7221-332-4-8	VA-7221-546-4-8
VA-7221-332-4-9	VA-7221-546-4-9
VA-7221-333-4-7	VA-7221-547-4-7
VA-7221-333-4-8	VA-7221-547-4-8
VA-7221-333-4-9	VA-7221-547-4-9
VA-7223-326-4-1	VA-7223-532-4-1
VA-7223-326-4-2	VA-7223-532-4-2
VA-7223-326-4-3	VA-7223-532-4-3
VA-7223-326-4-4	VA-7223-532-4-4
VA-7223-326-4-5	VA-7223-532-4-5
VA-7223-326-4-6	VA-7223-532-4-6
VA-7223-326-4-7	VA-7223-532-4-7
VA-7223-326-4-8	VA-7223-532-4-8
VA-7223-326-4-9	VA-7223-532-4-9
VA-7223-327-4-1	VA-7223-533-4-1
VA-7223-327-4-2	VA-7223-533-4-2
VA-7223-327-4-3	VA-7223-533-4-3

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7223-327-4-4	VA-7223-533-4-4
VA-7223-327-4-5	VA-7223-533-4-5
VA-7223-327-4-6	VA-7223-533-4-6
VA-7223-327-4-7	VA-7223-533-4-7
VA-7223-327-4-8	VA-7223-533-4-8
VA-7223-327-4-9	VA-7223-533-4-9
VA-7223-328-4-1	VA-7223-536-4-1
VA-7223-328-4-2	VA-7223-536-4-2
VA-7223-328-4-3	VA-7223-536-4-3
VA-7223-328-4-4	VA-7223-536-4-4
VA-7223-328-4-5	VA-7223-536-4-5
VA-7223-328-4-6	VA-7223-536-4-6
VA-7223-328-4-7	VA-7223-536-4-7
VA-7223-328-4-8	VA-7223-536-4-8
VA-7223-328-4-9	VA-7223-536-4-9
VA-7223-329-4-1	VA-7223-537-4-1
VA-7223-329-4-2	VA-7223-537-4-2
VA-7223-329-4-3	VA-7223-537-4-3
VA-7223-329-4-4	VA-7223-537-4-4
VA-7223-329-4-5	VA-7223-537-4-5
VA-7223-329-4-6	VA-7223-537-4-6
VA-7223-329-4-7	VA-7223-537-4-7
VA-7223-329-4-8	VA-7223-537-4-8
VA-7223-329-4-9	VA-7223-537-4-9
VA-7223-330-4-10	VA-7223-542-4-10
VA-7223-330-4-11	VA-7223-542-4-11
VA-7223-330-4-7	VA-7223-542-4-7
VA-7223-330-4-8	VA-7223-542-4-8
VA-7223-330-4-9	VA-7223-542-4-9
VA-7223-331-4-10	VA-7223-543-4-10
VA-7223-331-4-11	VA-7223-543-4-11
VA-7223-331-4-7	VA-7223-543-4-7
VA-7223-331-4-8	VA-7223-543-4-8
VA-7223-331-4-9	VA-7223-543-4-9
VA-7223-332-4-10	VA-7223-546-4-10
VA-7223-332-4-11	VA-7223-546-4-11
VA-7223-332-4-7	VA-7223-546-4-7
VA-7223-332-4-8	VA-7223-546-4-8
VA-7223-332-4-9	VA-7223-546-4-9
VA-7223-333-4-10	VA-7223-547-4-10
VA-7223-333-4-11	VA-7223-547-4-11
VA-7223-333-4-7	VA-7223-547-4-7
VA-7223-333-4-8	VA-7223-547-4-8
VA-7223-333-4-9	VA-7223-547-4-9
VA-7223-334-4-10	VA-7223-552-4-10
VA-7223-334-4-11	VA-7223-552-4-11
VA-7223-335-4-10	VA-7223-553-4-10
VA-7223-335-4-11	VA-7223-553-4-11
VA-7223-336-4-10	VA-7223-556-4-10
VA-7223-336-4-11	VA-7223-556-4-11

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7223-337-4-10	VA-7223-557-4-10
VA-7223-337-4-11	VA-7223-557-4-11
VA-7223-338-4-10	VA-7223-554-4-10
VA-7223-338-4-11	VA-7223-554-4-11
VA-7223-339-4-10	VA-7223-555-4-10
VA-7223-339-4-11	VA-7223-555-4-11
VA-7225-326-4-1	VA-7225-532-4-1
VA-7225-326-4-2	VA-7225-532-4-2
VA-7225-326-4-3	VA-7225-532-4-3
VA-7225-326-4-4	VA-7225-532-4-4
VA-7225-326-4-5	VA-7225-532-4-5
VA-7225-326-4-6	VA-7225-532-4-6
VA-7225-326-4-7	VA-7225-532-4-7
VA-7225-326-4-8	VA-7225-532-4-8
VA-7225-326-4-9	VA-7225-532-4-9
VA-7225-327-4-1	VA-7225-533-4-1
VA-7225-327-4-2	VA-7225-533-4-2
VA-7225-327-4-3	VA-7225-533-4-3
VA-7225-327-4-4	VA-7225-533-4-4
VA-7225-327-4-5	VA-7225-533-4-5
VA-7225-327-4-6	VA-7225-533-4-6
VA-7225-327-4-7	VA-7225-533-4-7
VA-7225-327-4-8	VA-7225-533-4-8
VA-7225-327-4-9	VA-7225-533-4-9
VA-7225-328-4-1	VA-7225-536-4-1
VA-7225-328-4-2	VA-7225-536-4-2
VA-7225-328-4-3	VA-7225-536-4-3
VA-7225-328-4-4	VA-7225-536-4-4
VA-7225-328-4-5	VA-7225-536-4-5
VA-7225-328-4-6	VA-7225-536-4-6
VA-7225-328-4-7	VA-7225-536-4-7
VA-7225-328-4-8	VA-7225-536-4-8
VA-7225-328-4-9	VA-7225-536-4-9
VA-7225-329-4-1	VA-7225-537-4-1
VA-7225-329-4-2	VA-7225-537-4-2
VA-7225-329-4-3	VA-7225-537-4-3
VA-7225-329-4-4	VA-7225-537-4-4
VA-7225-329-4-5	VA-7225-537-4-5
VA-7225-329-4-6	VA-7225-537-4-6
VA-7225-329-4-7	VA-7225-537-4-7
VA-7225-329-4-8	VA-7225-537-4-8
VA-7225-329-4-9	VA-7225-537-4-9
VA-7225-330-4-10	VA-7225-542-4-10
VA-7225-330-4-11	VA-7225-542-4-11
VA-7225-330-4-7	VA-7225-542-4-7
VA-7225-330-4-8	VA-7225-542-4-8
VA-7225-330-4-9	VA-7225-542-4-9
VA-7225-331-4-10	VA-7225-543-4-10
VA-7225-331-4-11	VA-7225-543-4-11
VA-7225-331-4-7	VA-7225-543-4-7

TWO-POSITION CONTROL

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7225-331-4-8	VA-7225-543-4-8
VA-7225-331-4-9	VA-7225-543-4-9
VA-7225-332-4-10	VA-7225-546-4-10
VA-7225-332-4-11	VA-7225-546-4-11
VA-7225-332-4-7	VA-7225-546-4-7
VA-7225-332-4-8	VA-7225-546-4-8
VA-7225-332-4-9	VA-7225-546-4-9
VA-7225-333-4-10	VA-7225-547-4-10
VA-7225-333-4-11	VA-7225-547-4-11
VA-7225-333-4-7	VA-7225-547-4-7
VA-7225-333-4-8	VA-7225-547-4-8
VA-7225-333-4-9	VA-7225-547-4-9
VA-7225-334-4-10	VA-7225-552-4-10
VA-7225-334-4-11	VA-7225-552-4-11
VA-7225-335-4-10	VA-7225-553-4-10
VA-7225-335-4-11	VA-7225-553-4-11
VA-7225-336-4-10	VA-7225-556-4-10
VA-7225-336-4-11	VA-7225-556-4-11
VA-7225-337-4-10	VA-7225-557-4-10
VA-7225-337-4-11	VA-7225-557-4-11
VA-7225-338-4-10	VA-7225-554-4-10
VA-7225-338-4-11	VA-7225-554-4-11
VA-7225-339-4-10	VA-7225-555-4-10
VA-7225-339-4-11	VA-7225-555-4-11

3-Way Globe Valve Assy, SR

SEC Assembly Model Number	TAC Assembly Model Number
VA-7313-326-4-10	VA-7313-532-4-10
VA-7313-326-4-11	VA-7313-532-4-11
VA-7313-326-4-2	VA-7313-532-4-2
VA-7313-326-4-4	VA-7313-532-4-4
VA-7313-326-4-6	VA-7313-532-4-6
VA-7313-326-4-8	VA-7313-532-4-8
VA-7313-326-4-9	VA-7313-532-4-9
VA-7313-327-4-10	VA-7313-533-4-10
VA-7313-327-4-11	VA-7313-533-4-11
VA-7313-327-4-2	VA-7313-533-4-2
VA-7313-327-4-4	VA-7313-533-4-4
VA-7313-327-4-6	VA-7313-533-4-6
VA-7313-327-4-8	VA-7313-533-4-8
VA-7313-327-4-9	VA-7313-533-4-9
VA-7313-328-4-10	VA-7313-536-4-10
VA-7313-328-4-11	VA-7313-536-4-11
VA-7313-328-4-2	VA-7313-536-4-2
VA-7313-328-4-4	VA-7313-536-4-4
VA-7313-328-4-6	VA-7313-536-4-6
VA-7313-328-4-8	VA-7313-536-4-8
VA-7313-328-4-9	VA-7313-536-4-9
VA-7313-329-4-10	VA-7313-537-4-10

3-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7313-329-4-11	VA-7313-537-4-11
VA-7313-329-4-2	VA-7313-537-4-2
VA-7313-329-4-4	VA-7313-537-4-4
VA-7313-329-4-6	VA-7313-537-4-6
VA-7313-329-4-8	VA-7313-537-4-8
VA-7313-329-4-9	VA-7313-537-4-9
VA-7313-330-4-10	VA-7313-542-4-10
VA-7313-330-4-11	VA-7313-542-4-11
VA-7313-330-4-8	VA-7313-542-4-8
VA-7313-330-4-9	VA-7313-542-4-9
VA-7313-331-4-10	VA-7313-543-4-10
VA-7313-331-4-11	VA-7313-543-4-11
VA-7313-331-4-8	VA-7313-543-4-8
VA-7313-331-4-9	VA-7313-543-4-9
VA-7313-332-4-10	VA-7313-546-4-10
VA-7313-332-4-11	VA-7313-546-4-11
VA-7313-332-4-8	VA-7313-546-4-8
VA-7313-332-4-9	VA-7313-546-4-9
VA-7313-333-4-10	VA-7313-547-4-10
VA-7313-333-4-11	VA-7313-547-4-11
VA-7313-333-4-8	VA-7313-547-4-8
VA-7313-333-4-9	VA-7313-547-4-9
VA-7313-334-4-10	VA-7313-552-4-10
VA-7313-334-4-11	VA-7313-552-4-11
VA-7313-335-4-10	VA-7313-553-4-10
VA-7313-335-4-11	VA-7313-553-4-11
VA-7313-336-4-10	VA-7313-556-4-10
VA-7313-336-4-11	VA-7313-556-4-11
VA-7313-337-4-10	VA-7313-557-4-10
VA-7313-337-4-11	VA-7313-557-4-11
VA-7313-338-4-10	VA-7313-554-4-10
VA-7313-338-4-11	VA-7313-554-4-11
VA-7313-339-4-10	VA-7313-555-4-10
VA-7313-339-4-11	VA-7313-555-4-11
VA-7315-326-4-10	VA-7315-532-4-10
VA-7315-326-4-11	VA-7315-532-4-11
VA-7315-326-4-2	VA-7315-532-4-2
VA-7315-326-4-4	VA-7315-532-4-4
VA-7315-326-4-6	VA-7315-532-4-6
VA-7315-326-4-8	VA-7315-532-4-8
VA-7315-326-4-9	VA-7315-532-4-9
VA-7315-327-4-10	VA-7315-533-4-10
VA-7315-327-4-11	VA-7315-533-4-11
VA-7315-327-4-2	VA-7315-533-4-2
VA-7315-327-4-4	VA-7315-533-4-4
VA-7315-327-4-6	VA-7315-533-4-6
VA-7315-327-4-8	VA-7315-533-4-8
VA-7315-327-4-9	VA-7315-533-4-9
VA-7315-328-4-10	VA-7315-536-4-10
VA-7315-328-4-11	VA-7315-536-4-11

3-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7315-328-4-2	VA-7315-536-4-2
VA-7315-328-4-4	VA-7315-536-4-4
VA-7315-328-4-6	VA-7315-536-4-6
VA-7315-328-4-8	VA-7315-536-4-8
VA-7315-328-4-9	VA-7315-536-4-9
VA-7315-329-4-10	VA-7315-537-4-10
VA-7315-329-4-11	VA-7315-537-4-11
VA-7315-329-4-2	VA-7315-537-4-2
VA-7315-329-4-4	VA-7315-537-4-4
VA-7315-329-4-6	VA-7315-537-4-6
VA-7315-329-4-8	VA-7315-537-4-8
VA-7315-329-4-9	VA-7315-537-4-9
VA-7315-330-4-10	VA-7315-542-4-10
VA-7315-330-4-11	VA-7315-542-4-11
VA-7315-330-4-8	VA-7315-542-4-8
VA-7315-330-4-9	VA-7315-542-4-9
VA-7315-331-4-10	VA-7315-543-4-10
VA-7315-331-4-11	VA-7315-543-4-11
VA-7315-331-4-8	VA-7315-543-4-8
VA-7315-331-4-9	VA-7315-543-4-9
VA-7315-332-4-10	VA-7315-546-4-10
VA-7315-332-4-11	VA-7315-546-4-11
VA-7315-332-4-8	VA-7315-546-4-8
VA-7315-332-4-9	VA-7315-546-4-9
VA-7315-333-4-10	VA-7315-547-4-10
VA-7315-333-4-11	VA-7315-547-4-11
VA-7315-333-4-8	VA-7315-547-4-8
VA-7315-333-4-9	VA-7315-547-4-9
VA-7315-334-4-10	VA-7315-552-4-10
VA-7315-334-4-11	VA-7315-552-4-11
VA-7315-335-4-10	VA-7315-553-4-10
VA-7315-335-4-11	VA-7315-553-4-11
VA-7315-336-4-10	VA-7315-556-4-10
VA-7315-336-4-11	VA-7315-556-4-11
VA-7315-337-4-10	VA-7315-557-4-10
VA-7315-337-4-11	VA-7315-557-4-11
VA-7315-338-4-10	VA-7315-554-4-10
VA-7315-338-4-11	VA-7315-554-4-11
VA-7315-339-4-10	VA-7315-555-4-10
VA-7315-339-4-11	VA-7315-555-4-11
VA-7323-326-4-10	VA-7323-532-4-10
VA-7323-326-4-11	VA-7323-532-4-11
VA-7323-326-4-4	VA-7323-532-4-4
VA-7323-326-4-6	VA-7323-532-4-6
VA-7323-326-4-8	VA-7323-532-4-8
VA-7323-326-4-9	VA-7323-532-4-9
VA-7323-327-4-10	VA-7323-533-4-10
VA-7323-327-4-11	VA-7323-533-4-11
VA-7323-327-4-4	VA-7323-533-4-4
VA-7323-327-4-6	VA-7323-533-4-6

3-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VA-7323-327-4-8	VA-7323-533-4-8
VA-7323-327-4-9	VA-7323-533-4-9
VA-7323-328-4-10	VA-7323-536-4-10
VA-7323-328-4-11	VA-7323-536-4-11
VA-7323-328-4-4	VA-7323-536-4-4
VA-7323-328-4-6	VA-7323-536-4-6
VA-7323-328-4-8	VA-7323-536-4-8
VA-7323-328-4-9	VA-7323-536-4-9
VA-7323-329-4-10	VA-7323-537-4-10
VA-7323-329-4-11	VA-7323-537-4-11
VA-7323-329-4-4	VA-7323-537-4-4
VA-7323-329-4-6	VA-7323-537-4-6
VA-7323-329-4-8	VA-7323-537-4-8
VA-7323-329-4-9	VA-7323-537-4-9
VA-7323-330-4-10	VA-7323-532-4-10
VA-7323-330-4-11	VA-7323-532-4-11
VA-7323-330-4-8	VA-7323-532-4-8
VA-7323-330-4-9	VA-7323-532-4-9
VA-7323-331-4-10	VA-7323-533-4-10
VA-7323-331-4-11	VA-7323-533-4-11
VA-7323-331-4-8	VA-7323-533-4-8
VA-7323-331-4-9	VA-7323-533-4-9
VA-7323-332-4-10	VA-7323-536-4-10
VA-7323-332-4-11	VA-7323-536-4-11
VA-7323-332-4-8	VA-7323-536-4-8
VA-7323-332-4-9	VA-7323-536-4-9
VA-7323-333-4-10	VA-7323-537-4-10
VA-7323-333-4-11	VA-7323-537-4-11
VA-7323-333-4-8	VA-7323-537-4-8
VA-7323-333-4-9	VA-7323-537-4-9
VA-7323-334-4-10	VA-7323-532-4-10
VA-7323-334-4-11	VA-7323-532-4-11
VA-7323-335-4-10	VA-7323-533-4-10
VA-7323-335-4-11	VA-7323-533-4-11
VA-7323-336-4-10	VA-7323-536-4-10
VA-7323-336-4-11	VA-7323-536-4-11
VA-7323-337-4-10	VA-7323-537-4-10
VA-7323-337-4-11	VA-7323-537-4-11
VA-7323-338-4-10	VA-7323-534-4-10
VA-7323-338-4-11	VA-7323-534-4-11
VA-7323-339-4-10	VA-7323-535-4-10
VA-7323-339-4-11	VA-7323-535-4-11

FLOATING CONTROL

Ball Valve Assemblies

Note: The Ball Valve Assemblies cross-reference tables are listed alphanumerically by Linked Ball Valve Assembly model numbers in the middle column. The suggested TAC DuraLynx replacements are listed in the right-hand column.

2-Way Ball Valve Assy, SR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VF-2253-318-8-20	VF-2253-536-8-20	VF-2213-536-9-02 or VF-2213-536-9-03
—	VF-2253-536-8-20	VF-2213-536-9-02 or VF-2213-536-9-03
VF-2253-318-8-22	VF-2253-536-8-22	VF-2213-536-9-04
—	VF-2253-536-8-22	VF-2213-536-9-04
VF-2253-318-8-24	VF-2253-536-8-24	VF-2213-536-9-05
—	VF-2253-536-8-24	VF-2213-536-9-05
VF-2253-318-8-26	VF-2253-536-8-26	VF-2213-536-9-07 or VF-2213-536-9-17 ^a
—	VF-2253-536-8-26	VF-2213-536-9-17 ^a or VF-2213-536-9-07
—	VF-2253-536-8-44	VF-2213-536-9-18
—	VF-2253-536-8-46	VF-2213-536-9-27 ^a or VF-2213-536-9-18
VF-2253-319-8-20	VF-2253-537-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MF40-7043-501
—	VF-2253-537-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MF-7043-501
VF-2253-319-8-22	VF-2253-537-8-22	VB-2213-500-9-04 & MF40-7043-501
—	VF-2253-537-8-22	VB-2213-500-9-04 & MF-7043-501
VF-2253-319-8-24	VF-2253-537-8-24	VB-2213-500-9-05 & MF40-7043-501
—	VF-2253-537-8-24	VB-2213-500-9-05 & MF-7043-501
VF-2253-319-8-26	VF-2253-537-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MF40-7043-501
—	VF-2253-537-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07 & MF-7043-501
—	VF-2253-537-8-44	VB-2213-500-9-18 & MF-7043-501
—	VF-2253-537-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MF-7043-501
—	VF-2253-546-8-20	VF-2213-536-9-02 or VF-2213-536-9-03
—	VF-2253-546-8-22	VF-2213-536-9-04
—	VF-2253-546-8-24	VF-2213-536-9-05
—	VF-2253-546-8-26	VF-2213-536-9-17 ^a or VF-2213-536-9-07

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
—	VF-2253-546-8-44	VF-2213-536-9-18
—	VF-2253-546-8-46	VF-2213-536-9-27 ^a or VF-2213-536-9-18
—	VF-2253-547-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-547-8-22	VB-2213-500-9-04 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-547-8-24	VB-2213-500-9-05 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-547-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-547-8-44	VB-2213-500-9-18 & MX40-7043-501 (1 aux. sw.)
—	VF-2253-547-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-556-8-20	VF-2213-536-9-02 or VF-2213-536-9-03
—	VF-2253-556-8-22	VF-2213-536-9-04
—	VF-2253-556-8-24	VF-2213-536-9-05
—	VF-2253-556-8-26	VF-2213-536-9-17 ^a or VF-2213-536-9-07
—	VF-2253-556-8-44	VF-2213-536-9-18
—	VF-2253-556-8-46	VF-2213-536-9-27 ^a or VF-2213-536-9-18
—	VF-2253-556-8-54	VF-2213-536-9-45 ^a or VF-2213-536-9-27
—	VF-2253-556-8-64	VF-2213-536-9-45
—	VF-2253-557-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-22	VB-2213-500-9-04 & MX40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-24	VB-2213-500-9-05 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-44	VB-2213-500-9-18 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-557-8-64	VB-2213-500-9-45 & MX40-7043-501 (1 aux. sw.)
—	VF-2253-566-8-56 ^b	VF-2213-536-9-82 ^a or VF-2213-536-9-27
—	VF-2253-566-8-64 ^b	VF-2213-536-9-45
—	VF-2253-566-8-74 ^b	VF-2213-536-9-63 ^a or VF-2213-536-9-54
—	VF-2253-566-8-86 ^b	VF-2213-536-9-63

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
—	VF-2253-567-8-56 ^b	VB-2213-500-9-82 ^a or VB-2213-500-9-27 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-567-8-64 ^b	VB-2213-500-9-45 & MX40-7043-501 (1 aux. sw.)
—	VF-2253-567-8-74 ^b	VB-2213-500-9-63 ^a or VB-2213-500-9-54 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-567-8-86 ^b	VB-2213-500-9-63 & MF40-7043-501 (1 aux. sw.)
—	VF-2253-576-8-26	VF-2213-536-9-17 ^a or VF-2213-536-9-07
—	VF-2253-576-8-44	VF-2213-536-9-18
—	VF-2253-576-8-46	VF-2213-536-9-27 ^a or VF-2213-536-9-18
—	VF-2253-576-8-54	VF-2213-536-9-45 ^a or VF-2213-536-9-27
—	VF-2253-576-8-56	VF-2213-536-9-82 ^a or VF-2213-536-9-27
—	VF-2253-576-8-64	VF-2213-536-9-45
—	VF-2253-586-8-56 ^b	VF-2213-536-9-82 ^a or VF-2213-536-9-27
—	VF-2253-586-8-74 ^b	VF-2213-536-9-63 ^a or VF-2213-536-9-54
—	VF-2253-586-8-76 ^b	VF-2213-536-9-54
—	VF-2253-586-8-86 ^b	VF-2213-536-9-63

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, NSR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VF-2253-315-8-20	VF-2253-505-8-20	VF-2213-505-9-02 or VF-2213-505 -9-03
VF-2253-315-8-22	VF-2253-505-8-22	VF-2213-505-9-04
VF-2253-315-8-24	VF-2253-505-8-24	VF-2213-505-9-05
VF-2253-315-8-26	VF-2253-505-8-26	VF-2213-505-9-07 or VF-2213-505-9-17 ^a
—	VF-2253-505-8-54	VF-2213-505-9-45 ^a or VF-2213-505-9-27
VF-2253-314-8-20	VF-2253-506-8-20	VF-2213-505-9-02 or VF-2213-505-9-03
VF-2253-314-8-22	VF-2253-506-8-22	VF-2213-505-9-04
VF-2253-314-8-24	VF-2253-506-8-24	VF-2213-505-9-05
VF-2253-314-8-26	VF-2253-506-8-26	VF-2213-506-9-07 or VF-2213-506-9-17 ^a
VF-2253-311-8-20	VF-2253-508-8-20	VF-2213-505-9-02 or VF-2213-505-9-03
VF-2253-311-8-22	VF-2253-508-8-22	VF-2213-505-9-04
VF-2253-311-8-24	VF-2253-508-8-24	VF-2213-505-9-05
VF-2253-311-8-26	VF-2253-508-8-26	VF-2213-505-9-07 or VF-2213-505-9-17 ^a

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, NSR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VF-2253-311-8-44	VF-2253-508-8-44	VF-2213-505-9-18
VF-2253-314-8-44	VF-2253-508-8-44	VF-2213-505-9-18
VF-2253-311-8-46	VF-2253-508-8-46	VF-2213-505-9-27 ^a or VF-2213-505-9-18
VF-2253-314-8-46	VF-2253-508-8-46	VF-2213-505-9-27 ^a or VF-2213-505 -9-18
VF-2253-311-8-54	VF-2253-508-8-54	VF-2213-505-9-45 ^a or VF-2213-505-9-27
—	VF-2253-516-8-54	VF-2213-505-9-45 ^a or VF-2213-505-9-27
VF-2253-312-8-56	VF-2253-516-8-56	VF-2213-508-9-82 ^a or VF-2213-505-9-27
VF-2253-312-8-64	VF-2253-516-8-64	VF-2213-505-9-45
VF-2253-312-8-74	VF-2253-516-8-74	VF-2213-508-9-63 ^a or VF-2213-508-9-54
VF-2253-316-8-76 ^b	VF-2253-517-8-76 ^b	VF-2213-508-9-54
VF-2253-316-8-86 ^b	VF-2253-517-8-86 ^b	VF-2213-508-9-63
VF-2253-316-8-88 ^b	VF-2253-517-8-88 ^b	No replacement (consult PS3)

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, SR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
VF-2353-318-8-21	VF-2353-536-8-21	VF-2313-536-9-05
—	VF-2353-536-8-21	VF-2313-536-9-05
—	VF-2353-536-8-41	VF-2313-536-9-16
VF-2353-319-8-21	VF-2353-537-8-21	VF-2313-505-9-05
—	VF-2353-537-8-21	VB-2313-500-9-05 & MF-7043-501
—	VF-2353-537-8-41	VB-2313-500-9-16 & MF-7043-501
—	VF-2353-546-8-21	VF-2313-536-9-05
—	VF-2353-546-8-41	VF-2313-536-9-16
—	VF-2353-547-8-21	VB-2313-500-9-05 & MF40-7043-501 (1 aux. sw.)
—	VF-2353-547-8-41	VB-2313-500-9-16 & MF40-7043-501 (1 aux. sw.)
—	VF-2353-556-8-21	VF-2313-536-9-05
—	VF-2353-556-8-41	VF-2313-536-9-16
—	VF-2353-556-8-51	VF-2313-536-9-30
—	VF-2353-557-8-21	VB-2313-500-9-05 & MF40-7043-501 (1 aux. sw.)
—	VF-2353-557-8-41	VB-2313-500-9-16 & MF40-7043-501 (1 aux. sw.)

a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

c. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
—	VF-2353-557-8-51	VB-2313-500-9-30 & MX40-7043-501 (1 aux. sw.)
—	VF-2353-566-8-61 ^c	VF-2313-536-9-54 ^b or VF-2313-536-9-44
—	VF-2353-566-8-71 ^c	VF-2313-536-9-46 ^b or VF-2313-536-9-54
—	VF-2353-566-8-81 ^c	VF-2313-536-9-63
—	VF-2353-567-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MF40-7043-501 (1 aux. sw.)
—	VF-2353-567-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MF40-7043-501 (1 aux. sw.)
—	VF-2353-567-8-81 ^c	VB-2313-500-9-63 & MF40-7043-501 (1 aux. sw.)
—	VF-2353-576-8-21	VF-2313-536-9-05
—	VF-2353-576-8-41	VF-2313-536-9-16
—	VF-2353-576-8-51	VF-2313-536-9-30
—	VF-2353-576-8-61	VF-2313-536-9-54 ^b or VF-2313-536-9-44
—	VF-2353-586-8-61 ^c	VF-2313-536-9-54 ^b or VF-2313-536-9-44
—	VF-2353-586-8-71 ^c	VF-2313-536-9-46 ^b or VF-2313-536-9-54
—	VF-2353-586-8-81 ^c	VF-2313-536-9-63

- a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.
- b. Indicates replacement is different line size.
- c. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, NSR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
VF-2353-315-8-21	VF-2353-505-8-21	VF-2313-505-9-05
—	VF-2353-505-8-63	VF-2313-536-9-63
VF-2353-314-8-21	VF-2353-506-8-21	VF-2313-505-9-05
VF-2353-314-8-41	VF-2353-506-8-41	VF-2313-505-9-16
VF-2353-311-8-21	VF-2353-508-8-21	VF-2313-505-9-05
VF-2353-311-8-41	VF-2353-508-8-41	VF-2313-505-9-16
VF-2353-311-8-51	VF-2353-508-8-51	VF-2313-505-9-30
VF-2353-312-8-51	VF-2353-516-8-51	VF-2313-505-9-30
VF-2353-312-8-61	VF-2353-516-8-61	VF-2313-508-9-54 ^b or VF-2313-505-9-44
VF-2353-312-8-71	VF-2353-516-8-71	VF-2313-505-9-46 ^b or VF-2313-508-9-54
—	VF-2353-516-8-81	VF-2313-536-9-63
VF-2353-316-8-81 ^c	VF-2353-517-8-81 ^c	VF-2313-508-9-63

- a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.
- b. Indicates replacement is different line size.
- c. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

Globe Valve Assemblies

Note: The Globe Valve Assemblies cross-reference tables are listed alphanumerically by SEC Assembly model numbers in the left-hand column. The suggested TAC replacements are listed in the right-hand column.

2-Way Globe Valve Assy, SR

SEC Assembly Model Number	TAC Assembly Model Number
VF-7211-318-4-1	VF-7211-536-4-1
VF-7211-318-4-2	VF-7211-536-4-2
VF-7211-318-4-3	VF-7211-536-4-3
VF-7211-318-4-4	VF-7211-536-4-4
VF-7211-318-4-5	VF-7211-536-4-5
VF-7211-318-4-6	VF-7211-536-4-6
VF-7211-318-4-7	VF-7211-536-4-7
VF-7211-318-4-8	VF-7211-536-4-8
VF-7211-318-4-9	VF-7211-536-4-9
VF-7211-319-4-1	VF-7211-537-4-1
VF-7211-319-4-2	VF-7211-537-4-2
VF-7211-319-4-3	VF-7211-537-4-3
VF-7211-319-4-4	VF-7211-537-4-4
VF-7211-319-4-5	VF-7211-537-4-5
VF-7211-319-4-6	VF-7211-537-4-6
VF-7211-319-4-7	VF-7211-537-4-7
VF-7211-319-4-8	VF-7211-537-4-8
VF-7211-319-4-9	VF-7211-537-4-9
VF-7213-318-4-1	VF-7213-536-4-1
VF-7213-318-4-2	VF-7213-536-4-2
VF-7213-318-4-3	VF-7213-536-4-3
VF-7213-318-4-4	VF-7213-536-4-4
VF-7213-318-4-5	VF-7213-536-4-5
VF-7213-318-4-6	VF-7213-536-4-6
VF-7213-318-4-7	VF-7213-536-4-7
VF-7213-318-4-8	VF-7213-536-4-8
VF-7213-318-4-9	VF-7213-536-4-9
VF-7213-319-4-1	VF-7213-537-4-1
VF-7213-319-4-2	VF-7213-537-4-2
VF-7213-319-4-3	VF-7213-537-4-3
VF-7213-319-4-4	VF-7213-537-4-4
VF-7213-319-4-5	VF-7213-537-4-5
VF-7213-319-4-6	VF-7213-537-4-6
VF-7213-319-4-7	VF-7213-537-4-7
VF-7213-319-4-8	VF-7213-537-4-8
VF-7213-319-4-9	VF-7213-537-4-9
VF-7215-318-4-1	VF-7215-536-4-1
VF-7215-318-4-2	VF-7215-536-4-2
VF-7215-318-4-3	VF-7215-536-4-3
VF-7215-318-4-4	VF-7215-536-4-4
VF-7215-318-4-5	VF-7215-536-4-5
VF-7215-318-4-6	VF-7215-536-4-6
VF-7215-318-4-7	VF-7215-536-4-7

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VF-7215-318-4-8	VF-7215-536-4-8
VF-7215-318-4-9	VF-7215-536-4-9
VF-7215-319-4-1	VF-7215-537-4-1
VF-7215-319-4-2	VF-7215-537-4-2
VF-7215-319-4-3	VF-7215-537-4-3
VF-7215-319-4-4	VF-7215-537-4-4
VF-7215-319-4-5	VF-7215-537-4-5
VF-7215-319-4-6	VF-7215-537-4-6
VF-7215-319-4-7	VF-7215-537-4-7
VF-7215-319-4-8	VF-7215-537-4-8
VF-7215-319-4-9	VF-7215-537-4-9
VF-7221-318-4-1	VF-7221-536-4-1
VF-7221-318-4-2	VF-7221-536-4-2
VF-7221-318-4-3	VF-7221-536-4-3
VF-7221-318-4-4	VF-7221-536-4-4
VF-7221-318-4-5	VF-7221-536-4-5
VF-7221-318-4-6	VF-7221-536-4-6
VF-7221-318-4-7	VF-7221-536-4-7
VF-7221-318-4-8	VF-7221-536-4-8
VF-7221-318-4-9	VF-7221-536-4-9
VF-7221-319-4-1	VF-7221-537-4-1
VF-7221-319-4-2	VF-7221-537-4-2
VF-7221-319-4-3	VF-7221-537-4-3
VF-7221-319-4-4	VF-7221-537-4-4
VF-7221-319-4-5	VF-7221-537-4-5
VF-7221-319-4-6	VF-7221-537-4-6
VF-7221-319-4-7	VF-7221-537-4-7
VF-7221-319-4-8	VF-7221-537-4-8
VF-7221-319-4-9	VF-7221-537-4-9
VF-7223-318-4-1	VF-7223-536-4-1
VF-7223-318-4-2	VF-7223-536-4-2
VF-7223-318-4-3	VF-7223-536-4-3
VF-7223-318-4-4	VF-7223-536-4-4
VF-7223-318-4-5	VF-7223-536-4-5
VF-7223-318-4-6	VF-7223-536-4-6
VF-7223-318-4-7	VF-7223-536-4-7
VF-7223-318-4-8	VF-7223-536-4-8
VF-7223-318-4-9	VF-7223-536-4-9
VF-7223-319-4-1	VF-7223-537-4-1
VF-7223-319-4-2	VF-7223-537-4-2
VF-7223-319-4-3	VF-7223-537-4-3
VF-7223-319-4-4	VF-7223-537-4-4
VF-7223-319-4-5	VF-7223-537-4-5
VF-7223-319-4-6	VF-7223-537-4-6
VF-7223-319-4-7	VF-7223-537-4-7
VF-7223-319-4-8	VF-7223-537-4-8
VF-7223-319-4-9	VF-7223-537-4-9
VF-7225-318-4-1	VF-7225-536-4-1
VF-7225-318-4-2	VF-7225-536-4-2
VF-7225-318-4-3	VF-7225-536-4-3

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VF-7225-318-4-4	VF-7225-536-4-4
VF-7225-318-4-5	VF-7225-536-4-5
VF-7225-318-4-6	VF-7225-536-4-6
VF-7225-318-4-7	VF-7225-536-4-7
VF-7225-318-4-8	VF-7225-536-4-8
VF-7225-318-4-9	VF-7225-536-4-9
VF-7225-319-4-1	VF-7225-537-4-1
VF-7225-319-4-2	VF-7225-537-4-2
VF-7225-319-4-3	VF-7225-537-4-3
VF-7225-319-4-4	VF-7225-537-4-4
VF-7225-319-4-5	VF-7225-537-4-5
VF-7225-319-4-6	VF-7225-537-4-6
VF-7225-319-4-7	VF-7225-537-4-7
VF-7225-319-4-8	VF-7225-537-4-8
VF-7225-319-4-9	VF-7225-537-4-9

2-Way Globe Valve Assy, NSR

SEC Assembly Model Number	TAC Assembly Model Number
VF-7211-311-4-9	VF-7211-508-4-9
VF-7211-314-4-7	VF-7211-506-4-7
VF-7211-314-4-8	VF-7211-506-4-8
VF-7211-314-4-9	VF-7211-506-4-9
VF-7211-315-4-1	VF-7211-505-4-1
VF-7211-315-4-2	VF-7211-505-4-2
VF-7211-315-4-3	VF-7211-505-4-3
VF-7211-315-4-4	VF-7211-505-4-4
VF-7211-315-4-5	VF-7211-505-4-5
VF-7211-315-4-6	VF-7211-505-4-6
VF-7211-315-4-7	VF-7211-505-4-7
VF-7211-315-4-8	VF-7211-505-4-8
VF-7211-315-4-9	VF-7211-505-4-9
VF-7213-311-4-10	VF-7213-508-4-10
VF-7213-311-4-11	VF-7213-508-4-11
VF-7213-311-4-9	VF-7213-508-4-9
VF-7213-314-4-10	VF-7213-506-4-10
VF-7213-314-4-11	VF-7213-506-4-11
VF-7213-314-4-7	VF-7213-506-4-7
VF-7213-314-4-8	VF-7213-506-4-8
VF-7213-314-4-9	VF-7213-506-4-9
VF-7213-315-4-1	VF-7213-505-4-1
VF-7213-315-4-2	VF-7213-505-4-2
VF-7213-315-4-3	VF-7213-505-4-3
VF-7213-315-4-4	VF-7213-505-4-4
VF-7213-315-4-5	VF-7213-505-4-5
VF-7213-315-4-6	VF-7213-505-4-6
VF-7213-315-4-7	VF-7213-505-4-7
VF-7213-315-4-8	VF-7213-505-4-8
VF-7213-315-4-9	VF-7213-505-4-9
VF-7215-311-4-10	VF-7215-508-4-10

2-Way Globe Valve Assy, NSR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VF-7215-311-4-11	VF-7215-508-4-11
VF-7215-311-4-9	VF-7215-508-4-9
VF-7215-314-4-10	VF-7215-506-4-10
VF-7215-314-4-11	VF-7215-506-4-11
VF-7215-314-4-7	VF-7215-506-4-7
VF-7215-314-4-8	VF-7215-506-4-8
VF-7215-314-4-9	VF-7215-506-4-9
VF-7215-315-4-1	VF-7215-505-4-1
VF-7215-315-4-2	VF-7215-505-4-2
VF-7215-315-4-3	VF-7215-505-4-3
VF-7215-315-4-4	VF-7215-505-4-4
VF-7215-315-4-5	VF-7215-505-4-5
VF-7215-315-4-6	VF-7215-505-4-6
VF-7215-315-4-7	VF-7215-505-4-7
VF-7215-315-4-8	VF-7215-505-4-8
VF-7215-315-4-9	VF-7215-505-4-9
VF-7221-311-4-9	VF-7221-508-4-9
VF-7221-314-4-7	VF-7221-506-4-7
VF-7221-314-4-8	VF-7221-506-4-8
VF-7221-314-4-9	VF-7221-506-4-9
VF-7221-315-4-1	VF-7221-505-4-1
VF-7221-315-4-2	VF-7221-505-4-2
VF-7221-315-4-3	VF-7221-505-4-3
VF-7221-315-4-4	VF-7221-505-4-4
VF-7221-315-4-5	VF-7221-505-4-5
VF-7221-315-4-6	VF-7221-505-4-6
VF-7221-315-4-7	VF-7221-505-4-7
VF-7221-315-4-8	VF-7221-505-4-8
VF-7221-315-4-9	VF-7221-505-4-9
VF-7223-311-4-10	VF-7223-508-4-10
VF-7223-311-4-11	VF-7223-508-4-11
VF-7223-311-4-9	VF-7223-508-4-9
VF-7223-314-4-10	VF-7223-506-4-10
VF-7223-314-4-11	VF-7223-506-4-11
VF-7223-314-4-7	VF-7223-506-4-7
VF-7223-314-4-8	VF-7223-506-4-8
VF-7223-314-4-9	VF-7223-506-4-9
VF-7223-315-4-1	VF-7223-505-4-1
VF-7223-315-4-2	VF-7223-505-4-2
VF-7223-315-4-3	VF-7223-505-4-3
VF-7223-315-4-4	VF-7223-505-4-4
VF-7223-315-4-5	VF-7223-505-4-5
VF-7223-315-4-6	VF-7223-505-4-6
VF-7223-315-4-7	VF-7223-505-4-7
VF-7223-315-4-8	VF-7223-505-4-8
VF-7223-315-4-9	VF-7223-505-4-9
VF-7225-311-4-10	VF-7225-508-4-10
VF-7225-311-4-11	VF-7225-508-4-11
VF-7225-311-4-9	VF-7225-508-4-9
VF-7225-314-4-10	VF-7225-506-4-10

2-Way Globe Valve Assy, NSR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VF-7225-314-4-11	VF-7225-506-4-11
VF-7225-314-4-7	VF-7225-506-4-7
VF-7225-314-4-8	VF-7225-506-4-8
VF-7225-314-4-9	VF-7225-506-4-9
VF-7225-315-4-1	VF-7225-505-4-1
VF-7225-315-4-2	VF-7225-505-4-2
VF-7225-315-4-3	VF-7225-505-4-3
VF-7225-315-4-4	VF-7225-505-4-4
VF-7225-315-4-5	VF-7225-505-4-5
VF-7225-315-4-6	VF-7225-505-4-6
VF-7225-315-4-7	VF-7225-505-4-7
VF-7225-315-4-8	VF-7225-505-4-8
VF-7225-315-4-9	VF-7225-505-4-9

3-Way Globe Valve Assy, SR

SEC Assembly Model Number	TAC Assembly Model Number
VF-7313-318-4-2	VF-7313-536-4-2
VF-7313-318-4-4	VF-7313-536-4-4
VF-7313-318-4-6	VF-7313-536-4-6
VF-7313-318-4-8	VF-7313-536-4-8
VF-7313-318-4-9	VF-7313-536-4-9
VF-7313-319-4-2	VF-7313-537-4-2
VF-7313-319-4-4	VF-7313-537-4-4
VF-7313-319-4-6	VF-7313-537-4-6
VF-7313-319-4-8	VF-7313-537-4-8
VF-7313-319-4-9	VF-7313-537-4-9
VF-7315-318-4-2	VF-7315-536-4-2
VF-7315-318-4-4	VF-7315-536-4-4
VF-7315-318-4-6	VF-7315-536-4-6
VF-7315-318-4-8	VF-7315-536-4-8
VF-7315-318-4-9	VF-7315-536-4-9
VF-7315-319-4-2	VF-7315-537-4-2
VF-7315-319-4-4	VF-7315-537-4-4
VF-7315-319-4-6	VF-7315-537-4-6
VF-7315-319-4-8	VF-7315-537-4-8
VF-7315-319-4-9	VF-7315-537-4-9
VF-7323-318-4-10	VF-7323-536-4-10
VF-7323-318-4-11	VF-7323-536-4-11
VF-7323-318-4-4	VF-7323-536-4-4
VF-7323-318-4-6	VF-7323-536-4-6
VF-7323-318-4-8	VF-7323-536-4-8
VF-7323-318-4-9	VF-7323-536-4-9
VF-7323-319-4-10	VF-7323-537-4-10
VF-7323-319-4-11	VF-7323-537-4-11
VF-7323-319-4-4	VF-7323-537-4-4
VF-7323-319-4-6	VF-7323-537-4-6
VF-7323-319-4-8	VF-7323-537-4-8
VF-7323-319-4-9	VF-7323-537-4-9

3-Way Globe Valve Assy, NSR

SEC Assembly Model Number	TAC Assembly Model Number
VF-7313-311-4-10	VF-7313-508-4-10
VF-7313-311-4-11	VF-7313-508-4-11
VF-7313-314-4-10	VF-7313-506-4-10
VF-7313-314-4-11	VF-7313-506-4-11
VF-7313-314-4-8	VF-7313-506-4-8
VF-7313-314-4-9	VF-7313-506-4-9
VF-7313-315-4-2	VF-7313-505-4-2
VF-7313-315-4-4	VF-7313-505-4-4
VF-7313-315-4-6	VF-7313-505-4-6
VF-7313-315-4-8	VF-7313-505-4-8
VF-7313-315-4-9	VF-7313-505-4-9
VF-7315-311-4-10	VF-7315-508-4-10
VF-7315-311-4-11	VF-7315-508-4-11
VF-7315-314-4-10	VF-7315-506-4-10
VF-7315-314-4-11	VF-7315-506-4-11
VF-7315-314-4-8	VF-7315-506-4-8
VF-7315-314-4-9	VF-7315-506-4-9
VF-7315-315-4-2	VF-7315-505-4-2
VF-7315-315-4-4	VF-7315-505-4-4
VF-7315-315-4-6	VF-7315-505-4-6
VF-7315-315-4-8	VF-7315-505-4-8
VF-7315-315-4-9	VF-7315-505-4-9
VF-7323-311-4-10	VF-7323-315-4-8
VF-7323-311-4-11	VF-7323-315-4-8
VF-7323-314-4-10	VF-7323-315-4-8
VF-7323-314-4-11	VF-7323-315-4-8
VF-7323-314-4-8	VF-7323-315-4-8
VF-7323-314-4-9	VF-7323-315-4-8
VF-7323-315-4-10	VF-7323-505-4-10
VF-7323-315-4-11	VF-7323-505-4-11
VF-7323-315-4-4	VF-7323-505-4-4
VF-7323-315-4-6	VF-7323-505-4-6
VF-7323-315-4-8	VF-7323-505-4-8
VF-7323-315-4-9	VF-7323-505-4-9

PROPORTIONAL CONTROL

Ball Valve Assemblies

Note: The Ball Valve Assemblies cross-reference tables are listed alphanumerically by Linked Ball Valve Assembly model numbers in the middle column. The suggested TAC DuraLynx replacements are listed in the right-hand column.

2-Way Ball Valve Assy, SR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VS-2253-395-8-20	VS-2253-536-8-20	VS-2213-536-9-02 or VS-2213-536-9-03
—	VS-2253-536-8-20	VS-2213-536-9-02 or VS-2213-536-9-03
VS-2253-395-8-22	VS-2253-536-8-22	VS-2213-536-9-04
—	VS-2253-536-8-22	VS-2213-536-9-04
VS-2253-395-8-24	VS-2253-536-8-24	VS-2213-536-9-05
—	VS-2253-536-8-24	VS-2213-536-9-05
VS-2253-395-8-26	VS-2253-536-8-26	VS-2213-536-9-07 or VS-2213-536-9-17 ^a
—	VS-2253-536-8-26	VS-2213-536-9-17 ^a or VS-2213-536-9-07
—	VS-2253-536-8-44	VS-2213-536-9-18
—	VS-2253-536-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18
VS-2253-396-8-20	VS-2253-537-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MS40-7043-501
—	VS-2253-537-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MS-7043-501
VS-2253-396-8-22	VS-2253-537-8-22	VB-2213-500-9-04 & MS40-7043-501
—	VS-2253-537-8-22	VB-2213-500-9-04 & MS-7043-501
VS-2253-396-8-24	VS-2253-537-8-24	VB-2213-500-9-05 & MS40-7043-501
—	VS-2253-537-8-24	VB-2213-500-9-05 & MS-7043-501
VS-2253-396-8-26	VS-2253-537-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a & MS40-7043-501
—	VS-2253-537-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07 & MS-7043-501
—	VS-2253-537-8-44	VB-2213-500-9-18 & MS-7043-501
—	VS-2253-537-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MS-7043-501
VS-2253-390-8-20	VS-2253-546-8-20	VS-2213-536-9-02 or VS-2213-536-9-03
—	VS-2253-546-8-20	VS-2213-536-9-02 or VS-2213-536-9-03
VS-2253-390-8-22	VS-2253-546-8-22	VS-2213-536-9-04
—	VS-2253-546-8-22	VS-2213-536-9-04

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VS-2253-390-8-24	VS-2253-546-8-24	VS-2213-536-9-05
—	VS-2253-546-8-24	VS-2213-536-9-05
VS-2253-390-8-26	VS-2253-546-8-26	VS-2213-536-9-07 or VS-2213-536-9-17 ^a
—	VS-2253-546-8-26	VS-2213-536-9-17 ^a or VS-2213-536-9-07
VS-2253-390-8-44	VS-2253-546-8-44	VS-2213-536-9-18
—	VS-2253-546-8-44	VS-2213-536-9-18
VS-2253-390-8-46	VS-2253-546-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18-
—	VS-2253-546-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18
—	VS-2253-547-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-547-8-22	VB-2213-500-9-04 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-547-8-24	VB-2213-500-9-05 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-547-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-547-8-44	VB-2213-500-9-18 & MX40-7043-501 (1 aux. sw.)
—	VS-2253-547-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MS40-7043-501 (1 aux. sw.)
VS-2253-391-8-20	VS-2253-556-8-20	VS-2213-536-9-02 or VS-2213-536-9-03
—	VS-2253-556-8-20	VS-2213-536-9-02 or VS-2213-536-9-03
VS-2253-391-8-22	VS-2253-556-8-22	VS-2213-536-9-04
VS-2253-391-8-24	VS-2253-556-8-24	VS-2213-536-9-05
—	VS-2253-556-8-24	VS-2213-536-9-05
VS-2253-391-8-26	VS-2253-556-8-26	VS-2213-536-9-07 or VS-2213-536-9-17 ^a
—	VS-2253-556-8-26	VS-2213-536-9-17 ^a or VS-2213-536-9-07
VS-2253-391-8-44	VS-2253-556-8-44	VS-2213-536-9-18
—	VS-2253-556-8-44	VS-2213-536-9-18
VS-2253-391-8-46	VS-2253-556-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18
—	VS-2253-556-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18
VS-2253-391-8-54	VS-2253-556-8-54	VS-2213-536-9-45 ^a or VS-2213-536-9-27
—	VS-2253-556-8-54	VS-2213-536-9-45 ^a or VS-2213-536-9-27
—	VS-2253-556-8-64	VS-2213-536-9-45
—	VS-2253-557-8-20	VB-2213-500-9-02 or VB-2213-500-9-03 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-557-8-22	VB-2213-500-9-04 & MX40-7043-501 (1 aux. sw.)
—	VS-2253-557-8-24	VB-2213-500-9-05 & MS40-7043-501 (1 aux. sw.)

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
—	VS-2253-557-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-557-8-44	VB-2213-500-9-18 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-557-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-557-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-557-8-64	VB-2213-500-9-45 & MX40-7043-501 (1 aux. sw.)
—	VS-2253-566-8-56 ^b	VS-2213-536-9-82 ^a or VS-2213-536-9-27
VS-2253-394-8-56 ^b	VS-2253-566-8-56 ^b	VS-2213-536-9-82 ^a or VS-2213-536-9-27
—	VS-2253-566-8-64 ^b	VS-2213-536-9-45
VS-2253-394-8-64 ^b	VS-2253-566-8-64 ^b	VS-2213-536-9-45
VS-2253-394-8-74 ^b	VS-2253-566-8-74 ^b	VS-2213-536-9-63 ^a or VS-2213-536-9-54
—	VS-2253-566-8-86 ^b	VS-2213-536-9-63
—	VS-2253-567-8-56 ^b	VB-2213-500-9-82 ^a or VB-2213-500-9-27 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-567-8-64 ^b	VB-2213-500-9-45 & MX40-7043-501 (1 aux. sw.)
—	VS-2253-567-8-74 ^b	VB-2213-500-9-63 ^a or VB-2213-500-9-54 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-567-8-86 ^b	VB-2213-500-9-63 & MS40-7043-501 (1 aux. sw.)
—	VS-2253-572-8-26	VS-2213-536-9-17 ^a or VS-2213-536-9-07 & Transformer
—	VS-2253-572-8-44	VS-2213-536-9-18 & Transformer
—	VS-2253-572-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18 & Transformer
—	VS-2253-572-8-54	VS-2213-536-9-45 ^a or VS-2213-536-9-27 & Transformer
—	VS-2253-572-8-56	VS-2213-536-9-82 ^a or VS-2213-536-9-27 & Transformer
—	VS-2253-572-8-64	VS-2213-536-9-45
—	VS-2253-574-8-26	VS-2213-536-9-17 ^a or VS-2213-536-9-07 & Transformer
—	VS-2253-574-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18 & Transformer
—	VS-2253-574-8-54	VS-2213-574-8-54
—	VS-2253-574-8-56	VS-2213-536-9-82 ^a or VS-2213-536-9-27 & Transformer
—	VS-2253-574-8-64	VS-2213-536-9-45 & Transformer

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
—	VS-2253-576-8-26	VS-2213-536-9-17 ^a or VS-2213-536-9-07
—	VS-2253-576-8-44	VS-2213-536-9-18
—	VS-2253-576-8-46	VS-2213-536-9-27 ^a or VS-2213-536-9-18
—	VS-2253-576-8-54	VS-2213-536-9-45 ^a or VS-2213-536-9-27
—	VS-2253-576-8-56	VS-2213-536-9-82 ^a or VS-2213-536-9-27
—	VS-2253-576-8-64	VS-2213-536-9-45

a. Indicates replacement is different line size.

b. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

2-Way Ball Valve Assy, NSR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VS-2253-452-8-20	VS-2253-505-8-20	VS-2213-505-9-02 or VS-2213-505-9-03
—	VS-2253-505-8-20	VS-2213-505-9-02 or VS-2213-505-9-03
VS-2253-452-8-22	VS-2253-505-8-22	VS-2213-505-9-04
—	VS-2253-505-8-22	VS-2213-505-9-04
VS-2253-452-8-24	VS-2253-505-8-24	VS-2213-505-9-05
—	VS-2253-505-8-24	VS-2213-505-9-05
VS-2253-452-8-26	VS-2253-505-8-26	VS-2213-505-9-07 or VS-2213-505-9-17 ^a
—	VS-2253-505-8-26	VS-2213-505-9-07 or VS-2213-505-9-17 ^a
VS-2253-453-8-20	VS-2253-506-8-20	VS-2213-505-9-02 or VS-2213-505-9-03
—	VS-2253-506-8-20	VS-2213-505-9-02 or VS-2213-505-9-03
VS-2253-453-8-22	VS-2253-506-8-22	VS-2213-505-9-04
—	VS-2253-506-8-22	VS-2213-505-9-04
VS-2253-453-8-24	VS-2253-506-8-24	VS-2213-505-9-05
—	VS-2253-506-8-24	VS-2213-505-9-05
VS-2253-453-8-26	VS-2253-506-8-26	VS-2213-505-9-07 or VS-2213-505-9-17 ^a
—	VS-2253-506-8-26	VS-2213-505-9-07 or VS-2213-505-9-17 ^a
VS-2253-450-8-20	VS-2253-508-8-20	VS-2213-505-9-02 or VS-2213-505-9-03
—	VS-2253-508-8-20	VS-2213-505-9-02 or VS-2213-505-9-03
VS-2253-450-8-22	VS-2253-508-8-22	VS-2213-505-9-04
—	VS-2253-508-8-22	VS-2213-505-9-04
VS-2253-450-8-24	VS-2253-508-8-24	VS-2213-505-9-05
—	VS-2253-508-8-24	VS-2213-505-9-05
VS-2253-450-8-26	VS-2253-508-8-26	VS-2213-505-9-07 or VS-2213-505-9-17 ^a
—	VS-2253-508-8-26	VS-2213-505-9-07 or VS-2213-505-9-17 ^a

a. Indicates replacement is different line size.

PROPORTIONAL CONTROL

2-Way Ball Valve Assy, NSR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
VS-2253-450-8-44	VS-2253-508-8-44	VS-2213-505-9-18
VS-2253-453-8-44	VS-2253-508-8-44	VS-2213-505-9-18
—	VS-2253-508-8-44	VS-2213-505-9-18
VS-2253-450-8-46	VS-2253-508-8-46	VS-2213-505-9-27 ^a or VS-2213-505-9-18
VS-2253-453-8-46	VS-2253-508-8-46	VS-2213-505-9-27 ^a or VS-2213-505-9-18
—	VS-2253-508-8-46	VS-2213-505-9-18 or VS-2213-505-9-27 ^a
VS-2253-450-8-54	VS-2253-508-8-54	VS-2213-505-9-45 or VS-2213-505-9-27 ^a
—	VS-2253-508-8-54	VS-2213-505-9-45 ^a or VS-2213-505-9-27
—	VS-2253-512-8-54	VS-2213-505-9-45 ^a or VS-2213-505-9-27
—	VS-2253-512-8-56	VS-2213-505-9-27 or VS-2213-508-9-82 ^a
—	VS-2253-512-8-64	VS-2213-505-9-45
—	VS-2253-512-8-74	VS-2213-508-9-63 ^a or VS-2213-508-9-54
—	VS-2253-512-8-86	VS-2213-508-9-63 or VS-2213-508-9-83 ^a
—	VS-2253-514-8-54	VS-2213-505-9-45 ^a or VS-2213-505-9-27 & Transformer
—	VS-2253-514-8-56	VS-2213-505-9-27 or VS-2213-508-9-82 ^a & Transformer
—	VS-2253-514-8-64	VS-2213-505-9-45 & Transformer
—	VS-2253-514-8-74	VB-2213-500-9-63 ^a or VB-2313-500-9-54 & MS40-6341
—	VS-2253-514-8-86	VB-2213-500-9-63 & MS40-6341
—	VS-2253-516-8-54	VS-2213-505-9-45 ^a or VS-2213-505-9-27
VS-2253-451-8-56	VS-2253-516-8-56	VS-2213-508-9-82 ^a or VS-2213-505-9-27
—	VS-2253-516-8-56	VS-2213-508-9-82 ^a or VS-2213-505-9-27
VS-2253-451-8-64	VS-2253-516-8-64	VS-2213-505-9-45
—	VS-2253-516-8-64	VS-2213-505-9-45
VS-2253-451-8-74	VS-2253-516-8-74	VS-2213-508-9-63 ^a or VS-2213-508-9-54
—	VS-2253-516-8-86	VS-2213-508-9-63

a. Indicates replacement is different line size.

3-Way Ball Valve Assy, SR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
—	VS-2353-505-8-21	VS-2313-536-9-05
—	VS-2353-506-8-21	VS-2313-536-9-05
—	VS-2353-506-8-41	VS-2313-536-9-16
—	VS-2353-508-8-21	VS-2313-536-9-05
—	VS-2353-508-8-41	VS-2313-536-9-16
—	VS-2353-508-8-51	VS-2313-536-9-30
—	VS-2353-512-8-51	VS-2313-536-9-30
—	VS-2353-512-8-61	VS-2313-536-9-54 ^b or VS-2313-536-9-44
—	VS-2353-512-8-71	VS-2313-536-9-46 ^b or VS-2313-536-9-54
—	VS-2353-512-8-81	VS-2313-536-9-63
—	VS-2353-514-8-51	VS-2313-536-9-30 & Transformer
—	VS-2353-514-8-61	VS-2313-536-9-54 ^b or -44 & Transformer
—	VS-2353-514-8-71	VS-2313-536-9-46 ^b or VS-2313-536-9-54 & Transformer
—	VS-2353-514-8-81	VS-2313-536-9-63 & Transformer
—	VS-2353-516-8-51	VS-2313-536-9-30
—	VS-2353-516-8-61	VS-2313-536-9-54 ^b or VS-2313-536-9-44
—	VS-2353-516-8-71	VS-2313-536-9-46 ^b or VS-2313-536-9-54
—	VS-2353-516-8-81	VS-2313-536-9-63
VS-2353-395-8-21	VS-2353-536-8-21	VS-2313-536-9-05
—	VS-2353-536-8-21	VS-2313-536-9-05
—	VS-2353-536-8-41	VS-2313-536-9-16
VS-2353-396-8-21	VS-2353-537-8-21	VB-2313-500-9-05 & MS40-7043-501
—	VS-2353-537-8-21	VB-2313-500-9-05 & MS-7043-501
—	VS-2353-537-8-41	VB-2313-500-9-16 & MS-7043-501
VS-2353-390-8-21	VS-2353-546-8-21	VS-2313-536-9-05
—	VS-2353-546-8-21	VS-2313-536-9-05
VS-2353-390-8-41	VS-2353-546-8-41	VS-2313-536-9-16
—	VS-2353-546-8-41	VS-2313-536-9-16
—	VS-2353-547-8-21	VB-2313-500-9-05 & MS40-7043-501 (1 aux. sw.)
—	VS-2353-547-8-41	VB-2313-500-9-16 & MX40-7043-501 (1 aux. sw.)
VS-2353-391-8-21	VS-2353-556-8-21	VS-2313-536-9-05
—	VS-2353-556-8-21	VS-2313-536-9-05
VS-2353-391-8-41	VS-2353-556-8-41	VS-2313-536-9-16
—	VS-2353-556-8-41	VS-2313-536-9-16

a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

c. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
—	VS-2353-556-8-51	VS-2313-536-9-30
—	VS-2353-557-8-21	VB-2313-500-9-05 & MS40-7043-501 (1 aux. sw.)
—	VS-2353-557-8-41	VB-2313-500-9-16 & MS40-7043-501 (1 aux. sw.)
—	VS-2353-557-8-51	VB-2313-500-9-30 & MS40-7043-501 (1 aux. sw.)
VS-2353-391-8-61	VS-2353-566-8-61	VS-2313-536-9-54 ^b or VS-2313-536-9-44
VS-2353-394-8-61 ^c	VS-2353-566-8-61 ^c	VS-2313-536-9-54 ^b or VS-2313-536-9-44
—	VS-2353-566-8-61 ^c	VS-2313-536-9-54 ^b or VS-2313-536-9-44
VS-2353-394-8-71 ^c	VS-2353-566-8-71 ^c	VS-2313-536-9-46 ^b or VS-2313-536-9-54
—	VS-2353-566-8-71 ^c	VS-2313-536-9-46 ^b or VS-2313-536-9-54
—	VS-2353-566-8-81 ^c	VS-2313-536-9-63
—	VS-2353-567-8-61 ^c	VB-2313-500-9-54 ^b or VB-2313-500-9-44 & MS40-7043-501 (1 aux. sw.)
—	VS-2353-567-8-71 ^c	VB-2313-500-9-46 ^b or VB-2313-500-9-54 & MS40-7043-501 (1 aux. sw.)
—	VS-2353-567-8-81 ^c	VB-2313-500-9-63 & MS40-7043-501 (1 aux. sw.)
—	VS-2353-572-8-21	VS-2313-536-9-05 & Transformer
—	VS-2353-572-8-41	VS-2313-536-9-16 & Transformer
—	VS-2353-572-8-51	VS-2313-536-9-30 & Transformer
—	VS-2353-572-8-61	VS-2313-536-9-54 ^b or VS-2313-536-9-44 & Transformer
—	VS-2353-574-8-41	VS-2313-536-9-16 & Transformer
—	VS-2353-574-8-51	VS-2313-536-9-30 & Transformer
—	VS-2353-574-8-61	VS-2313-536-9-54 ^b or VS-2313-536-9-44 & Transformer
—	VS-2353-576-8-21	VS-2313-536-9-05
—	VS-2353-576-8-41	VS-2313-536-9-16
—	VS-2353-576-8-51	VS-2313-536-9-30
—	VS-2353-576-8-61	VS-2313-536-9-54 ^b or VS-2313-536-9-44

- a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.
- b. Indicates replacement is different line size.
- c. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

3-Way Ball Valve Assy, NSR

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
VS-2353-452-8-21	VS-2353-505-8-21	VS-2313-505-9-05
VS-2353-453-8-21	VS-2353-506-8-21	VS-2313-506-9-05
VS-2353-453-8-41	VS-2353-506-8-41	VS-2313-506-9-16
VS-2353-450-8-21	VS-2353-508-8-21	VS-2313-505-9-05
VS-2353-450-8-41	VS-2353-508-8-41	VS-2313-505-9-16
VS-2353-450-8-51	VS-2353-508-8-51	VS-2313-505-9-30
VS-2353-451-8-51	VS-2353-516-8-51	VS-2313-505-9-30
VS-2353-451-8-61	VS-2353-516-8-61	VS-2313-508-9-54 ^b or VS-2313-505-9-44
VS-2353-451-8-71	VS-2353-516-8-71	VS-2313-505-9-46 ^b or VS-2313-508-9-54
VS-2353-454-8-71	VS-2353-516-8-71	VS-2313-505-9-46 ^b or VS-2313-508-9-54
VS-2353-454-8-71 ^c	VS-2353-516-8-71 ^c	VS-2313-505-9-46 ^b or VS-2313-508-9-54
VS-2353-454-8-81	VS-2353-516-8-81	VS-2313-508-9-63
VS-2353-454-8-81 ^c	VS-2353-516-8-81 ^c	VS-2313-508-9-63

- a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.
- b. Indicates replacement is different line size.
- c. Indicates a dual-mount model. While the SEC and Linked Ball Valve Assemblies are dual-mount, the replacement TAC DuraLynx models are single-mount, due to their ball valves' low torque requirements.

Globe Valve Assemblies

Note: The Globe Valve Assemblies cross-reference tables are listed alphanumerically by SEC Assembly model numbers in the left-hand column. The suggested TAC replacements are listed in the right-hand column.

2-Way Globe Valve Assy, SR

SEC Assembly Model Number	TAC Assembly Model Number
VS-7211-390-4-7	VS-7211-546-4-7
VS-7211-390-4-8	VS-7211-546-4-8
VS-7211-390-4-9	VS-7211-546-4-9
VS-7211-391-4-9	VS-7211-556-4-9
VS-7211-395-4-1	VS-7211-536-4-1
VS-7211-395-4-2	VS-7211-536-4-2
VS-7211-395-4-3	VS-7211-536-4-3
VS-7211-395-4-4	VS-7211-536-4-4
VS-7211-395-4-5	VS-7211-536-4-5
VS-7211-395-4-6	VS-7211-536-4-6
VS-7211-395-4-7	VS-7211-536-4-7
VS-7211-395-4-8	VS-7211-536-4-8
VS-7211-395-4-9	VS-7211-536-4-9
VS-7211-396-4-1	VS-7211-537-4-1
VS-7211-396-4-2	VS-7211-537-4-2
VS-7211-396-4-3	VS-7211-537-4-3
VS-7211-396-4-4	VS-7211-537-4-4
VS-7211-396-4-5	VS-7211-537-4-5
VS-7211-396-4-6	VS-7211-537-4-6
VS-7211-396-4-7	VS-7211-537-4-7
VS-7211-396-4-8	VS-7211-537-4-8
VS-7211-396-4-9	VS-7211-537-4-9
VS-7213-390-4-10	VS-7213-546-4-10
VS-7213-390-4-11	VS-7213-546-4-11
VS-7213-390-4-7	VS-7213-546-4-7
VS-7213-390-4-8	VS-7213-546-4-8
VS-7213-390-4-9	VS-7213-546-4-9
VS-7213-391-4-10	VS-7213-556-4-10
VS-7213-391-4-11	VS-7213-556-4-11
VS-7213-391-4-9	VS-7213-556-4-9
VS-7213-395-4-1	VS-7213-536-4-1
VS-7213-395-4-2	VS-7213-536-4-2
VS-7213-395-4-3	VS-7213-536-4-3
VS-7213-395-4-4	VS-7213-536-4-4
VS-7213-395-4-5	VS-7213-536-4-5
VS-7213-395-4-6	VS-7213-536-4-6
VS-7213-395-4-7	VS-7213-536-4-7
VS-7213-395-4-8	VS-7213-536-4-8
VS-7213-395-4-9	VS-7213-536-4-9
VS-7213-396-4-1	VS-7213-537-4-1
VS-7213-396-4-2	VS-7213-537-4-2
VS-7213-396-4-3	VS-7213-537-4-3
VS-7213-396-4-4	VS-7213-537-4-4

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VS-7213-396-4-5	VS-7213-537-4-5
VS-7213-396-4-6	VS-7213-537-4-6
VS-7213-396-4-7	VS-7213-537-4-7
VS-7213-396-4-8	VS-7213-537-4-8
VS-7213-396-4-9	VS-7213-537-4-9
VS-7215-390-4-10	VS-7215-546-4-10
VS-7215-390-4-11	VS-7215-546-4-11
VS-7215-390-4-7	VS-7215-546-4-7
VS-7215-390-4-8	VS-7215-546-4-8
VS-7215-390-4-9	VS-7215-546-4-9
VS-7215-391-4-10	VS-7215-556-4-10
VS-7215-391-4-11	VS-7215-556-4-11
VS-7215-391-4-9	VS-7215-556-4-9
VS-7215-395-4-1	VS-7215-536-4-1
VS-7215-395-4-2	VS-7215-536-4-2
VS-7215-395-4-3	VS-7215-536-4-3
VS-7215-395-4-4	VS-7215-536-4-4
VS-7215-395-4-5	VS-7215-536-4-5
VS-7215-395-4-6	VS-7215-536-4-6
VS-7215-395-4-7	VS-7215-536-4-7
VS-7215-395-4-8	VS-7215-536-4-8
VS-7215-395-4-9	VS-7215-536-4-9
VS-7215-396-4-1	VS-7215-537-4-1
VS-7215-396-4-2	VS-7215-537-4-2
VS-7215-396-4-3	VS-7215-537-4-3
VS-7215-396-4-4	VS-7215-537-4-4
VS-7215-396-4-5	VS-7215-537-4-5
VS-7215-396-4-6	VS-7215-537-4-6
VS-7215-396-4-7	VS-7215-537-4-7
VS-7215-396-4-8	VS-7215-537-4-8
VS-7215-396-4-9	VS-7215-537-4-9
VS-7221-390-4-7	VS-7221-546-4-7
VS-7221-390-4-8	VS-7221-546-4-8
VS-7221-390-4-9	VS-7221-546-4-9
VS-7221-391-4-9	VS-7221-556-4-9
VS-7221-395-4-1	VS-7221-536-4-1
VS-7221-395-4-2	VS-7221-536-4-2
VS-7221-395-4-3	VS-7221-536-4-3
VS-7221-395-4-4	VS-7221-536-4-4
VS-7221-395-4-5	VS-7221-536-4-5
VS-7221-395-4-6	VS-7221-536-4-6
VS-7221-395-4-7	VS-7221-536-4-7
VS-7221-395-4-8	VS-7221-536-4-8
VS-7221-395-4-9	VS-7221-536-4-9
VS-7221-396-4-1	VS-7221-537-4-1
VS-7221-396-4-2	VS-7221-537-4-2
VS-7221-396-4-3	VS-7221-537-4-3
VS-7221-396-4-4	VS-7221-537-4-4
VS-7221-396-4-5	VS-7221-537-4-5
VS-7221-396-4-6	VS-7221-537-4-6

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VS-7221-396-4-7	VS-7221-537-4-7
VS-7221-396-4-8	VS-7221-537-4-8
VS-7221-396-4-9	VS-7221-537-4-9
VS-7223-390-4-10	VS-7223-546-4-10
VS-7223-390-4-11	VS-7223-546-4-11
VS-7223-390-4-7	VS-7223-546-4-7
VS-7223-390-4-8	VS-7223-546-4-8
VS-7223-390-4-9	VS-7223-546-4-9
VS-7223-391-4-10	VS-7223-556-4-10
VS-7223-391-4-11	VS-7223-556-4-11
VS-7223-391-4-9	VS-7223-556-4-9
VS-7223-395-4-1	VS-7223-536-4-1
VS-7223-395-4-2	VS-7223-536-4-2
VS-7223-395-4-3	VS-7223-536-4-3
VS-7223-395-4-4	VS-7223-536-4-4
VS-7223-395-4-5	VS-7223-536-4-5
VS-7223-395-4-6	VS-7223-536-4-6
VS-7223-395-4-7	VS-7223-536-4-7
VS-7223-395-4-8	VS-7223-536-4-8
VS-7223-395-4-9	VS-7223-536-4-9
VS-7223-396-4-1	VS-7223-537-4-1
VS-7223-396-4-2	VS-7223-537-4-2
VS-7223-396-4-3	VS-7223-537-4-3
VS-7223-396-4-4	VS-7223-537-4-4
VS-7223-396-4-5	VS-7223-537-4-5
VS-7223-396-4-6	VS-7223-537-4-6
VS-7223-396-4-7	VS-7223-537-4-7
VS-7223-396-4-8	VS-7223-537-4-8
VS-7223-396-4-9	VS-7223-537-4-9
VS-7225-390-4-10	VS-7225-546-4-10
VS-7225-390-4-11	VS-7225-546-4-11
VS-7225-390-4-7	VS-7225-546-4-7
VS-7225-390-4-8	VS-7225-546-4-8
VS-7225-390-4-9	VS-7225-546-4-9
VS-7225-391-4-10	VS-7225-556-4-10
VS-7225-391-4-11	VS-7225-556-4-11
VS-7225-391-4-9	VS-7225-556-4-9
VS-7225-395-4-1	VS-7225-536-4-1
VS-7225-395-4-10	VS-7225-536-4-10
VS-7225-395-4-11	VS-7225-536-4-11
VS-7225-395-4-2	VS-7225-536-4-2
VS-7225-395-4-3	VS-7225-536-4-3
VS-7225-395-4-4	VS-7225-536-4-4
VS-7225-395-4-5	VS-7225-536-4-5
VS-7225-395-4-6	VS-7225-536-4-6
VS-7225-395-4-7	VS-7225-536-4-7
VS-7225-395-4-8	VS-7225-536-4-8
VS-7225-395-4-9	VS-7225-536-4-9
VS-7225-396-4-1	VS-7225-537-4-1
VS-7225-396-4-2	VS-7225-537-4-2

2-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VS-7225-396-4-3	VS-7225-537-4-3
VS-7225-396-4-4	VS-7225-537-4-4
VS-7225-396-4-5	VS-7225-537-4-5
VS-7225-396-4-6	VS-7225-537-4-6
VS-7225-396-4-7	VS-7225-537-4-7
VS-7225-396-4-8	VS-7225-537-4-8
VS-7225-396-4-9	VS-7225-537-4-9

2-Way Globe Valve Assy, NSR

SEC Assembly Model Number	TAC Assembly Model Number
VS-7211-450-4-9	VS-7211-508-4-9
VS-7211-452-4-1	VS-7211-505-4-1
VS-7211-452-4-2	VS-7211-505-4-2
VS-7211-452-4-3	VS-7211-505-4-3
VS-7211-452-4-4	VS-7211-505-4-4
VS-7211-452-4-5	VS-7211-505-4-5
VS-7211-452-4-6	VS-7211-505-4-6
VS-7211-452-4-7	VS-7211-505-4-7
VS-7211-452-4-8	VS-7211-505-4-8
VS-7211-452-4-9	VS-7211-505-4-9
VS-7211-453-4-7	VS-7211-506-4-7
VS-7211-453-4-8	VS-7211-506-4-8
VS-7211-453-4-9	VS-7211-506-4-9
VS-7213-450-4-10	VS-7213-508-4-10
VS-7213-450-4-11	VS-7213-508-4-11
VS-7213-450-4-9	VS-7213-508-4-9
VS-7213-452-4-1	VS-7213-505-4-1
VS-7213-452-4-2	VS-7213-505-4-2
VS-7213-452-4-3	VS-7213-505-4-3
VS-7213-452-4-4	VS-7213-505-4-4
VS-7213-452-4-5	VS-7213-505-4-5
VS-7213-452-4-6	VS-7213-505-4-6
VS-7213-452-4-7	VS-7213-505-4-7
VS-7213-452-4-8	VS-7213-505-4-8
VS-7213-452-4-9	VS-7213-505-4-9
VS-7213-453-4-10	VS-7213-506-4-10
VS-7213-453-4-11	VS-7213-506-4-11
VS-7213-453-4-7	VS-7213-506-4-7
VS-7213-453-4-8	VS-7213-506-4-8
VS-7213-453-4-9	VS-7213-506-4-9
VS-7215-450-4-10	VS-7215-508-4-10
VS-7215-450-4-11	VS-7215-508-4-11
VS-7215-450-4-9	VS-7215-508-4-9
VS-7215-452-4-1	VS-7215-505-4-1
VS-7215-452-4-2	VS-7215-505-4-2
VS-7215-452-4-3	VS-7215-505-4-3
VS-7215-452-4-4	VS-7215-505-4-4
VS-7215-452-4-5	VS-7215-505-4-5
VS-7215-452-4-6	VS-7215-505-4-6

PROPORTIONAL CONTROL

2-Way Globe Valve Assy, NSR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VS-7215-452-4-7	VS-7215-505-4-7
VS-7215-452-4-8	VS-7215-505-4-8
VS-7215-452-4-9	VS-7215-505-4-9
VS-7215-453-4-10	VS-7215-506-4-10
VS-7215-453-4-11	VS-7215-506-4-11
VS-7215-453-4-7	VS-7215-506-4-7
VS-7215-453-4-8	VS-7215-506-4-8
VS-7215-453-4-9	VS-7215-506-4-9
VS-7221-450-4-9	VS-7221-508-4-9
VS-7221-452-4-1	VS-7221-505-4-1
VS-7221-452-4-2	VS-7221-505-4-2
VS-7221-452-4-3	VS-7221-505-4-3
VS-7221-452-4-4	VS-7221-505-4-4
VS-7221-452-4-5	VS-7221-505-4-5
VS-7221-452-4-6	VS-7221-505-4-6
VS-7221-452-4-7	VS-7221-505-4-7
VS-7221-452-4-8	VS-7221-505-4-8
VS-7221-452-4-9	VS-7221-505-4-9
VS-7221-453-4-7	VS-7221-506-4-7
VS-7221-453-4-8	VS-7221-506-4-8
VS-7221-453-4-9	VS-7221-506-4-9
VS-7223-450-4-10	VS-7223-508-4-10
VS-7223-450-4-11	VS-7223-508-4-11
VS-7223-450-4-9	VS-7223-508-4-9
VS-7223-452-4-1	VS-7223-505-4-1
VS-7223-452-4-2	VS-7223-505-4-2
VS-7223-452-4-3	VS-7223-505-4-3
VS-7223-452-4-4	VS-7223-505-4-4
VS-7223-452-4-5	VS-7223-505-4-5
VS-7223-452-4-6	VS-7223-505-4-6
VS-7223-452-4-7	VS-7223-505-4-7
VS-7223-452-4-8	VS-7223-505-4-8
VS-7223-452-4-9	VS-7223-505-4-9
VS-7223-453-4-10	VS-7223-506-4-10
VS-7223-453-4-11	VS-7223-506-4-11
VS-7223-453-4-7	VS-7223-506-4-7
VS-7223-453-4-8	VS-7223-506-4-8
VS-7223-453-4-9	VS-7223-506-4-9
VS-7225-450-4-10	VS-7225-508-4-10
VS-7225-450-4-11	VS-7225-508-4-11
VS-7225-450-4-9	VS-7225-508-4-9
VS-7225-452-4-1	VS-7225-505-4-1
VS-7225-452-4-2	VS-7225-505-4-2
VS-7225-452-4-3	VS-7225-505-4-3
VS-7225-452-4-4	VS-7225-505-4-4
VS-7225-452-4-5	VS-7225-505-4-5
VS-7225-452-4-6	VS-7225-505-4-6
VS-7225-452-4-7	VS-7225-505-4-7
VS-7225-452-4-8	VS-7225-505-4-8
VS-7225-452-4-9	VS-7225-505-4-9

2-Way Globe Valve Assy, NSR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VS-7225-453-4-10	VS-7225-506-4-10
VS-7225-453-4-11	VS-7225-506-4-11
VS-7225-453-4-7	VS-7225-506-4-7
VS-7225-453-4-8	VS-7225-506-4-8
VS-7225-453-4-9	VS-7225-506-4-9

3-Way Globe Valve Assy, SR

SEC Assembly Model Number	TAC Assembly Model Number
VS-7313-390-4-10	VS-7313-546-4-10
VS-7313-390-4-11	VS-7313-546-4-11
VS-7313-390-4-8	VS-7313-546-4-8
VS-7313-390-4-9	VS-7313-546-4-9
VS-7313-391-4-10	VS-7313-556-4-10
VS-7313-391-4-11	VS-7313-556-4-11
VS-7313-395-4-2	VS-7313-536-4-2
VS-7313-395-4-4	VS-7313-536-4-4
VS-7313-395-4-6	VS-7313-536-4-6
VS-7313-395-4-8	VS-7313-536-4-8
VS-7313-395-4-9	VS-7313-536-4-9
VS-7313-396-4-2	VS-7313-537-4-2
VS-7313-396-4-4	VS-7313-537-4-4
VS-7313-396-4-6	VS-7313-537-4-6
VS-7313-396-4-8	VS-7313-537-4-8
VS-7313-396-4-9	VS-7313-537-4-9
VS-7315-390-4-10	VS-7315-546-4-10
VS-7315-390-4-11	VS-7315-546-4-11
VS-7315-390-4-8	VS-7315-546-4-8
VS-7315-390-4-9	VS-7315-546-4-9
VS-7315-391-4-10	VS-7315-556-4-10
VS-7315-391-4-11	VS-7315-556-4-11
VS-7315-395-4-2	VS-7315-536-4-2
VS-7315-395-4-4	VS-7315-536-4-4
VS-7315-395-4-6	VS-7315-536-4-6
VS-7315-395-4-8	VS-7315-536-4-8
VS-7315-395-4-9	VS-7315-536-4-9
VS-7315-396-4-10	VS-7315-537-4-10
VS-7315-396-4-11	VS-7315-537-4-11
VS-7315-396-4-2	VS-7315-537-4-2
VS-7315-396-4-4	VS-7315-537-4-4
VS-7315-396-4-6	VS-7315-537-4-6
VS-7315-396-4-8	VS-7315-537-4-8
VS-7315-396-4-9	VS-7315-537-4-9
VS-7323-390-4-10	VS-7323-536-4-10
VS-7323-390-4-11	VS-7323-536-4-11
VS-7323-390-4-8	VS-7323-536-4-8
VS-7323-390-4-9	VS-7323-536-4-9
VS-7323-391-4-10	VS-7323-536-4-10
VS-7323-391-4-11	VS-7323-536-4-11
VS-7323-395-4-10	VS-7323-536-4-10

3-Way Globe Valve Assy, SR (Continued)

SEC Assembly Model Number	TAC Assembly Model Number
VS-7323-395-4-11	VS-7323-536-4-11
VS-7323-395-4-4	VS-7323-536-4-4
VS-7323-395-4-6	VS-7323-536-4-6
VS-7323-395-4-8	VS-7323-536-4-8
VS-7323-395-4-9	VS-7323-536-4-9
VS-7323-396-4-10	VS-7323-537-4-10
VS-7323-396-4-11	VS-7323-537-4-11
VS-7323-396-4-4	VS-7323-537-4-4
VS-7323-396-4-6	VS-7323-537-4-6
VS-7323-396-4-8	VS-7323-537-4-8
VS-7323-396-4-9	VS-7323-537-4-9

3-Way Globe Valve Assy, NSR

SEC Assembly Model Number	TAC Assembly Model Number
VS-7313-450-4-10	VS-7313-508-4-10
VS-7313-450-4-11	VS-7313-508-4-11
VS-7313-452-4-2	VS-7313-505-4-2
VS-7313-452-4-4	VS-7313-505-4-4
VS-7313-452-4-6	VS-7313-505-4-6
VS-7313-452-4-8	VS-7313-505-4-8
VS-7313-452-4-9	VS-7313-505-4-9
VS-7313-453-4-10	VS-7313-506-4-10
VS-7313-453-4-11	VS-7313-506-4-11
VS-7313-453-4-8	VS-7313-506-4-8
VS-7313-453-4-9	VS-7313-506-4-9
VS-7315-450-4-10	VS-7315-508-4-10
VS-7315-450-4-11	VS-7315-508-4-11
VS-7315-452-4-2	VS-7315-505-4-2
VS-7315-452-4-4	VS-7315-505-4-4
VS-7315-452-4-6	VS-7315-505-4-6
VS-7315-452-4-8	VS-7315-505-4-8
VS-7315-452-4-9	VS-7315-505-4-9
VS-7315-453-4-10	VS-7315-506-4-10
VS-7315-453-4-11	VS-7315-506-4-11
VS-7315-453-4-8	VS-7315-506-4-8
VS-7315-453-4-9	VS-7315-506-4-9
VS-7323-450-4-10	VS-7323-452-4-11
VS-7323-450-4-11	VS-7323-452-4-11
VS-7323-452-4-10	VS-7323-505-4-10
VS-7323-452-4-11	VS-7323-505-4-11
VS-7323-452-4-4	VS-7323-505-4-4
VS-7323-452-4-6	VS-7323-505-4-6
VS-7323-452-4-8	VS-7323-505-4-8
VS-7323-452-4-9	VS-7323-505-4-9
VS-7323-453-4-10	VS-7323-452-4-8
VS-7323-453-4-11	VS-7323-452-4-11
VS-7323-453-4-8	VS-7323-452-4-8
VS-7323-453-4-9	VS-7323-452-4-8

Ball Valve Body/Linkage Assemblies

2-Way Ball Valve Body/Linkage Assemblies.

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly
—	VB-2253-505-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a
—	VB-2253-506-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a
—	VB-2253-506-8-44	VB-2213-500-9-18
—	VB-2253-506-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18
—	VB-2253-506-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27
—	VB-2253-510-8-26	VB-2213-500-9-07 or VB-2213-500-9-17 ^a
—	VB-2253-510-8-44	VB-2213-500-9-18
—	VB-2253-510-8-46	VB-2213-500-9-18 or VB-2213-500-9-27 ^a
—	VB-2253-510-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27
—	VB-2253-510-8-56	VB-2213-500-9-27 or VB-2213-500-9-82 ^a
—	VB-2253-510-8-64	VB-2213-500-9-45
—	VB-2253-510-8-74	VB-2213-500-9-63 or VB-2213-500-9-54 ^a
—	VB-2253-510-8-86	VB-2213-500-9-63
—	VB-2253-530-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07
—	VB-2253-550-8-26	VB-2213-500-9-17 ^a or VB-2213-500-9-07
—	VB-2253-550-8-44	VB-2213-500-9-18
—	VB-2253-550-8-46	VB-2213-500-9-27 ^a or VB-2213-500-9-18
—	VB-2253-550-8-54	VB-2213-500-9-45 ^a or VB-2213-500-9-27
—	VB-2253-550-8-64	VB-2213-500-9-45

a. Indicates replacement is different line size.

3-Way Ball Valve Body/Linkage Assemblies.

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
—	VB-2353-505-8-21	VB-2313-500-9-05
—	VB-2353-506-8-21	VB-2313-500-9-05
—	VB-2353-506-8-41	VB-2313-500-9-16
—	VB-2353-506-8-51	VB-2313-500-9-30
—	VB-2353-510-8-21	VB-2313-500-9-05
—	VB-2353-510-8-41	VB-2313-500-9-16
—	VB-2353-510-8-51	VB-2313-500-9-30
—	VB-2353-510-8-61	VB-2313-500-9-54 ^b or VB-2313-500-9-44
—	VB-2353-510-8-71	VB-2313-500-9-46 ^b or VB-2313-500-9-54
—	VB-2353-510-8-81	VB-2313-500-9-63

a. TAC DuraLynx 3-way ball valves are for mixing water applications only. For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

Ball Valve Body/Linkage Assemblies

3-Way Ball Valve Body/Linkage Assemblies.

SEC Assembly Model Number	TAC Model Number	
	Linked Ball Valve Assembly	TAC DuraLynx Ball Valve Assembly ^a
—	VB-2353-530-8-21	VB-2313-500-9-05
—	VB-2353-550-8-41	VB-2313-500-9-16
—	VB-2353-550-8-51	VB-2313-500-9-30

a. TAC DuraLynx 3-way ball valves are for mixing water applications only.

For diverting applications use VB-7323 or VB-9323 globe diverting valve bodies and appropriate actuators. TAC DuraLynx 3-way ball valves have a vertical tee configuration.

b. Indicates replacement is different line size.

Copyright 2006, TAC

All brand names, trademarks and registered trademarks are the property of their respective owners. Information contained within this document is subject to change without notice.

TAC

1354 Clifford Avenue
P.O. Box 2940
Loves Park, IL 61132-2940

Seibe Environmental Controls and SEC are trademarks of Invensys plc.

F-26785-4



www.tac.com

