MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Product Name Alka-brite Plus (4120)

CAS # Mixture

Product use Coil Cleaner / Degreaser

Manufacturer Nu-Calgon
2008 Altom Court

St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Emergency overview DANGER

CAUSES EYE BURNS, CAUSES SKIN BURNS,

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes chemical burns. May cause blindness.

Skin Causes chemical burns. Harmful contact may not cause immediate pain.

Inhalation May cause respiratory tract irritation or chemical burns.

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Target organs Eyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Potential environmental effects Components of this product have been identified as having potential

environmental concerns.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Sodium hydroxide	1310-73-2	10 - 30
Alkyl polyglycoside	110615-47-9	1 - 5

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Immediately flush with cool water for 15 minutes while removing contaminated clothing

and shoes. Discard or wash well before reuse. Obtain medical advice immediately.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

IngestionDo not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Obtain medical attention.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that

medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with

eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties Not flammable by WHMIS/OSHA criteria.

Extinguishing media

Suitable extinguishing media Water spray. Foam. Carbon dioxide. Dry chemical.

#18453 Page 1 of 6 Issue date 07-Jun-2011

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of carbon.

Sensitivity to mechanical impact Not available
Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions Do not discharge into lakes, streams, ponds or public waters.

Methods for containment Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Methods for cleaning upBefore attempting clean up, refer to hazard data given above. Small spills may be

absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling Do not get in eyes, on skin or on clothing.

Avoid breathing vapors or mists of this product. Use good industrial hygiene practices in

handling this material.

Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.

Storage Keep out of the reach of children. Store in a closed container away from incompatible

materials.

8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure Limits

Alkyl polyglycoside

ACGIH-TLV

Not established

OSHA-PEL

Not established

Sodium hydroxide ACGIH-TLV
Ceiling: 2 mg/m3

OSHA-PEL TWA: 2 mg/m3

Engineering controls General ventilation normally adequate.

Personal protective equipment

Eye / face protection Wear chemical goggles.

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection As required by employer code.

Respiratory protection Avoid breathing mists or vapors. Where exposure guideline levels may be exceeded, use

an approved NIOSH respirator.

General hygiene considerations Use good industrial hygiene practices in handling this material. When using do not eat or

drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance Liquid.

Color **Brown** Form Liquid

Odor Characteristic, Mild Not available Odor threshold

Liquid Physical state

рH 14 (Concentrate) Not available **Melting point** 32.00 °F (0 °C) Freezing point 212.00 °F (100 °C) **Boiling point** Not available Pour point Not available **Evaporation rate** None to boiling Flash point **Auto-ignition temperature** Not available Flammability limits in air, lower, % Not available

by volume

Flammability limits in air, upper, %

by volume

Not available

Not available Vapor pressure Not available Vapor density

1.26 Specific gravity

Octanol/water coefficient Not available Solubility (H2O) Complete VOC (Weight %) Not available Not available **Viscosity**

75 Percent volatile

10. Stability and Reactivity

Reacts violently with acids. Reactivity

This product may react with strong oxidizing agents.

Possibility of hazardous reactions

Chemical stability

Hazardous polymerization does not occur. Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Acids. Oxidizing agents. Incompatible materials

May include and are not limited to: Oxides of carbon. Hazardous decomposition products

11. Toxicological Information

Component analysis - LC50

LC50 Ingredient(s)

Alkyl polyglycoside Not available Sodium hydroxide Not available

Component analysis - Oral LD50

Ingredient(s) **LD50**

Alkyl polyglycoside 5000 mg/kg rat

Not available Sodium hydroxide

Effects of acute exposure

Eve Causes chemical burns. May cause blindness.

Skin Causes chemical burns. Harmful contact may not cause immediate pain.

Inhalation May cause respiratory tract irritation or chemical burns.

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Sensitization Non-hazardous by WHMIS/OSHA criteria. Chronic effects Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria. Carcinogenicity Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

#18453 Page 3 of 6 Issue date 07-Jun-2011 Reproductive effects Non-hazardous by WHMIS/OSHA criteria. Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

Components of this product have been identified as having potential environmental **Ecotoxicity**

concerns.

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Sodium hydroxide 1310-73-2 96 Hr LC50 Oncorhynchus mykiss: 45.4 mg/L [static]

Not available Persistence / degradability Not available Bioaccumulation / accumulation Not available Mobility in environmental media **Environmental effects** Not available Not available Aquatic toxicity Partition coefficient Not available Not available Chemical fate information Other adverse effects Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations. **Disposal instructions**

Waste from residues / unused

products

Not available

Contaminated packaging

Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (SODIUM

HYDROXIDE RQ = 5000 lbs)

Hazard class

UN3266 **UN number**

Packing group

Additional information:

Special provisions B2, IB2, T11, TP2, TP27

< 0.3 Gallon - Limited Quantity Packaging exceptions

ERG number 154

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(SODIUM HYDROXIDE)

Hazard class

UN3266 **UN** number

Packing group Ш

Additional information:

Special provisions 16

<1L - Limited Quantity Packaging exceptions





15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the MSDS contains all the information required by the

Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Sodium hydroxide 1310-73-2 1 %

WHMIS status Controlled

WHMIS classification Class E - Corrosive Material

WHMIS labeling



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

Yes

chemical

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Sodium hydroxide 1310-73-2 1000 Lb final RQ: 454 kg final RQ

U.S. - CWA (Clean Water Act) - Hazardous Substances
Sodium hydroxide 1310-73-2 Present

CERCLA (Superfund) reportable quantity

Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely No

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Sodium hydroxide 1310-73-2 Present U.S. - Louisiana - Reportable Quantity List for Pollutants

Sodium hydroxide 1310-73-2 1000 Lb final RQ; 454 kg final RQ

U.S. - Massachusetts - Right To Know List

Sodium hydroxide 1310-73-2 Present

U.S. - Minnesota - Hazardous Substance List

Sodium hydroxide 1310-73-2 Present U.S. - New Jersey - Right to Know Hazardous Substance List Sodium hydroxide 1310-73-2 sn 1706

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Sodium hydroxide 1310-73-2 1000 Lb RQ (air); 100 lb RQ (land/water)

U.S. - Pennsylvania - RTK (Right to Know) List

Sodium hydroxide 1310-73-2 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Sodium hydroxide 1310-73-2 Toxic; Flammable

Inventory name


Country(s) or region Inventory name On inventory (yes/no)*

Canada Domestic Substances List (DSL) Yes
Canada Non-Domestic Substances List (NDSL) No


United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information







Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

 Issue date
 07-Jun-2011

 Effective date
 31-Jul-2011

 Expiry date
 31-Jul-2014

Prepared by Nu-Calgon Technical Service (314) 469-7000

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.